

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

PURE 500 SLEEP AID N/A

Matrix: Derivative

Sample:GA30309003-005 Harvest/Lot ID: 00615

Batch#: 02132023 **Cultivation Facility:**

Processing Facility: Distributor Facility:

> **Source Facility:** Seed to Sale# N/A

Batch Date: 02/13/23

Sample Size Received: 15 ml Total Amount: 15 ml

Retail Product Size: 15 ml Ordered: 02/13/23

Sampled: 02/13/23 Completed: 03/15/23

Sampling Method: SOP.T.20.010.FL

PASSED

Pages 1 of 1

PRODUCT IMAGE

3400 nw 27th avenue C-4

Pompano beach, FL, 33069, US

SAFETY RESULTS

Mar 15, 2023 | Pure Science Lab





Heavy Metals







Residuals Solvents



Filth

NOT TESTED

Water Activity





NOT TESTED



MISC.

Cannabinoid

PASSED



Total THC $\mathbf{0.01}\%$

Total THC/Container: 1.38 mg



Microbials

Total CBD

Total CBD/Container: 1143.882 mg

PURE SCIENCE LAB



Total Cannabinoids .904%

Total Cannabinoids/Container: 1228.752

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: GA057143POT

Instrument Used : GA-HPLC-001 2030C Plus (Infused)

Running on: 03/10/23 17:50:25

Reagent: G30923.R15; 021323.02; 010421.44; 071522.04; 030923.R21

Consumables: 212823; GA-196; GA-209; 947.109; 21/05/14; 9291.271; LLS-00-0005; 12558-231CD-231C; R0NB32898; 46610-762A; 944C4 944J; 0000185478; 212516

Pipette: GA-003; GA-004; GA-006; GA-011; GA-014

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Miranda MacDonald

Reviewed On: 03/12/23 11:33:16

Batch Date: 03/09/23 11:22:27

Lab Director

State License # CMTL-0001 ISO 17025 Accreditation # ISO/IE 17025:2017 Accreditation PJLA-Testing 97164



Signature

03/15/23

Signed On