

PharmLabs San Diego Certificate of Analysis

3421 Hancock St, Second Floor, San Diego, CA 92110 | License: C8-000098-LIC
 ISO/IEC 17025:2017 Certification L17-427-1 | Accreditation #85368



Sample **SH D9/CBC/CBD**

Sample ID	SD230418-026 (72701)	Matrix	Edible (Other Cannabis Good)
Tested for	Steve's Hemp	Reported	Apr 20, 2023
Sampled	-	Received	Apr 17, 2023
Analyses executed	CAN+	Unit Mass (g)	24.025
		Serving Size (g)	4.805

CAN+ - Cannabinoids Analysis

Analyzed Apr 20, 2023 | Instrument HPLC-VWD | Method SOP-001
 The expanded Uncertainty of the Cannabinoid analysis is approximately 7.806% at the 95% Confidence Level

Analyte	LOD mg/g	LOQ mg/g	Result %	Result mg/g	Result mg/Serving	Result mg/Unit
Cannabidiol (CBD)	0.039	0.16	ND	ND	ND	ND
Cannabidiolic Acid (CBDA)	0.001	0.16	0.00	0.01	0.07	0.34
Cannabigerol Acid (CBGA)	0.001	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Cannabigerol (CBG)	0.001	0.16	0.01	0.09	0.43	2.16
Cannabidiol (CBD)	0.001	0.16	0.23	2.29	10.99	54.97
Tetrahydrocannabivarin (THCV)	0.001	0.16	0.00	0.01	0.06	0.31
Cannabinol (CBN)	0.001	0.16	0.00	0.02	0.07	0.36
Tetrahydrocannabinol (Δ9-THC)	0.003	0.16	0.18	1.78	8.58	42.88
Δ8-tetrahydrocannabinol (Δ8-THC)	0.004	0.16	0.00	0.04	0.17	0.84
Cannabicyclol (CBL)	0.002	0.16	ND	ND	ND	ND
Cannabichromene (CBC)	0.002	0.16	0.12	1.20	5.78	28.90
Tetrahydrocannabinolic Acid (THCA)	0.001	0.16	<LOQ	<LOQ	<LOQ	<LOQ
Total THC (THCa + Δ9THC)			0.18	1.78	8.58	42.88
Total THC + Δ8THC (THCa + 0.877 + Δ9THC + Δ8THC)			0.18	1.82	8.75	43.73
Total CBD (CBDA + 0.877 + CBD)			0.23	2.30	11.05	55.26
Total CBG (CBGa + 0.877 + CBG)			0.01	0.09	0.43	2.16
Total Cannabinoids			0.54	5.44	26.15	130.73

UI Not Identified
 ND Not Detected
 N/A Not Applicable
 NT Not Reported
 LOD Limit of Detection
 LOQ Limit of Quantification
 <LOQ Detected
 >ULOL Above upper limit of linearity
 CFU/g Colony Forming Units per 1 gram
 TNTC Too Numerous to Count



Scan the QR code to verify authenticity.

Authorized Signature

Brandon Starr

Brandon Starr, Lab Manager
 Thu, 20 Apr 2023 13:29:42 -0700

PharmLabs San Diego | 3421 Hancock St, Second Floor, San Diego, CA 92110 | 619.356.0898 | ISO/IEC 17025:2017 Certification L17-427-1



*This report shall not be reproduced except in full, without the written approval of the lab. This report is for informational purposes only and should not be used to diagnose, treat or prevent any disease. Results are only for samples and batches indicated. Results are reported on an "as received" basis, unless indicated otherwise. When a Pass/Fail status is reported, that status is intended to be in accordance with federal, state and local laws which are required for the customer to be in compliance. The measurement of uncertainty is not included in the Pass/Fail evaluation unless explicitly required by federal, state or local laws and has been reported on the certificate of analysis. Measurement of uncertainty is available upon request.