

## AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE

### FINISH

satin brass finish with alabaster  
bronze finish with alabaster

### DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)  
ø 1010 x 70 mm (dia x h)  
ø 1300 x 70 mm (dia x h)

### WEIGHT

95kg (209.5lbs)  
additional support around junction box required for installation

### OVERALL DROP

minimum 995 mm  
maximum on request 5080 mm  
supplied with 2500 mm suspension cables

### ILLUMINATION

integrated LED - 38w + 67W + 89w - 2700k  
3 x LED drivers to be installed in the cavity  
driver can be placed up to 2m away from the ceiling plate



### DIMMING

trailing edge dimmable  
Dali option available (220-240v only)


### CEILING ROSE / PLATE

round ceiling plate - ø 180 x 10 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



LED driver dimensions



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACH3BZHA-CM-240	Bronze finish with alabaster	220 - 240V
AVACHLSBHA-CM-240	Satin brass finish with alabaster	220 - 240V
AAVACH3BZHA-CM-110	Bronze finish with alabaster	110 - 130V
AVACHLSBHA-CM-110	Satin brass finish with alabaster	10 - 130V

## AVALON CHANDELIER TRIPLE CEILING ROSE

### FINISH

satin brass finish with alabaster  
bronze finish with alabaster

### DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)  
ø 1010 x 70 mm (dia x h)  
ø 1300 x 70 mm (dia x h)

### WEIGHT

96kg (211.6lbs)  
additional support around junction box required for installation

### OVERALL DROP

minimum 1020 mm  
maximum on request 5145 mm  
supplied with 2500 mm suspension cables

### ILLUMINATION

integrated LED - 38w + 67w + 89w - 2700k  
3 x LED driver to be installed in the ceiling rose


### DIMMING

trailing edge dimmable  
Dali option available (220-240v only)

### CEILING ROSE / PLATE

round ceiling rose - ø 240 x 75 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	VOLTAGE
AVACH3BZHA-CR-240	Bronze finish with alabaster	220 - 240V
AVACH3SBHA-CR-240	Satin brass finish with alabaster	220 - 240V
AVACH3BZHA-CR-110	Bronze finish with alabaster	110 - 130V
AVACH3SBHA-CR-110	Satin brass finish with alabaster	110 - 130V

## AVALON CHANDELIER TRIPLE CEILING MOUNTING PLATE - DALI

### FINISH

satin brass finish with alabaster  
bronze finish with alabaster

### DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)  
ø 1010 x 70 mm (dia x h)  
ø 1300 x 70 mm (dia x h)

### WEIGHT

95kg (209.5lbs)  
additional support around junction box required for installation

### OVERALL DROP

minimum 955 mm  
maximum on request 5613 mm  
supplied with 2500 mm suspension cables

### ILLUMINATION

integrated LED - 38w + 67W + 89w - 2700k  
3 x LED drivers to be installed in the cavity  
driver can be placed up to 2m away from the ceiling plate



### DIMMING

Dali compatible


### CEILING ROSE / PLATE

round ceiling plate - ø 180 x 10 mm (dia x h)


### CERTIFICATION



mounting plate dimensions



LED driver dimensions



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACH3BZHA-CM-DALIA-240	Bronze finish with alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside existent ceiling/wall recess	220 - 240V
AVACH3SBHA-CM-DALIA-240	Satin brass finish with alabaster	DALI A included - For lights that do not require aesthetic alterations. Dali can be fitted inside existent ceiling/wall recess	220 - 240V

## AVALON CHANDELIER TRIPLE CEILING ROSE - DALI

### FINISH

satin brass finish with alabaster  
bronze finish with alabaster

### DIMENSIONS (body of fixture)

ø 640 x 70 mm (dia x h)  
ø 1010 x 70 mm (dia x h)  
ø 1300 x 70 mm (dia x h)

### WEIGHT

96kg (211.6lbs)  
additional support around junction box required for installation

### OVERALL DROP

minimum 1020 mm  
maximum on request 5670 mm  
supplied with 2500 mm suspension cables

### ILLUMINATION

integrated LED - 38w + 67w + 89w - 2700k  
3 x LED driver to be installed in the ceiling rose


### DIMMING

Dali compatible

### CEILING ROSE / PLATE

round ceiling rose - ø 240 x 75 mm (dia x h)

### CERTIFICATION



\*Diagrams are not to scale.

SKU NUMBER	FINISH DESCRIPTION	TYPE OF DALI	VOLTAGE
AVACH3BZHA-CR-DALIA-240	Bronze finish with alabaster	DALI A included - For lights that do not require aesthetic alterations.	220 - 240V
AVACH3SBHA-CR-DALIA-240	Satin brass finish with alabaster	DALI A included - For lights that do not require aesthetic alterations.	220 - 240V