

FLOS



F7764048 Ochre-Grey

Tatou Floor

Designed by Patricia Urquiola, 2012

Halogen - 205W



Diffused light floor lamp. External diffuser in Polycarbonate. Internal diffuser in injection-printed opal Polycarbonate. Support and base in painted steel.

Are you a professional and your project needs consulting and support?


BOOK AN APPOINTMENT

Main specifications

EAN	8059607007426
Mounting	Floor
Environments	Indoor dry location
Light source type	Bulb
Light sources included	No
Lamp category	Halogen
Lamp holders	E27
Icos	HSGS
Number of lamps	1
Power (W)	205

Physical

Colour	Ochre-Grey
Length (mm)	500
Cord colour	Black
Cord length (mm)	1700
Net weight (kg)	16.4
Package volume (m3)	0.59
IP internal	20



Download

Mounting instructions [Download PDF](#)


Photometric Files

LDT / IES [Download LDT](#)


Technical Drawings

2D [Download ZIP](#)

3D [Download ZIP](#)



Schematic light drawing




Photometric

Lighting type	Indirect, Direct
Light distribution	Asymmetric
Extreme cut off	No

Electrical


Insulation class	II
Frequency (Hz)	50/60
Main voltage (Vac)	220-240
Dimmable	Yes
Dimming interface	Dimmer Integrated
Plug type	Type C
Batteries inside	No

Bulbs



NOT INCLUDED


RF26998
LED 21W E27 2450lm 3000K
DIMMER



NOT INCLUDED

RF30429
LED Opal Lamp E27 21W 2700K
A65 Dimmable

Spare Parts



01.	F-S2 ochre-grey assembly diffuser	F7755048
02.	Kit with screws for f-s2 opal reflector assembly	RF7755100
03.	F-S2 reflector assembly	RF7755200
05.	Kit of 5 white feed pads for base	RF3020100



F7755048

F-S2 ochre-grey assembly diffuser



RF7755100

Kit with screws for f-s2 opal reflector assembly



RF7755200

F-S2 reflector assembly



RF3020100

Kit of 5 white feed pads for base