

Milky Way Pendant Infinity Elements 120

MWPEIE120

CE IP20 UK
CA

Materials

Electroplated Aluminium or Hand finished brass, Hand blown Murano glass, Cathedral glass.

Weight incl. canopy

Polished gold and nickel finished aluminium ~8.2 kg
Brushed brass and blackened brass ~12.7 kg

Power Input

220-240V 50-60Hz

Light Source (included)

Strip LEDs. 53W, 4340 Lumens, 2700K warm white.
CRI>90.




MILKY WAY PENDANT HORIZONTAL ELEMENTS 120

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH




SIZE (UNIT: CM)



STEP 2 - CHOOSE YOUR MURANO GLASS FINISH

MURANO GLASS



STEP 3 - CHOOSE YOUR SUSPENSION TYPE

SUSPENSION TYPE



+ STANDARD BUILTIN PHASECUT DRIVER

A. We provide a L850 canopy with a builtin LED driver with **phasecut dimming** as standard.

L850 | 85 X 5 X H6.5CM



MATCHING FINISH

PHASECUT

+ OTHER BUILTIN DRIVERS AVAILABLE ON REQUEST

B. We can also provide builtin LED drivers with **1-10 Volt, Switch / Push or DALI** dimming for L850 single linear canopy and **Phasecut, 1-10 Volt, Switch / Push, Dali** dimming for two D200 circular canopies. These dimming and canopy combinations are available in the following dimensions:

L850 | 85 X 5 X H6.5CM



MATCHING FINISH

1-10 VOLT

SWITCH/PUSH

DALI

D200 | Ø20 X 5CM



MATCHING FINISH

PHASECUT

1-10 VOLT

SWITCH/PUSH

DALI

+ REMOTE DRIVERS AVAILABLE ON REQUEST

B. If your electrician can wire the LED Drivers remotely (rather than builtin to the canopy) we can provide a single L850 linear canopy or two D85 circular canopies. These dimming and canopy combinations are available as following:

L850 | 85 X 5 X H6.5CM



MATCHING FINISH

PHASECUT

1-10 VOLT

SWITCH/PUSH

DALI

D85 | Ø8.5 X 4CM



MATCHING FINISH

PHASECUT

1-10 VOLT

SWITCH/PUSH

DALI

Milky Way Pendant Infinity Elements 180

MWPEIE180

CE IP20 UK
CA

Materials

Electroplated Aluminium or Hand finished brass,
Hand blown Murano glass, Cathedral glass.

Weight incl. canopy

Polished gold and nickel finished aluminium ~9.8 kg
Brushed brass and blackened brass ~16 kg

Power Input

220-240V 50-60Hz

Light Source (included)

Strip LEDs. 76.5W, 6270 Lumens, 2700K warm
white. CRI>90.




MILKY WAY PENDANT HORIZONTAL ELEMENTS 180

CONFIGURATION

STEP 1 - CHOOSE YOUR METAL FINISH




SIZE (UNIT: CM)



STEP 2 - CHOOSE YOUR MURANO GLASS FINISH

MURANO GLASS



STEP 3 - CHOOSE YOUR SUSPENSION TYPE

SUSPENSION TYPE



+ STANDARD BUILTIN PHASECUT DRIVER

A. We provide a L850 canopy with a builtin LED driver with **phasecut dimming** as standard.

L850 | 85 X 5 X H6.5CM




MATCHING FINISH

PHASECUT

+ OTHER BUILTIN DRIVERS AVAILABLE ON REQUEST

B. We can also provide builtin LED drivers with **1-10 Volt, Switch / Push or DALI** dimming for L850 single linear canopy and **Phasecut, 1-10 Volt, Switch / Push, Dali** dimming for two D200 circular canopies. These dimming and canopy combinations are available in the following dimensions:

L850 | 85 X 5 X H6.5CM




MATCHING FINISH

1-10 VOLT

SWITCH/PUSH

DALI

D200 | Ø20 X 5CM



MATCHING FINISH

PHASECUT

1-10 VOLT


SWITCH/PUSH

DALI

+ REMOTE DRIVERS AVAILABLE ON REQUEST

B. If your electrician can wire the LED Drivers remotely (rather than builtin to the canopy) we can provide a single L850 linear canopy or two D85 circular canopies. These dimming and canopy combinations are available as following:

L850 | 85 X 5 X H6.5CM



MATCHING FINISH


PHASECUT

1-10 VOLT

SWITCH/PUSH

DALI

D85 | Ø8.5 X 4CM



MATCHING FINISH

PHASECUT

1-10 VOLT

SWITCH/PUSH

DALI