

A close-up photograph of a metal surface, likely stainless steel, showing numerous fine scratches and several circular marks or indentations. The lighting is warm and directional, creating a gradient from dark brown in the bottom left to a lighter, golden-brown in the top left. The text 'O.N.O' is centered in the upper half of the image.

O.N.O

RENGØRING / HOW TO CLEAN

VEDLIGEHOELSESMANUAL

Til rengøring af ONO produkter

For at undgå at beskadige overfladen på ONO produkter, anbefaler vi, at følgende overholdes:

Benyt venligst kun rengøringsmidler, der er beregnet til dit produkts konkrete overfælde og følg altid brugsanvisningen for rengøringsmidlet.

Brug aldrig aggressivt virkende rengøringsmidler eller skurepulver, stålsvampe, stålbørster eller andre slibemidler.

Spray ikke rengøringsmidler direkte på overfladen, men spray altid rengøringsmidlet på en klud eller blød svamp først. Efter brug af rengøringsmidler skylles overfladen altid grundigt efter med vand. Forebyg kalkaflejringer ved regelmæssig rengøring. Aftør produktet med en fugtig klud dagligt. Rester af shampoo, flydende sæbe og andre kropsplejemidler skal skylles væk med vand.

Bemærk venligst, at der ikke ydes garanti på ONO produkter, der er beskadigede på grund af forkert eller u hensigtsmæssig vedligeholdelse eller brug.

Messing

Det håndpolerede messing er et levende materiale og vil forandre sig over tid alt efter brug. Du kan altid nemt polere dit ONO produkt op med pudsemiddel, hvis du ønsker et skinnende nyt udtryk. Rengør gerne dit ONO produkt med varmt sæbevand og brug aldrig syreholdige rengøringsmidler eller rengøringsmidler med en høj koncentration af fluor, klor og brintoverilte. Brug aldrig ståluld eller skuresvampe til rengøring da disse vil ridse overfladen.

Opløs husholdningseddike i forholdet 50% vand og 50% eddike, tør produktet af med det, og skyld af med rent vand. Spray ikke rengøringsmiddel direkte på vasken.

Bruneret messing

Den brunerede messing er overfladebehandlet. Vi fraråder på det kraftigste at pudse eller skure brunerede produkter fra ONO, da du dermed vil fjerne bruneringen. Rengør gerne dit ONO produkt med varmt sæbevand og brug aldrig syreholdige rengøringsmidler eller rengøringsmidler med en høj koncentration af fluor, klor og brintoverilte. Brug aldrig ståluld eller skuresvampe til rengøring da disse vil ridse overfladen.

Bruneret Kobber

Den brunerede kobber er overfladebehandlet. Vi fraråder på det kraftigste at pudse eller skure brunerede produkter fra ONO, da du dermed vil fjerne bruneringen. Rengør gerne dit ONO produkt med varmt sæbevand og brug aldrig syreholdige rengøringsmidler eller rengøringsmidler med en høj koncentration af fluor, klor og brintoverilte. Brug aldrig ståluld eller skuresvampe til rengøring da disse vil ridse overfladen.

Kobber

Det håndpolerede messing er et levende materiale og vil forandre sig over tid alt efter brug. Du kan altid nemt polere dit ONO produkt op med pudsemiddel, hvis du ønsker et skinnende nyt udtryk. Rengør gerne dit ONO produkt med varmt sæbevand og brug aldrig syreholdige rengøringsmidler eller rengøringsmidler med en høj koncentration af fluor, klor og brintoverilte. Brug aldrig ståluld eller skuresvampe til rengøring da disse vil ridse overfladen.

Opløs husholdningseddike i forholdet 50% vand og 50% eddike, tør produktet af med det, og skyld af med rent vand. Spray ikke rengøringsmiddel direkte på vasken.

Stål

Stål er syrefast og tåler alle rengøringsmidler. Brug aldrig ståluld eller skuresvampe til rengøring, da disse elementer vil ridse overfladen.

Hvis du har spørgsmål, er du altid meget velkommen til at ringe til os på 36 70 14 22

MAINTENANCE MANUAL

Cleaning of ONO products

To avoid damaging the surface of ONO products, we recommend that the following be observed:

Please only use cleaning agents that are intended for your product's specific surface and always follow the instructions for use for the cleaning agent.

Never use aggressive cleaning agents or scouring powder, steel sponges, wire brushes or other abrasives.

Do not spray cleaning agents directly on the surface, but always spray the cleaning agent on a cloth or soft sponge first. After using cleaning agents, always rinse the surface thoroughly with water. Prevent limescale deposits with regular cleaning. Wipe the product with a damp cloth daily.

Remnants of shampoo, liquid soap and other body care products must be washed away with water.

Please note that ONO products that are damaged due to incorrect or inappropriate maintenance or use are not guaranteed.

Brass

The hand-polished brass is a living material and will change over time depending on use. You can always easily polish your ONO product with polish if you want a shiny new look. Please clean your ONO product with warm soapy water and never use acidic cleaning agents or cleaning agents with a high concentration of fluorine, chlorine and hydrogen peroxide. Never use steel wool or scouring pads for cleaning, as these will scratch the surface.

Browned Brass

The burnished brass is surface treated. We strongly advise against polishing or scrubbing burnished products from ONO, as this will remove the browning. Please clean your ONO product with warm soapy water and never use acidic cleaning agents or cleaning agents with a high concentration of fluorine, chlorine and hydrogen peroxide. Never use steel wool or scouring pads for cleaning as these will scratch the surface.

ONO

Copper

The hand-polished copper is a living material and will change over time depending on use. You can always easily polish your ONO product with polish if you want a shiny new look. Please clean your ONO product with warm soapy water and never use acidic cleaning agents or cleaning agents with a high concentration of fluorine, chlorine and hydrogen peroxide. Never use steel wool or scouring pads for cleaning, as these will scratch the surface.

Browned Copper

The burnished Copper is surface treated. We strongly advise against polishing or scrubbing burnished products from ONO, as this will remove the browning. Please clean your ONO product with warm soapy water and never use acidic cleaning agents or cleaning agents with a high concentration of fluorine, chlorine and hydrogen peroxide. Never use steel wool or scouring pads for cleaning as these will scratch the surface.

Steel

Steel is acid-resistant and withstands all cleaning agents. Never use steel wool or scouring pads for cleaning, as these items will scratch the surface.

If you have any questions, you're always very welcome to call us at 36 70 14 22