



Gnome Serums, LLC
 56 Bridge Street
 Johnsonville, New York, 12094
 (518) 753-2291
 Order #: 69794
 Retail Batch #: B-GS-O-SSC-1000-MCT-0002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #: 103104
 License #: CMTL-0004

Batch Information

Order Information

Order #: 69794
 Order Name: B-GS-O-SSC-1000-MCT-0002
 Retail Batch #: B-GS-O-SSC-1000-MCT-0002
 Received: 08/15/2022 11:00:28
 Complete: 08/23/2022 17:18:45

Create Date: Total Qty.: 0
 Exp. Date: Matrix: Tincture
 Size: 0 Pickup Weight: N/A

CANNABINOIDS NOT TESTED	LABEL CLAIM NOT TESTED	MICROBIAL ANALYSIS PASS
RESIDUAL SOLVENTS PASS	AGRICULTURAL AGENTS NOT TESTED	HEAVY METAL ANALYSIS FAIL
TERPENES TOTAL TESTED	MOISTURE ANALYSIS NOT TESTED	WATER ACTIVITY NOT TESTED
FILTH & FOREIGN NOT TESTED	HOMOGENEITY NOT TESTED	MYCOTOXIN ANALYSIS PASS



NT Total THC
NT Total CBD
NT Total Cannabinoids

Diana Asensio, M.S.

Lab Director

Florida
 4001 SW 47th Avenue, Suite 208
 Davie FL, 33314
 (954) 514-9343





Gnome Serums, LLC
 56 Bridge Street
 Johnsonville, New York, 12094
 (518) 753-2291
 Order #: 69794
 Retail Batch #: B-GS-O-SSC-1000-MCT-0002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #: 103104
 License #: CMTL-0004

MYCOTOXIN ANALYSIS
 LC-MS/MS **PASS**

Sample Prep

Tech: 1012
 SOP: 432
 Batch Number: 55352
 Batch Date: 08/16/2022 10:56:45

Sample Analysis

Date/Time: 08/22/2022 15:56:03
 Tech: 1012
 SOP: 424
 Final Weight: 0.5097 g

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LEVEL (ppb)	RESULTS (ppb)
Aflatoxin B1	2/10	2	20	ND
Aflatoxin B2	2/10	2	20	ND
Aflatoxin G1	2/10	2	20	ND
Aflatoxin G2	2/5	2	20	ND
Ochratoxin A	2/10	2	20	ND

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie FL, 33314
 (954) 514-9343





Gnome Serums, LLC
56 Bridge Street
Johnsonville, New York, 12094
(518) 753-2291
Order #: 69794
Retail Batch #: B-GS-O-SSC-1000-MCT-0002

TERPENES TOTAL
GC-FID **TESTED (0.092 %)**


Sample Prep

Tech: 1012
SOP: 421
Batch Number: 55351
Batch Date: 08/16/2022 10:49:39

Sample Analysis

Date/Time: 08/17/2022 19:31:31
Tech: 2816
SOP: 419
Final Weight: 0.4312 g
Volume: 10 ml

TERPENE	LOD/LOQ (%)	DIL.	RESULTS (%)	TERPENE	LOD/LOQ (%)	DIL.	RESULTS (%)
3-Carene	0.001/0.003	1	ND	Geraniol	0.001/0.003	1	ND
alpha-Bisobolol	0.001/0.003	1	0.017	Geranyl acetate	0.001/0.003	1	ND
alpha-Cedrene	0.001/0.003	1	ND	Guaiol	0.001/0.003	1	ND
alpha-Humulene	0.001/0.003	1	0.029	Hexahydrothymol	0.001/0.003	1	ND
alpha-Pinene	0.001/0.003	1	ND	Isoborneol	0.001/0.003	1	ND
alpha-Terpinene	0.001/0.003	1	ND	Isopulegol	0.001/0.003	1	ND
beta-Myrcene	0.001/0.003	1	ND	Limonene	0.001/0.003	1	ND
beta-Pinene	0.001/0.003	1	ND	Linalool	0.001/0.003	1	0.004
Borneol	0.001/0.003	1	ND	Nerol	0.001/0.003	1	ND
Camphene	0.001/0.003	1	ND	p-Mentha-1,5-diene	0.001/0.003	1	ND
Camphor	0.001/0.003	1	ND	Pulegone	0.001/0.003	1	ND
Caryophyllene oxide	0.001/0.003	1	ND	Sabinene hydrate	0.001/0.003	1	ND
Cedrol	0.001/0.003	1	ND	Terpineol	0.001/0.003	1	0.004
cis-Nerolidol	0.001/0.003	1	ND	Terpinolene	0.001/0.003	1	<LOQ
cis-Ocimene	0.001/0.003	1	ND	trans-Caryophyllene	0.001/0.003	1	0.038
Eucalyptol	0.001/0.003	1	ND	trans-Nerolidol	0.001/0.003	1	ND
Fenchone	0.001/0.003	1	ND	trans-Ocimene	0.001/0.003	1	ND
Fenchyl alcohol	0.001/0.003	1	<LOQ	Valencene	0.001/0.003	1	ND
gamma-Terpinene	0.001/0.003	1	ND				



Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
Davie FL, 33314
(954) 514-9343





Gnome Serums, LLC
 56 Bridge Street
 Johnsonville, New York, 12094
 (518) 753-2291
 Order #: 69794
 Retail Batch #: B-GS-O-SSC-1000-MCT-0002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #: 103104
 License #: CMTL-0004

RESIDUAL SOLVENTS

HS-GC-MS

PASS

Sample Prep

Tech: 4074
 SOP: 405
 Batch Number: 55365
 Batch Date: 08/16/2022 15:24:46

Sample Analysis

Date/Time: 08/18/2022 10:06:28
 Tech: 2816
 SOP: 405
 Final Weight: 0.0507 g
 Volume: 1 ml

ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)	ANALYTE	LOD/LOQ (ppm)	DIL.	ACTION LIMIT (ppm)	RESULTS (ppm)
1,1-Dichloroethene	0.6/0.63	1	8	ND	Heptane	6/140	1	5000	ND
1,2-Dichloroethane	0.012/0.12	1	2	ND	Hexanes	0.06/18	1	250	ND
Acetone	9/140	1	750	ND	Isopropyl alcohol	3/140	1	500	ND
Acetonitrile	0.72/25	1	60	ND	Methanol	6/100	1	250	ND
Benzene	0.6/1	1	1	ND	Methylene chloride	1.5/1.5	1	125	ND
Butane	48/50	1	5000	ND	Pentane	9/140	1	750	ND
Chloroform	0.5/1	1	2	ND	Propane	30/30	1	5000	ND
Ethanol	12/140	1	5000	ND	Toluene	0.9/53	1	150	ND
Ethyl acetate	2.4/140	1	400	ND	Trichloroethylene	0.3/1	1	25	ND
Ethyl ether	6/140	1	500	ND	Xylenes	1.8/130	1	150	ND
Ethylene oxide	0.6/2	1	5	ND					

HEAVY METAL ANALYSIS

ICP-MS

FAIL

Sample Prep

Tech: 3975
 SOP: 428
 Batch Number: 55373
 Batch Date: 08/17/2022 08:01:08

Sample Analysis

Date/Time: 08/22/2022 15:56:04
 Tech: 3396
 SOP: 428
 Final Weight: 0.2144 g
 Volume: 60 ml

ANALYTE	LOD/LOQ (ppb)	DIL.	ACTION LIMIT (ppb)	RESULTS (ppb)
Arsenic	20/75	1	1500	ND
Cadmium	20/75	1	500	ND
Lead	20/75	1	500	851.866
Mercury	20/75	1	3000	ND

Diana Asensio, M.S.

Lab Director

Florida

4001 SW 47th Avenue, Suite 208
 Davie FL, 33314
 (954) 514-9343





Gnome Serums, LLC
 56 Bridge Street
 Johnsonville, New York, 12094
 (518) 753-2291
 Order #: 69794
 Retail Batch #: B-GS-O-SSC-1000-MCT-0002

CERTIFICATE OF ANALYSIS
 ISO/IEC: 17025:2017 Accreditation #: 103104
 License #: CMTL-0004

MICROBIAL ANALYSIS
PASS

Sample Prep

Tech: 3571
 SOP: 406

Batch Number: 55335
 Batch Date: 08/15/2022 14:37:53

Date/Time: 08/16/2022 18:52:38
 Tech: 2853
 SOP: 406

Sample Analysis

Final Weight: 1.007 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total aerobic count	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3571
 SOP: 406

Batch Number: 55335
 Batch Date: 08/15/2022 14:37:53

Date/Time: 08/16/2022 18:52:38
 Tech: 2853
 SOP: 406

Sample Analysis

Final Weight: 1.007 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Total yeast and mold	qPCR	NA	NOT DETECTED	PASS

Sample Prep

Tech: 3571
 SOP: 406

Batch Number: 55334
 Batch Date: 08/15/2022 14:37:10

Date/Time: 08/17/2022 20:46:50
 Tech: 3358
 SOP: 406


Sample Analysis

Final Weight: 1.0196 g

ANALYTE	TEST METHOD	ALLOWABLE CRITERIA	ACTUAL RESULT	PASS/FAIL
Salmonella	qPCR	< 1 CFU/g	NOT DETECTED	PASS
STEC e. coli	qPCR	< 1 CFU/g	NOT DETECTED	PASS

Diana Asensio, M.S.

Lab Director



Florida
 4001 SW 47th Avenue, Suite 208
 Davie FL, 33314
 (954) 514-9343



