


CERTIFICATE OF ANALYSIS

prepared for: Gnome Serum 56 Bridge St Johnsonvile, NY 12094

FC022221GS-500

Batch ID:		Test ID:	T000125770
Туре:	Solution	Submitted:	02/23/2021 @ 09:03 AM
Test:	Potency	Started:	2/24/2021
Method:	TM14	Reported:	2/25/2021

CANNABINOID PROFILE



Compound	LOQ (mg/mL)	Result (mg/mL)	Result (mg/g)
Delta 9-Tetrahydrocannabinolic acid (THCA-A)	0.13	ND	ND
Delta 9-Tetrahydrocannabinol (Delta 9THC)	0.15	0.46	0.5
Cannabidiolic acid (CBDA)	0.14	0.27	0.3
Cannabidiol (CBD)	0.14	17.73	19.3
Delta 8-Tetrahydrocannabinol (Delta 8THC)	0.17	ND	ND
Cannabinolic Acid (CBNA)	0.10	ND	ND
Cannabinol (CBN)	0.04	0.06	0.1
Cannabigerolic acid (CBGA)	0.14	ND	ND
Cannabigerol (CBG)	0.03	0.41	0.4
Tetrahydrocannabivarinic Acid (THCVA)	0.12	ND	ND
Tetrahydrocannabivarin (THCV)	0.03	ND	ND
Cannabidivarinic Acid (CBDVA)	0.06	ND	ND
Cannabidivarin (CBDV)	0.03	0.05	0.1
Cannabichromenic Acid (CBCA)	0.05	ND	ND
Cannabichromene (CBC)	0.06	0.94	1.0
Total Cannabinoids		19.92	21.7
Total Potential THC**		0.46	0.5
Total Potential CBD**		17.97	19.5

6 = % (w/w) = Percent (Weight of Analyte / Weight of Product)

* Total Cannabinoids result reflects the absolute sum of all cannabinoids detected.

** Total Potential THC/CBD is calculated using the following formulas to take into account the loss of a carboxyl group during decarboxylation step.

Total THC = THC + (THCa *(0.877)) and Total CBD = CBD + (CBDa *(0.877))

ND = None Detected (Defined by Dynamic Range of the method)

NOTES:

Density = 0.92g/mL

FINAL APPROVAL

Daniel Wartonsand

Daniel Weidensaul 25-Feb-2021 1:54 PM

A, 31

Greg Zimpfer 25-Feb-2021 1:59 PM

PREPARED BY / DATE APPROVED BY / DATE

Testing results are based solely upon the sample submitted to Botanacor Laboratories, LLC, in the condition it was received. Botanacor Laboratories, LLC warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of Botanacor Laboratories, LLC. ISO/IEC 17025:2005 Accredited A2LA Certificate Number 4329.02

