

Safety Data Sheet

Astro Intu Mastic - Trowel Grade

UIC of product-type: INTUM

Revision 13 - 8th February 2022



BATCH NUMBER 01119233 MANU DATE NOVEMBER 19 EXPIRY DATE MAY 21

TROWEL GRADE SEALANT TROWEL GRADE ABLATIVE SEALANT TESTED FOR 4 HOURS TO BS476 - SOP: 38133

Tel 0800 019 7610 Fax 0800 019 7611

International: Tel +44 1329 844 500 Fax +44 1329 844 600 email: sales@astroflame.com

Astroflame (Fire Seals) Ltd. Intumescent House, Unit 8 The IO Centre, Stephenson Road, Segensworth, FAREHAM, PO15 5RU

PO: 19337

5kg TUBS MANUFACTURED: Nov 19



Astroflame (Fireseals) LTD : Unit 8 , I.O Centre : Stephenson Road : Segensworth : Fareham : PO15 5RU T - 01329 844500 : F - 01329 844600 : W - www.astroflame.com : E - sales@astroflame.com



Section 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product Name : Astro Intu Mastic - Trowel Grade

Product Code : AFBCOAT5LT

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of substance/Mixture : PC1 Adhesives, sealants

1.3. Details of the supplier of the safety data sheet

- Company Name : Astroflame (Fireseals) LTD Unit 8 , I.O Centre Stephenson Road Segensworth Fareham PO15 5RU United Kingdom
- **Tel Number :** (0) 44 1329 844500
- **Fax Number :** (0) 44 1329 844600
- **Email** : sales@astroflame.com

1.4. Emergency telephone number

Tel Number : (0) 44 1329 844500 During office hours 08:00 - 17:30

Section 2: Classification of the substance or mixture

2.1. Classification of the substance or mixture

Classification under CLP : This product has no classification under CLP

2.2. Label elements

Label Elements : This product has no label elements

2.3. Other hazards

PBT : This product is not identified as a PBT/vPvB substance



Section 3: Composition/information on ingredients

3.2. Mixtures

Hazardous ingredients:

CALCIUM CARBONATE

| EINECS | CAS | PBT/WEL | CLP Classification | Percent | |
|-----------------|--|--|--------------------|---------|--|
| - | 1317-65-3 | Substance with a Community workplace exposure limit. | - | 30-50% | |
| APYRAL - RE | APYRAL - REACH registered number(s): 01-2119529246-39-XXXX | | | | |
| 244-492-7 | 21645-51-2 | Substance with a Community workplace exposure limit. | - | 10-30% | |
| IOKAL ULTRAFINE | | | | | |
| 207-439-9 | 471-34-1 | Substance with a Community workplace exposure limit. | - | 1-10% | |

Section 4: First aid measures

4.1. Description of first aid measures

- Skin Contact : Wash immediately with plenty of soap and water.
- **Eye contact** : Bathe the eye with running water for 15 minutes.
- **Ingestion** : Wash out mouth with water.
- Inhalation : Consult a doctor

4.2. Most important symptons and effects , both acute and delayed

- Skin Contact : There may be mild irritation at the site of contact
- Eye contact : There may be irritation and redness
- **Ingestion** : There may be irritation of the throat
- Inhalation : There may be irritation of the throat with a feeling of tightness in the chest

4.3. Indication of any immediate medical attention and special treatment needed

Immediate/special treatment : Not applicable

W - www.astroflame.com



Section 5: Fire-Fighting measures

5.1. Extinguishing media

Extinguishing Media : Suitable extinguishing media for the surrounding fire should be used.

5.2. Special hazards arising from the substance or mixture

Exposure hazards : In combustion emits toxic fumes

5.3. Advice for fire - fighters

Advice for fire- fighters : Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

Section 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions : Refer to section 8 of SDS for personal protection details.

6.2. Environmental precautions

Environmental : Do not discharge into drains or rivers.

6.3. Methods and materials for containment and cleaning up

Clean-up procedures : Wash the spillage site with large amounts of water

6.4. Reference to other sections

Reference to other sections : Refer to section 8 of SDS

Section 7: Handling and storage

7.1. Precautions for safe handling

Handling requirements : Avoid the formation or spread of dust in the air

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in cool, well ventilated area.

ASTROFLAME

7.3. Specific end use(s)

Specific end use(s) : No data available

Section 8: Control parameters/personal protection

8.1. Control parameters

Hazardous ingredients:

CALCIUM CARBONATE

Workplace exposure limits:

| Workplace | exposure limits: | Respirable dust | | | |
|------------|------------------|-----------------|------------|--------------|--|
| State | 8 hour TWA | 15 min. STEL | 8 hour TWA | 15 min. STEL | |
| EU | - | - | - | 5mg/m3 | |
| APYRAL | | | | | |
| UK | - | - | 4mg/m3 | - | |
| IOKAL ULTR | AFINE | | | | |
| UK | 4 mg/m3 | - | - | - | |

DNEL/PNEC

DNEL/PNEC : No data available

8.2. Exposure controls

| Engineering measures | : | Ensure there is sufficient ventilation of the area. |
|-------------------------------|---|---|
| Respiratory protection | : | Respiratory protective device with particle filter. |
| Hand protection | : | Protective gloves. |
| Eye protection | : | Safety glasses. Ensure eye bath is to hand. |
| Skin protection | : | Protective clothing. |

9: Information on basic physical and chemical properties

9.1. Information on basic physical and chemical properties

| State | : | Paste |
|-------------------------|---|--------------------------|
| Colour | : | Various |
| Odour | : | Barely perceptible odour |
| Relative density | : | 1.56 - 1.66 |
| рН | : | 6.5 - 9 |

9.2. Other information

Other information : No data available

T - 01329 844500



Section 10: Stability and reactivity

| 10.1. Reactivity | | |
|----------------------------|--------|--|
| Reactivity | : | Stable under recommended transport or storage conditions |
| 10.2. Chemical Stability | | |
| Chemical stability | : | Stable under normal conditions |
| 10.3. Possibility of hazer | dous r | eactions |
| Hazardous reactions | : | Hazardous reactions will occur under normal transport or storage conditions. Decomposition may occur on exposure to conditions or materials listed below. |
| 10.4. Conditions to avoid | | |
| Conditions to avoid | : | Heat |
| 10.5. Incompatible mate | rials | |
| Materials to avoid | : | Strong oxidising agents. Strong acids |
| 10.6. Hazardous Decomp | ositio | n Products |

Haz. decomp. products : In combustion emits toxic fumes

Section 11: Toxicological information

11.1. Information on toxicological effects

Hazardous ingredients:

| APYRAL | | | | |
|-----------------|-----|------|------|-------|
| INAHLATION | RAT | LC50 | 7.6 | mg/l |
| ORAL | RAT | - | 2000 | mg/kg |
| IOKAL ULTRAFINE | | | | |
| ORAL | RAT | LD50 | 5000 | mg/kg |

Toxicity values: No data available.

Symptoms/routes of exposure

| Skin Contact | : | There may be mild irritation at the site of contact |
|--------------|---|--|
| Eye contact | : | There may be irritation and redness |
| Ingestion | : | There may be irritation of the throat |
| Inhalation | : | There may be irritation of the throat with a feeling of tightness in the chest |



Section 12: Ecological information

12.1. Toxicity

Hazardous ingredients:

APYRAL

| ATLANTIC SALMON | 96H EC50 | 100 | mg/l |
|--|----------|-----|------|
| Daphnia magna | 48H EC50 | 100 | mg/l |
| GREEN ALGA (Selenastrum capricornutum) | 72H EC50 | 100 | mg/l |
| SALMO TRUTTA | LC50 | 100 | mg/l |
| IOKAL ULTRAFINE | | | |
| ALGAE | 72H EC50 | 200 | mg/l |
| DADUNUA | | | // |

| | | | - |
|---------|----------|-------|------|
| DAPHNIA | 49H EC50 | 1000 | mg/l |
| FISH | 96H LC50 | 10000 | mg/l |

12.2. Persistence and Degradability

Persistence and degradability : Biodergradable

12.3. Bioaccumulative potential

Bioaccumulative potential : No bioaccumulation potential

12.4. Mobility in soil

Mobility : Readily absorbed into soil.

12.5. Results of PBT and vPvB assessment

PBT identification : This product is not identified as a PBT/vPvB substance

12.6. Other adverse effects

Other adverse effects: Negligible ecotoxicity

Section 13: Disposal considerations

13.1. Waste treatment methods

| Disposal operations : | Transfer to a suitable container and arrange for collection by specialised |
|-----------------------|--|
| NB : | disposal company. The user's attention is drawn to the possible existence of regional or national regulations regarding disposal. |



Section 14: Transport information

Transport class : This product does not require a classification for transport

Section 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Specific regulations : Not applicable

15.2. Chemical safety assessment

Chemical safety assessment : A chemical safety assessment has not been carried out for the substance or the mixture by the supplier

Section 16: Other information

| Other information | |
|-------------------|--|
| Other information | according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 * indicates text in the SDS which has changed since the last revision. |
| Legal disclaimer | : The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product. |

As part of our policy of ongoing improvements, we reserve the right to modify, alter or change product specifications without giving notice. Product illustrations are representations only. All information contained in this document is provided for guidance only, and as ASTROFLAME (FIRE SEALS) LTD has no control over the specific application or installation methods of the products, or of the prevailing site conditions, no warranties expressed or implied are intended to be given as to the actual performance of the products mentioned or referred to, and no liability whatsoever will be accepted for any loss, damage or injury arising from the use of the information given of products mentioned or referred to herein.

The above information to the best of our knowledge is true and accurate and based upon current test data and is supplied for your guidance only. Customers should satisfy themselves to the suitability of the product based on the products limitation of applications and that the product is fit for purpose for their intended use and no guarantee is given or implied since the conditions of actual use are beyond our control. ASTROFLAME (FIRE SEALS) LTD, disclaim any liability for loss, damage or other expense arising from the use of information, data or products mentioned or referred to and reserve the right to change any details or specifications without notice. If you are in any doubt as to the suitability of this product for your intended application please contact our technical team on 01329 844500 or email sales@astroflame.com and we will contact you.

F - 01329 844600

Page 7

