Sol Cerveza Clone

			Our tribute to Sol, this beer is crisp	, clean and has a	light body.	Original Gravity: 1.047
	All Grain Recipe					Final Gravity: 1.012 Color SRM: 3.52
	AG99-0094					Alcohol by Volume : 4.51
Procedure · Please re:	ad all the instructions before you begin brewing, to ensure you have all the ingredients and fully understand the process.					IBU : 12.14
Clean	It is important to thoroughly clean and sanitize all of your brewing equipment. Assemble your mash					Grains :
Siean	tun. Add 1 quart of 180°F water for every pound of grain to be mashed (add water first). By adding water first, you will pre-heat your mash tun. Stir water until your temperature hits 170°F. It is now time to add your CRUSHED grains to the cooler. Gently dough grains in until all grain is covered by water. Place lid on and continue to Mash.					5.75 lbs 2 Row Malt - Malteurop 2 lbs Flaked Maize
Mash	After 10 minutes you can check your temperature. You will be between 149°F and 156°F assuming you measured your water and grains correctly. Replace lid and "Mash" for 1 hour. Start to heat your sparge water at this point. You will need enough 200°F water your expected final volume (5 gallons if you want five gallons of brew).					
Conversion	After mashing for one hour, you will want to check for conversion of starch to sugar. This will be done by placing a small amount of grain free wort on a white plate or bowl. Add one drop of "Tincture of lodine" to the wort. If it quickly disappears or stays/remains red, you are ready to move on. If the iodine turns black, starch is still present. Calibrate your thermometer. Recheck the temperature of the mash. If both are accurate, do another iodine test every 20 minutes until conversion is complete.					
Sparge	Conversion is now complete. Slowly drain 1/2 gallon of wort and pour it back on top of your mash. This process (Vorlauf) is used to clear your wort. You may need to run more than 1/2 gallon. When wort is clear, sparging is your next process. Sparging is no more than rinsing the sweet wort from the grains in your mash tun. You will want to gently pour 200°F water over your grains (try to keep ar inch or so of clean water on top of the grain bed). SLOWLY collect your wort from the spigot at the bottom of your mash tun. This process should take ONE HOUR. If this is rushed, your gravity will be lowtake your time!					
Boil	After ONE HOUR and you have collected enough wort, it is time to start your boil. Keep in mind you will lose approximately 15% of your boil due to evaporation. If you want five gallons of beer, start with six gallons of wort. You are now on familiar ground. You will simply add your hops as scheduled in the recipe. No need to add specialty grains, they were in your mash. Be sure to add your wort chiller to the last 15 minutes of the boil.					
Hop & Additive Schedule		Ounces	Hop/Additives	Hop Addition	Boil Time (minutes)	
		1	oz Saaz	Boil/Bittering	60	
<u> </u>					_	
Sooling the wort	Once the 60 minu		oz Tettnanger it is time to cool the wort. The	Aroma ere are many w	5 avs to cool a wort. the A	AIH recommendation is a wort
ind preparing	chiller. Cool the The fermenting e fermenters, airloo be sanitary. Transfer the wort	ute boil is over, wort to approxi quipment need k, lid, hose, hy into the primar e the wort at th	it is time to cool the wort. The mately 100° F as quickly as po the sanitized. This can be redrometer and test jar and rubl ry fermenting vessel, then top	ere are many w possible. e done while the per stopper. Ar off with cold wa	ays to cool a wort, the A e wort is cooling. Be su hything that may come in ater until a total of 5.125	nto contact with the wort should
and preparing the fermentor	chiller. Cool the of The fermenting e fermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid	ute boil is over, wort to approxi quipment need k, lid, hose, hy into the priman e the wort at th is in place.	it is time to cool the wort. The mately 100° F as quickly as po the sanitized. This can be redrometer and test jar and rubl ry fermenting vessel, then top	ere are many w possible. e done while the per stopper. Ar off with cold wa ished with an a	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a
Cooling the wort and preparing the fermentor Take the reading Pitch the yeast	chiller. Cool the of The fermenting effermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time the Once the wort is of the type of year	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th is in place. hat you will war cooled to 78° F ast you have. S th water. Ferm	it is time to cool the wort. The mately 100° F as quickly as p to be sanitized. This can be drometer and test jar and rubl ry fermenting vessel, then top his point. This can be accompl	ere are many w ossible. e done while the per stopper. Ar off with cold wa ished with an a ding. Use a hy Pitch according h the sanitized	ays to cool a wort, the A e wort is cooling. Be sur hything that may come in ater until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper.	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading.
and preparing the fermentor <u>Take the reading</u> Pitch the yeast	chiller. Cool the s The fermenting e fermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r	ute boil is over, wort to approxi quipment need k, lid, hose, hy into the primal e the wort at th is in place. nat you will war cooled to 78° F ist you have. S th water. Ferm omplete. ntation process recommended	it is time to cool the wort. The mately 100° F as quickly as per description of the mately 100° F as quickly as per description of the second test is and rubb ry fermenting vessel, then top is point. This can be accomple to to take a specific gravity read F, it is safe to pitch the yeast. Seal the fermenter tight. Attac mentation should begin within 2 s, CO2 will begin to escape the temperature for fermentation.	ding. Use a hy Pitch according the anitized 24 - 48 hours.	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply drometer and record that the proper procedures airlock and stopper. Do Not Disturb" until w manufacturer's pitch	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading. Suggested Yeast: White Labs 940 Mexican Lager Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05
and preparing the fermentor Take the reading Pitch the yeast Fermenting - Primary	chiller. Cool the of The fermenting effermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primal e the wort at th is in place. nat you will war cooled to 78° F sty you have. S th water. Ferm omplete. ntation process recommended y fermentation i	it is time to cool the wort. The mately 100° F as quickly as per description of the mately 100° F as quickly as per description of the second of the second description of the second of the second ry fermenting vessel, then top description of the second ry fermenting vessel, then top description of the second to take a specific gravity read f, it is safe to pitch the yeast. Seal the fermenter tight. Attac mentation should begin within 2 s, CO2 will begin to escape the temperature for fermentation. is complete, approximately 1 t	e done while the per stopper. Ar off with cold wa ished with an a ding. Use a hy Pitch according h the sanitized 24 - 48 hours. ' e airlock. Follow	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply drometer and record thu the proper procedures airlock and stopper. Do Not Disturb" until w manufacturer's pitch	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading. Suggested Yeast: White Labs 940 Mexican Lager Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05 ndary fermenter.
And preparing the fermentor Take the reading Pitch the yeast Pitch the yeast Fermenting - Primary Fermenting - Secondary	chiller. Cool the of The fermenting effermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary If the recipe calls be complete with	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at the is in place. nat you will war cooled to 78° F ist you have. S th water. Ferm omplete. ntation process recommended y fermentation i for Dry Hops c in 1 to 2 weeks	it is time to cool the wort. The mately 100° F as quickly as per- design of the sentitized. This can be redrometer and test jar and rubb ry fermenting vessel, then top his point. This can be accompled in to take a specific gravity read r, it is safe to pitch the yeast. Seal the fermenter tight. Attac nentation should begin within 2 s, CO2 will begin to escape the temperature for fermentation. is complete, approximately 1 to r Additives that need to go int s.	e are many w ossible. e done while the per stopper. Ar off with cold wa ished with an a ding. Use a hy Pitch according the sanitized 24 - 48 hours. ' e airlock. Follow o 2 weeks, rack o the secondar	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb" until w manufacturer's pitch the beer into the secor y, add these now. The	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading. Suggested Yeast: White Labs 940 Mexican Lager Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05
and preparing the fermentor Take the reading Pitch the yeast Fermenting - Primary Fermenting -	chiller. Cool the of The fermenting effermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary If the recipe calls be complete with	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primal e the wort at the is in place. nat you will war cooled to 78° F sty you have. S th water. Ferm omplete. ntation process recommended y fermentation i for Dry Hops c in 1 to 2 weeks peer into a botti	it is time to cool the wort. The mately 100° F as quickly as per- design of the sentitized. This can be redrometer and test jar and rubb ry fermenting vessel, then top is point. This can be accompled in to take a specific gravity read F, it is safe to pitch the yeast. Seal the fermenter tight. Attac mentation should begin within 2 s, CO2 will begin to escape the temperature for fermentation. is complete, approximately 1 to pr Additives that need to go int S.	e are many w ossible. e done while the per stopper. Ar off with cold wa ished with an a ding. Use a hy Pitch according the sanitized 24 - 48 hours. ' e airlock. Follow o 2 weeks, rack o the secondar	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb" until w manufacturer's pitch the beer into the secor y, add these now. The	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading. Suggested Yeast: White Labs 940 Mexican Lager Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05 ndary fermenter.
Fake the reading Pitch the yeast Pitch the yeast Primary Fermenting - Secondary	chiller. Cool the The fermenting e fermenters, airloo be sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary If the recipe calls be complete with Siphon finished by	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the priman e the wort at th is in place. nat you will war cooled to 78° F ist you have. S th water. Ferm omplete. ntation process recommended y fermentation i for Dry Hops of in 1 to 2 weeks beer into a bottl cket, add them	it is time to cool the wort. The mately 100° F as quickly as per- design of the sentitized. This can be redrometer and test jar and rubb ry fermenting vessel, then top is point. This can be accompled in to take a specific gravity read F, it is safe to pitch the yeast. Seal the fermenter tight. Attac mentation should begin within 2 s, CO2 will begin to escape the temperature for fermentation. is complete, approximately 1 to pr Additives that need to go int S.	e are many w ossible. e done while the per stopper. Ar off with cold wa ished with an a ding. Use a hy Pitch according the sanitized 24 - 48 hours. ' e airlock. Follow o 2 weeks, rack o the secondar	ays to cool a wort, the A e wort is cooling. Be sun hything that may come in ater until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb" until w manufacturer's pitch the beer into the secor y, add these now. The	re to clean and sanitize the nto contact with the wort should gallons is in the primary by rocking the fermenter back a e reading. Suggested Yeast: White Labs 940 Mexican Lager Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05 ndary fermenter.