

Adventures in Homebrewing - www.HomeBrewing.org 313 - 277 - 2739 (BREW)

Oskar Blues Death By Coconut Clone

All-Gra	in		0	50	•	
	Intense Cocoa flavors swirl with popping coconut aromas, all supported by a semi-sweet porter.				ed by a semi-sweet porter.	Original Gravity: 1.073
						Final Gravity: 1.018
	All Grain Recipe					Color SRM : 47.48
AG99-0204 Procedure : Please read all the instructions before you begin brewing, to ensure you have all the ingredients and fully understand the process						Alcohol by Volume: 7.10
				-		IBU : 33.10
Clean	It is important to thoroughly clean and sanitize all of your brewing equipment. Assemble your mash tun. Add 1 quart of 180°F water for every pound of grain to be mashed (add water first). By adding water first, you will pre-heat your mash tun. Stir water until your temperature hits 170°F. It is now time to add your CRUSHED grains to the cooler. Gently dough grains in until all grain is covered by water. Place lid on and continue to Mash.					
Mash	After 10 minutes you can check your temperature. You will be between 149°F and 156°F assuming you measured your water and grains correctly. Replace lid and "Mash" for 1 hour. Start to heat your sparge water at this point. You will need enough 200°F water your expected final volume (5 gallons if you want five gallons of brew).					
Conversion	After mashing for one hour, you will want to check for conversion of starch to sugar. This will be done by placing a small amount of grain free wort on a white plate or bowl. Add one drop of "Tincture of lodine" to the wort. If it quickly disappears or stays/remains red, you are ready to move on. If the iodine turns black, starch is still present. Calibrate your thermometer. Recheck the temperature of the mash. If both are accurate, do another iodine test every 20 minutes until conversion is complete.					
Sparge	Conversion is now complete. Slowly drain 1/2 gallon of wort and pour it back on top of your mash. This process (Vorlauf) is used to clear your wort. You may need to run more than 1/2 gallon. When wort is clear, sparging is your next process. Sparging is no more than rinsing the sweet wort from the grains in your mash tun. You will want to gently pour 200°F water over your grains (try to keep ar inch or so of clean water on top of the grain bed). SLOWLY collect your wort from the spigot at the bottom of your mash tun. This process should take ONE HOUR. If this is rushed, your gravity will be lowtake your time!					
Boil	After ONE HOUR and you have collected enough wort, it is time to start your boil. Keep in mind you will lose approximately 15% of your boil due to evaporation. If you want five gallons of beer, start with six gallons of wort. You are now on familiar ground. You will simply add your hops as scheduled in the recipe. No need to add specialty grains, they were in your mash. Be sure to add your wort chiller to the last 15 minutes of the boil.					
Hop & Additive Schedule		Ounces	Hop/Additives	Hop Addition	Boil Time (minutes)	
oonoullo			4 HBU Pack	Boil/Bittering	90	
			ewers Grade (4 oz)	Additive	Add to Secondary	-
			nut Flake 14 oz	Additive	Add to Secondary	
Cooling the wort and preparing the fermentor	Once the 60 minute boil is over, it is time to cool the wort. There are many ways to cool a wort, the AIH recommendation is a wort chiller. Cool the wort to approximately 100° F as quickly as possible. The fermenting equipment needs to be sanitized. This can be done while the wort is cooling. Be sure to clean and sanitize the					
	Transfer the wort into the primary fermenting vessel, then top off with cold water until a total of 5.125 gallons is in the primary fermenter back a forth once the lid is in place.					
Take the reading	This is the time t	hat vou will war	t to take a specific gravity rea	ding. Use a hv	drometer and record the	e reading.
	Once the wort is cooled to 78° F, it is safe to pitch the yeast. Pitch according the proper procedures of the type of yeast you have. Seal the fermenter tight. Attach the sanitized airlock and stopper. Fill the airlock with water. Fermentation should begin within 24 - 48 hours. "Do Not Disturb" until fermentation is complete.					
	During the fermentation process, CO2 will begin to escape the airlock. Follow manufacturer's pitch instructions and recommended temperature for fermentation.					
Fermenting - Primary	Once the Primary fermentation is complete, approximately 1 to 2 weeks, rack the beer into the secondary fermenter.					
Fermenting - Secondary	If the recipe calls for Dry Hops or Additives that need to go into the secondary, add these now. The Secondary Fermentation should be complete within 1 to 2 weeks.					
Bottling	Siphon finished beer into a bottling bucket. If the recipe calls for any Bottling Additives to be added to the bottling bucket, add them now.					
	At this point, follow bottling or kegging proceduresCheers!					
	A	dventures in F	lomebrewing - www.HomeB	rewing.org 31	3 - 277 - 2739 (BREW)	