

Adventures in Homebrewing - www.HomeBrewing.org 313 - 277 - 2739 (BREW)

## Siren's Song Double Red

		A hefty addition	of crystal malts and an aggressiv		hedule, give this plenty of	Original Gravity: 1.071
			chara	GIGI .		Final Gravity: 1.018
	Extract Recipe					Color SRM: 23.57
	K99-0842					Alcohol by Volume: 6.86
Procedure : Please rea	e read all the instructions before you begin brewing, to ensure you have all the ingredients and fully understand the process.					<b>IBU:</b> 94.76
Clean	It is important to thoroughly clean and sanitize all of your brewing equipment.					
Steep	Begin by heating 2.5 gallons of water in your brew pot. Add speciality grains and tie a knot at one end of the "Grain Bag" leaving room for the grains to be loose in the bag. Place the Grain Bag in the water. Slowly raise the temperature to 150° to 160°F (max temp.). Steep your grains at this temperature for 20 minutes. After 20 minutes, remove the "Grain Bag" from the pot. Do not squeeze the bag, just let the liquid drain from the bag into the pot. The water is now "Wort" at this point. 0.75 lbs Crystal Malt (60°L					
Fermentables & Start of Boil - Begin 60 minutes	Bring the "Wort" to a boil. It should be a rolling boil, but be careful to avoid a "Boil Over". Once you achieved a boil, remove the brew pot from the heat source.					Fermentables :
of boiling	It is time to add the fermentables :					6 lbs Liquid Malt Extract Pale
	Stir the extracts, and fermentables into the wort until it has all dissolved. It is important to make sure none of the extracts or fermentables are sitting on the bottom of the brew pot, as it will scorch when returned to the heat source. Return the wort to a rolling boil and follow Hop Schedule :					3 lbs Munich Liquid Malt
Hop & Additive		0				
Schedule		Ounces	Hop/Additives	Hop Addition	Boil Time (minutes)	_
			oz Azacca	Boil/Bittering	60	_
			oz Azacca	Flavor	15	_
			oz Azacca	Aroma	5	_
			oz Chinook oz Amarillo	Aroma	5	_
		ute boil is over,	it is time to cool the wort. T		Add to Secondary ays to cool a wort, the A	AIH recommendation is a wort
and preparing	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th	it is time to cool the wort. T mately 100° F as quickly as Is to be sanitized. This can drometer and test jar and ru	here are many w possible. be done while the bber stopper. An	ays to cool a wort, the A wort is cooling. Be sury thing that may come in ter until a total of 5.125	re to clean and sanitize the nto contact with the wort should t gallons is in the primary
Cooling the wort and preparing the fermentor Take the reading	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort fermenter. Aerat forth once the lid	ute boil is over, wort to approxi quipment need k, lid, hose, hy into the primar e the wort at th is in place.	it is time to cool the wort. T mately 100° F as quickly as Is to be sanitized. This can drometer and test jar and ru ry fermenting vessel, then to is point. This can be accom	here are many we possible. be done while the bber stopper. An op off with cold wa plished with an a	ays to cool a wort, the A wort is cooling. Be sury ything that may come in ter until a total of 5.125 eration stone or simply	re to clean and sanitize the nto contact with the wort should b gallons is in the primary by rocking the fermenter back an
and preparing the fermentor Take the reading	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme	te boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th is in place. <u>nat you will war</u> cooled to 78° F ist you have. S th water. Ferm pomplete. ntation process	it is time to cool the wort. T mately 100° F as quickly as ls to be sanitized. This can drometer and test jar and ru- ry fermenting vessel, then to is point. This can be accom <u>to to take a specific gravity ru- ri, it is safe to pitch the yeast</u> seal the fermenter tight. Atta nentation should begin within s, CO2 will begin to escape f	here are many w possible. be done while the bber stopper. An op off with cold wa plished with an a eading. Use a hy . Pitch according ach the sanitized a n 24 - 48 hours. "	ays to cool a wort, the A wort is cooling. Be sur- ything that may come in ter until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb' until	re to clean and sanitize the nto contact with the wort should b gallons is in the primary by rocking the fermenter back an e reading. Suggested Yeast : White Labs 001 California Ale Yeast Wyeast 1056 American Ale Yeast
and preparing the fermentor Take the reading Pitch the yeast Fermenting -	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r	the boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th is in place. <u>That you will war</u> cooled to 78° F ast you have. S th water. Ferm complete. Intation processe recommended for	it is time to cool the wort. T mately 100° F as quickly as ls to be sanitized. This can drometer and test jar and ru- ry fermenting vessel, then to is point. This can be accom at to take a specific gravity ru- r, it is safe to pitch the yeast Geal the fermenter tight. Atta- hentation should begin within	here are many w possible. be done while the bber stopper. An op off with cold wa plished with an a eading. Use a hy chich according ach the sanitized a n 24 - 48 hours. "	ays to cool a wort, the A wort is cooling. Be sur- ything that may come in ter until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb' until v manufacturer's pitch	re to clean and sanitize the nto contact with the wort should b gallons is in the primary by rocking the fermenter back an <u>e reading.</u> Suggested Yeast : White Labs 001 California Ale Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05
and preparing the fermentor Take the reading Pitch the yeast Pitch the yeast Fermenting - Primary Fermenting -	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary	te boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th is in place. nat you will war cooled to 78° F ast you have. S th water. Ferrr omplete. ntation process recommended for y fermentation i for Dry Hops c	it is time to cool the wort. T mately 100° F as quickly as ls to be sanitized. This can drometer and test jar and ru- ry fermenting vessel, then to is point. This can be accorr <u>at to take a specific gravity ru- r</u> , it is safe to pitch the yeast beal the fermenter tight. Atta hentation should begin within s, CO2 will begin to escape to temperature for fermentation is complete, approximately of	here are many w possible. be done while the ibber stopper. An op off with cold wa plished with an a eading. Use a hy cading.	ays to cool a wort, the A wort is cooling. Be sur- ything that may come in ter until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb' until v manufacturer's pitch the beer into the secor	re to clean and sanitize the nto contact with the wort should b gallons is in the primary by rocking the fermenter back an e reading. Suggested Yeast : White Labs 001 California Ale Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05 ndary fermenter.
and preparing	chiller. Cool the The fermenting e fermenters, airloo sanitary. Transfer the wort fermenter. Aerat forth once the lid This is the time th Once the wort is of the type of yea Fill the airlock wit fermentation is co During the ferme instructions and r Once the Primary If the recipe calls complete within 1	ute boil is over, wort to approxi quipment need ck, lid, hose, hy into the primar e the wort at th is in place. nat you will war cooled to 78° F ist you have. S th water. Ferm pomplete. ntation process recommended for y fermentation i for Dry Hops c I to 2 weeks.	it is time to cool the wort. T mately 100° F as quickly as ls to be sanitized. This can drometer and test jar and ru- ry fermenting vessel, then to is point. This can be accom at to take a specific gravity ru- f, it is safe to pitch the yeast beal the fermenter tight. Atta- nentation should begin within s, CO2 will begin to escape to temperature for fermentation is complete, approximately for additives that need to go i	here are many we possible. be done while the ibber stopper. An op off with cold wa plished with an a eading. Use a hy . Pitch according ach the sanitized a n 24 - 48 hours. " the airlock. Follow n. I to 2 weeks, rack	ays to cool a wort, the A wort is cooling. Be sur- ything that may come in ter until a total of 5.125 eration stone or simply drometer and record the the proper procedures airlock and stopper. Do Not Disturb' until w manufacturer's pitch the beer into the secor	re to clean and sanitize the nto contact with the wort should b gallons is in the primary by rocking the fermenter back an <u>e reading.</u> Suggested Yeast : White Labs 001 California Ale Yeast Wyeast 1056 American Ale Yeast Fermentis Safale US-05

Adventures in Homebrewing - www.HomeBrewing.org 313 - 277 - 2739 (BREW)