


Lyon • RF90I4FHOOD

80cm 2 in 1 Induction Cooktop with Integrated Ventilation System



Signature Features

2 in 1 Cooktop & Air Extraction System

• Features its own powerful integrated air extraction system of up to 700m³/h enhanced by a 3-speed fan mode, which means optimal space saving, sleek design and full freedom while cooking

Booster Function

• 4 independently powerful cooking zones with a boost function: extra power for faster heating

9 Power Levels

• 9 adjustable power levels for faster heating so that you can masterchef at ease

Pre-Set Temperature & Pre-Set Timer

• Heating automatically stops when the cooking time is up

Intuitive Touch Control

• Easy to understand and easy to operate, so you can easily adjust the temperature and access all of the important functions at your fingertips

Space Saving & Easy Installation

• Installation requires minimal ducting, allowing you to utilize the cabinets directly underneath the cooktop

 Induction	 2100W Power	 Booster	 Power Level	 Heats Quickly	 Touch Control	 Pre-Set Timer	 Safe Kitchen	 Pan Sensors	 Residual Indicator
 700 m ³ /h Powerful Air Extraction	 Speeds	 Layered Filter	 Charcoal Filter	 Clean Air	 Silent Operation	 Ductless Installation	 Easy Cleaning	 Auto Shut-off	 Child Lock



Lyon • RF90I4FHOO

80cm 2 in 1 Induction Cooktop with Integrated Ventilation System

Technical Features

Materials / Color:	Black glass
Installation:	Ductless
Cooktop ignition:	Induction
Voltage / Frequency:	220-240V, 50/60Hz
Cooktop Total Power:	7335W
Current:	31.89A

Control Features | Ventilation System

Power Level:	3 Speeds
Max. Air Extraction Power:	700m ³ /h
Motor Power:	135W
Control Display:	Touch
Auto Timer:	Yes
Sound Power Level:	<73db
Indicators / Display:	Fault indicator

Filter Features | Ventilation System

Aluminum / Stainless Steel:	4 Layer
Activated Charcoal Filter (CF152):	Yes
Integrated Grease Drip Tray:	Yes

Control Features | Induction Cooktop

Control display:	Touch
Position of controls:	Front
Separate controls for each zone:	Yes
Pre-set temperature (for each zone):	Yes
Pre-set timer (for each zone):	99min, countdown
Time buzzer:	Yes
On/Off indicator light:	Yes
Indicators / Display:	Fault indicator, residual heat

Cooking Zones

Control Levels:	9 per zone
Booster Function (for each zone):	Yes
Front Left Zone:	∅ 160mm • 1500W Booster
Rear Left Zone:	∅ 180mm • 2100W Booster
Rear Right Zone:	∅ 180mm • 2100W Booster
Front Right Zone:	∅ 160mm • 1500W Booster

Cookware Compatibility

Induction cooktops are only compatible with cookware made from magnetic material

Safety Features

Residual heat indicator:	Yes
Pause function:	Yes
Child safety lock:	Yes
Overflow safety switch-off:	Yes
Overheat safety system:	Yes
Automatic switch off:	Yes
Pan size sensors:	Yes

Dimensions & Weight

Packed dimensions:	87 (L) x 57.5 (W) x 27.5 (H) mm
Packed weight:	22g
Unpacked dimensions:	80.5 (L) x 52 (W) x 20.5 (H) mm
Unpacked weight:	18kg
Cutout dimensions:	220 (L) x 90 (W) mm
Cabinet hole dimensions:	765 (L) x 495 (W) mm


Warranty

Two (2) year parts and labor | *Extend your warranty by registering your product linarie.com.au

Lyon • RF90I4FHOOD


80cm 2 in 1 Induction Cooktop with Integrated Ventilation System

Technical Drawings



Hole size of Cabinet: 765 x 495 mm

Outlet size: 220 x 90mm



⚠ Ducting accessories for this product are NOT included and should be purchased separately.

⚠ Ducting accessories for this product are NOT included and should be purchased separately.

Please refer to the user manual for detailed installation instructions.

Lyon • RF90I4FHOOD

80cm 2 in 1 Induction Cooktop with Integrated Ventilation System

What is Recirculation Mode?

The air is drawn in and cleaned first by the grease filter and then by a charcoal filter to remove any moisture and smells before the air is then reintroduced into your kitchen. Ensure a normal and comfortable room climate (humidity of 45–60%), e.g. by opening natural ventilation openings or using domestic ventilation systems.

Lyon RF90I4FHOOD




Lyon RF90I4FHOOD can be installed in a Recirculation Mode or in an Extraction Mode.

In Recirculation Mode, it is **highly recommended** that you install the recirculation kit for an optimal performance of the Lyon RF90I4FHOOD in your kitchen.

Recirculation Mode | Installation Kit

OPTION 1

Purchase the recirculation installation kit (as shown below) from Linärie Appliances [HERE](#)



⚠ Ducting accessories for this product are NOT included and should be purchased separately.

Please refer to the user manual for detailed installation instructions.


Lyon • RF90I4FHOOD

80cm 2 in 1 Induction Cooktop with Integrated Ventilation System


Recirculation Mode | Installation Kit

OPTION 1


Purchase the recirculation installation kit (as shown below) from Linärie Appliances [HERE](#)




2x Rangehood Adaptor




Ø 150mm



1x Flexible Pipe Connector
*Max. Length is 2M



1x Grid



⚠ Ducting accessories for this product are NOT included and should be purchased separately.

Please refer to the user manual for detailed installation instructions.

Lyon • RF90I4FHOOD

80cm 2 in 1 Induction Cooktop with Integrated Ventilation System

Recirculation Mode | Installation Kit

OPTION 2

For PVC ducting accessories or to customize the duct to match with your kitchen set up, we recommend our trusted partner [EXPELLA](http://www.expella.com.au):

www.expella.com.au/product/low-profile-pvc-duct



Home / Ducting / Low Profile / 220mm x 90mm Low profile PVC duct



220mm x 90mm Low profile PVC duct

\$6.98 – \$53.89

220mm x 90mm Low profile PVC duct and associated fittings


Item _____
- 1 +

Add to cart

- OR -

Buy with G Pay

IMPORTANT: Image is for illustration purpose only; expella holds the final decision on pricing and product availability.



1		Duct Connector
2		Low Profile Flat Channel Ducts 1M
3		90 Vertical bend
4		Low Profile Flat Channel Ducts 1M

5		Supporter Clip - Plastic
6		Rangehood Adapter 150 Ø mm
7		Flexible Duct Connector 500 mm

⚠ Ducting accessories for this product are NOT included and should be purchased separately.

Please refer to the user manual for detailed installation instructions.