SAFETY DATA SHEET (SDS)

			Y DATA SH				
		Secti	ion 1. Identi	ification			
Product identifi	er CHEM	100 PRO SERIES A					
Other means of identification CHEM 100 PRO SERIES; CHEM 100 PRO SERIES PART A							
Recommended use and restrictions on use Floor Coating							
Initial supplier i			.aval; Québec	; Canada; H7L 6B9 info@epoxyche	emtec.com		
Emergency telephone number/restriction on use Canada – CANUTEC 24 hour number 613-996-6666							
Section 2. Hazard identification							
Classification of	Classification of hazardous product (name of the category or subcategory of the hazard class)						
Skin irritation (Category 2)							
Skin initiation (Category 2) Sensitization – Skin (Category 1)							
Eye irritation (Category 2A)							
Hazardous to the aquatic environment – Acute & Chronic (Category 2)							
Information elements (symbols, signal words, hazard statements and precautionary statements of the category/subcategory)							
Warning H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H401 Toxic to aquatic life. H411 Toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P264 Wash hands/nails/face thoroughly after handling. P272 Contaminated work clothing should not be allowed out of the workplace. P280 Wear gloves/protective clothing/eye protection/face protection. P362+P352 IF ON SKIN, Wash with plenty of water for several minutes. P333 + P313 IF SKIN irritation or rash occurs: Get medical attention. P362+P364 Take off contaminated clothing and wash it before reuse. P305 + P351 + P338 IF IN EYES, Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337 + P313 If eye irritation persists: Get medical attention. P273 Avoid release to the environment. P391 Collect spillage. P501 Dispose of contents/container into safe container in accordance with local, regional or national regulations.							
Other hazards k	nown Non						
		Section 3. Compose	sition/infor1	nation on ingredients			
Chemical name (common name/synonyms)				CAS number or other	Concentration (%)		
Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin				25085-99-8	60-100		
Alkyl glycidyl ether				68609-97-2	1-10		
Benzyl alcohol				100-51-6	1-10		
	tatement - This	safety data sheet provides concentrati	ion range(s) ins	tead of the actual concentration(s) consider	ered trade secret(s).		
			4. First-aid				
Inhalation	IF INHAL EI			rtable for breathing. Call a doctor if y	ou feel unwell.		
Ingestion				NDUCE VOMITING. NEVER give			
				g. Rinse mouth thoroughly with wate			
		comiting occurs naturally, have vi			Grusses		
Skin contact				F SKIN irritation or rash occurs: Get	medical attention. Take off		
Skin contact		d clothing and wash it before reus		i sixii v initiation of rash occurs. Oet	meatear auchtron. 1 akt 011		
Eye contact		0		es (15-20). Remove contact lenses, if	resent and easy to do Continue		
Eye contact		e irritation persists: Get medical		is (15-20). Remove contact tenses, II]	breschi and easy to do. Continue		
Most important			Causes skir	irritation			
		d effects (acute or delayed)			um out		
indication of im	mediate medic	cal attention/special treatment		, call a doctor. Do not forget this doct	ument.		
Section 5. Fire-fighting measures							
Specific hazards of the hazardous product (hazardous combustion products)							
			istion produc				
Carbon oxides an	d other irritant	/toxic gases and fumes.	istion produc				
	d other irritant	/toxic gases and fumes.	istion produc				
Carbon oxides an Suitable and uns	d other irritant suitable exting	/toxic gases and fumes. uishing media		am to extinguish surrounding product			
Carbon oxides an Suitable and uns In case of fire: Us	d other irritant suitable exting se carbon dioxi	/toxic gases and fumes. Juishing media de, chemical powder agent and a	ppropriate for				
Carbon oxides an Suitable and uns In case of fire: U Special protectiv	d other irritant suitable exting se carbon dioxi ve equipment	/toxic gases and fumes. uishing media de, chemical powder agent and a and precautions for fire-fighter	appropriate for	am to extinguish surrounding product			
Carbon oxides an Suitable and uns In case of fire: U Special protectiv During a fire, irri	d other irritant suitable exting se carbon dioxi ve equipment tating/toxic sm	/toxic gases and fumes. Juishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated	appropriate for 's I. Do not enter	am to extinguish surrounding product	Firefighters should wear proper		
Carbon oxides an Suitable and uns In case of fire: U Special protectiv During a fire, irri protective equipm	d other irritant suitable exting se carbon dioxi ve equipment tating/toxic sm hent and self-co	/toxic gases and fumes. Juishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f	appropriate for 's I. Do not enter full facepiece.	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from ven	Firefighters should wear proper ing, rupturing or bursting cans.		
Carbon oxides an Suitable and uns In case of fire: U Special protectiv During a fire, irri protective equipm	d other irritant suitable exting se carbon dioxi ve equipment tating/toxic sm hent and self-co	/toxic gases and fumes. Juishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat	appropriate for s l. Do not enter full facepiece. er spray may l	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from vent be useful in cooling equipment and car	Firefighters should wear proper ing, rupturing or bursting cans.		
Carbon oxides an Suitable and uns In case of fire: U Special protectiv During a fire, irri protective equipm Move containers	d other irritant suitable exting se carbon dioxi ve equipment a tating/toxic sm hent and self-co from fire area in	/toxic gases and fumes. Juishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat Section 6. A	appropriate for s I. Do not enter full facepiece. er spray may l ccidental re	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from ven	Firefighters should wear proper ing, rupturing or bursting cans.		
Carbon oxides an Suitable and uns In case of fire: Un Special protective During a fire, irri protective equipm Move containers Personal precau	d other irritant suitable exting se carbon dioxi ve equipment a tating/toxic sm nent and self-co from fire area in tions, protecti	/toxic gases and fumes. Juishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat Section 6. A ve equipment and emergency p	appropriate for s I. Do not enter full facepiece. er spray may l ccidental re procedures	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from ven be useful in cooling equipment and ca clease measures	Firefighters should wear proper ing, rupturing or bursting cans. ns exposed to heat and flame.		
Carbon oxides an Suitable and uns In case of fire: Un Special protective During a fire, irri protective equipm Move containers in Personal precau Restrict access to	d other irritant suitable exting se carbon dioxi ve equipment a tating/toxic sm ent and self-co from fire area in tions, protecti area until com	/toxic gases and fumes. uishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat Section 6. A ve equipment and emergency p pletion of clean-up. Ensure clean-	appropriate for s I. Do not enter full facepiece. er spray may l ccidental re procedures	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from vent be useful in cooling equipment and car	Firefighters should wear proper ing, rupturing or bursting cans. ns exposed to heat and flame.		
Carbon oxides an Suitable and uns In case of fire: U Special protective During a fire, irri protective equipm Move containers i Personal precau Restrict access to wear the appropri	d other irritant suitable exting se carbon dioxi ve equipment a tating/toxic sm ent and self-co from fire area in tions, protecti area until com ate protective e	/toxic gases and fumes. uishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat Section 6. A ve equipment and emergency p pletion of clean-up. Ensure clean- quipment (See Section 8).	appropriate for s I. Do not enter full facepiece. er spray may l ccidental re procedures	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from ven be useful in cooling equipment and ca clease measures	Firefighters should wear proper ing, rupturing or bursting cans. ns exposed to heat and flame.		
Carbon oxides an Suitable and uns In case of fire: U Special protective During a fire, irri protective equipm Move containers i Personal precau Restrict access to wear the appropri	d other irritant suitable exting se carbon dioxi ve equipment a tating/toxic sm ent and self-co from fire area in tions, protecti area until com ate protective e	/toxic gases and fumes. uishing media de, chemical powder agent and a and precautions for fire-fighter oke and fumes may be generated ntained breathing apparatus with f f it can be done without risk. Wat Section 6. A ve equipment and emergency p pletion of clean-up. Ensure clean-	appropriate for s I. Do not enter full facepiece. er spray may l ccidental re procedures	am to extinguish surrounding product r fire area without proper protection. Shield personnel to protect from ven be useful in cooling equipment and ca clease measures	Firefighters should wear proper ing, rupturing or bursting cans. ns exposed to heat and flame.		

Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required.

Section 7. Handling and storage

Precautions for safe handling

Wear gloves/protective clothing/eye protection/face protection.

Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8.

Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks.

Section 8. Exposure controls/Personal protection

Control parameters (biological limit values or exposure limit values and source of those values)

Exposure limits: Dust – PEL-TWA 15 mg/m³ (total dust) & 5 mg/m³ (respirable fraction);

Appropriate engineering controls

Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area.

Individual protection measures/personal protective equipment

Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use.

Section 9. Physical and	chemical properties				
Appearance, physical state/colour Liquid	Vapour pressure Not available				
Odour Characteristic	Vapour density Not available				
Odour threshold Not available	Relative density 1.12				
pH Not available	Solubility Insoluble				
Melting/freezing point Not available	Partition coefficient - n-octanol/water Not available				
Initial boiling point/range Not available	Auto-ignition temperature Not available				
Flash point > 93°C	Decomposition temperature Not available				
Evaporation rate Not available	Viscosity Not available				
Flammability (solids and gases) Not available	VOC Not available				
Upper and lower flammability/explosive limits Not available	Other None known				
Section 10. Stability and reactivity					
Reactivity					
Does not react under the recommended storage and handling conditions prescribed.					
Chemical stability					
Stable under the recommended storage and handling conditions prescribed.					
Possibility of hazardous reactions					
None known					
Conditions to avoid (static discharge, shock or vibration)					
None known					
Incompatible materials					
Oxidizing materials; etc.					
Hazardous decomposition products					
None known					
Section 11. Toxicological information					
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.					
Symptoms related to the physical, chemical and toxicological character	istics				
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;					
Delayed and immediate effects (chronic effects from short-term and lor					
Skin Sensitization – Possible; Respiratory Sensitization – No data available ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity	– No data available; Specific Target Organ Toxicity — Single Exposure				

ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity – No data available; Specific Target Organ Toxicity — Single Exposure – No data available; Specific Target Organ Toxicity — Repeated Exposure – No data available; Aspiration Hazard – No data available; Health

Hazards Not Otherwise Classified – No data available.

-							
	Numerical measures of toxicity (ATE; LD ₅₀ & LC ₅₀)						
	CAS 100-51-6 LD ₅₀ , Oral - Rat 1360 mg/kg;						
ATE not availab	ATE not available in this document.						
Section 12. Ecological information							
Ecotoxicity (aquatic and terrestrial information) No data available for the product							
Persistence and degradability No data available							
Bioaccumulativ							
Mobility in soil	No data available						
Other adverse of							
	Section 13. Disposal considerations						
Information on	Information on safe handling for disposal/methods of disposal/contaminated packaging						
Dispose of contents/container into safe container in accordance with local, regional or national regulations.							
Dispose of conte	Section 14. Transport information						
UN number D	oper shipping name; Class(es); Packing group (PG) of the TDG Regulations						
NOT REGULA							
	roper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)						
	RONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;						
	roper shipping name; Class(es); Packing group (PG) of the IATA (air)						
	RONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;						
	ions (transport/conveyance) May also be shipped as a LIMITED QUANTITY in accordance with TDG.						
	hazards (IMDG or other) MARINE POLLUTANT						
Bulk transport	(usually more than 450 L in capacity) Possible						
	Section 15. Regulatory information						
Safety/health C	anadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance						
	with the hazard criteria of the Hazardous Products Regulations (HPR).						
	Canadian regulations specifics Refer to Section 3 for ingredient(s) of the DSL						
	vironmental outside regulations specifics						
	SHA information: This product is regulated according to OSHA (29 CFR).						
	PA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.						
United States TO	CSA information: Refer to the ingredients listed in Section 3.						
	Section 16. Other information						
	st revision of the safety data sheet January 13,2022, Version2						
Corrections	Complete review						
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.						
Abbreviations							
ACGIH	American Conference of Governmental Industrial Hygienists						
ATE	Acute toxicity estimate						
CAS	Chemical Abstract Service						
DSL	Domestic Substance List						
IARC	International Agency for Research on Cancer						
IATA	International Air Transport Association						
IMDG	International Maritime Dangerous Goods Code						
LC	Lethal concentration						
LD	Lethal Dosage						
NIOSH	National Institute for Occupational Safety and Health						
NTP	National Toxicology Program (U.S.A.)						
OSHA	Occupational Safety and Health Administration (U.S.A.)						
PEL	Permissible Exposure Limit						
STEL	Short-term Exposure Limit						
TDG	Transport of dangerous goods in Canada Threshold Limit Value						
TLV	Threshold Limit Value						
TSCA	Toxic Substances Control Act						
TWA	Time Weighted Average Workplace Hozardous Materials Information System						
WHMIS To the best of our l	Workplace Hazardous Materials Information System						
	To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the						
	user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are						
	the only hazards that exist.						

the only hazards that exist.