## SAFETY DATA SHEET (SDS)

			EET (SDS)	
	Secti	on 1. Identi	fication	
Product identifi				
Other means of identification CHEM FILLER; CHEM FILLER PART A				
Recommended	use and restrictions on use Floor Coating			
Initial supplier	identifier CHEMTEC; 4117 Industriel; L T 450-629-1717	aval; Québec;	Canada; H7L 6B9 <u>info@epoxyche</u>	emtec.com
Emergency telephone number/restriction on use Canada – CANUTEC 24-hour number 613-996-6666				
		2. Hazard id		
	hazardous product (name of the category or	subcategory	of the hazard class)	
Skin irritation (C				
Sensitization – Skin (Category 1)				
Eye irritation (Category 2A)				
Carcinogenicity (Category 2) Hazardous to the aquatic environment – Chronic (Category 2)				
Information alo	ments (symbols, signal words, hazard stateme	nta and proo	autionary statements of the sates	w/subastagaw)
	signal words, nazaru stateme	ents and prec	autionary statements of the catego	ory/subcategory)
H319 Causes ser H351 Suspected H411 Toxic to a P201 Obtain spec	n irritation. an allergic skin reaction. ious eye irritation. of causing cancer. quatic life with long lasting effects. cial instructions before use. P202 Do not handle ist/vapours/spray. P264 Wash hands/nails/face th			
before reuse. P30 Continue rinsing Avoid release to	P333 + P313 IF SKIN irritation or rash occurs. )5 + P351 + P338 IF IN EYES, Rinse cautiously . P337 + P313 If eye irritation persists: Get medi the environment. P391 Collect spillage. P405 Sto nal or national regulations.	with water for ical attention.	or several minutes. Remove contact P308 + P313 IF exposed or concern	lenses, if present and easy to do. ned: Get medical attention. P273
Other hazards l				
Other hazarus i		ition /inform	notion on incredients	
Chamical name			nation on ingredients CAS number or other	Concentration (%)
Chemical name (common name/synonyms) Reaction product - Bisphenol A (Epichlorohydrin)			25068-38-6	60-100
Calcium carbona			471-34-1/1317-65-3	< 20
Fumed silica, am			7631-86-9	< 10
Titanium dioxide			13463-67-7	< 5
Stearine			67701-08-0	<1
	Statement - This safety data sheet provides concentration	on range(s) inst		
		4. First-aid		
Inhalation	IF INHALED: Remove person to fresh air and			vou feel unwell
Ingestion	IF SWALLOWED: Immediately call a doctor			
8	rapidly losing consciousness or is unconscious			
	of water. If vomiting occurs naturally, have vi	ctim lean forv	ward to reduce risk of aspiration.	
Skin contact	IF ON SKIN: wash with plenty of water. (15-20 minutes) IF SKIN irritation or rash occurs: Get medical attention. Take off contaminated clothing and wash it before reuse.			
Eye contact	IF IN EYES, Rinse cautiously with water for surface restriction of the second s	everal minute	s (15-20). Remove contact lenses, if	present and easy to do. Continue
Most important symptoms and effects (acute or delayed) Causes skin irritation.				
<b>Indication of immediate medical attention/special treatment</b> In all cases, call a doctor. Do not forget this document.				
Section 5. Fire-fighting measures				
Specific hazards of the hazardous product (hazardous combustion products)				
Carbon oxides and other irritant/toxic gases and fumes.				
Suitable and unsuitable extinguishing media				
In case of fire: Use carbon dioxide, chemical powder agent and appropriate foam to extinguish surrounding products.				
Special protective equipment and precautions for fire-fighters				
During a fire, irritating/toxic smoke and fumes may be generated. Do not enter fire area without proper protection. Firefighters should wear proper protective equipment and self-contained breathing apparatus with full facepiece. Shield personnel to protect from venting, rupturing or bursting cans.				
	from fire area if it can be done without risk. Wate			

## Section 6. Accidental release measures Personal precautions, protective equipment, and emergency procedures Restrict access to area until completion of clean-up. Ensure clean-up is conducted by trained personnel only. All persons dealing with clean-up should wear the appropriate protective equipment (See Section 8). Methods and materials for containment and cleaning up Ventilate area of release. Stop the leak if it can be done safely. Contain and absorb any spilled liquid concentrate with inert absorbent material, then place material into a container for later disposal (see Section 13). Contaminated absorbent material may pose the same hazards as the spilled product. Notify the appropriate authorities as required. Section 7. Handling and storage Precautions for safe handling Wear gloves/protective clothing/eye protection/face protection. Before handling, it is very important that engineering controls are operating, and that protective equipment requirements and personal hygiene measures are being followed. People working with this chemical should be properly trained regarding its hazards and its safe use. Inspect containers for leaks before handling. Label containers appropriately. Ensure proper ventilation. Avoid breathing dust/fume/gas/mist/vapours/spray. Avoid contact with eyes, skin and clothing. Keep away from heat, sparks and flame. Avoid generating high concentrations of dusts, vapours or mists. Keep away from incompatible materials (Section 10). Keep containers closed when not in use. Empty containers are always dangerous. Refer also to Section 8. Conditions for safe storage, including any incompatibilities Store in a well-ventilated place. Keep container tightly closed. Keep cool. Store locked up. Store away from incompatible materials (Section 10). Inspect all incoming containers to make sure they are properly labelled and not damaged. Storage area should be clearly identified, clear of obstruction and accessible only to trained personnel. Inspect periodically for damage or leaks. Section 8. Exposure controls/Personal protection Control parameters (biological limit values or exposure limit values and source of those values) Exposure limits: CAS 1317-65-3 – PEL-TWA 15 mg/m<sup>3</sup> (total dust) & 5 mg/m<sup>3</sup> (respirable fraction); CAS 13463-67-7 ACGIH – TLV-TWA 10 mg/m<sup>3</sup> & PEL-TWA 10 mg/m<sup>3</sup>; Dust – PEL-TWA 15 mg/m<sup>3</sup> (total dust) & 5 mg/m<sup>3</sup> (respirable fraction); Appropriate engineering controls Use under well-ventilated conditions. Local exhaust ventilation system is recommended to maintain concentrations of contaminants below exposure limits. Make emergency eyewash stations, safety/quick-drench showers, and washing facilities available in work area. Individual protection measures/personal protective equipment Respiratory protection is required if the concentrations are higher than the exposure limits. Use a NIOSH approved respirators if the exposure limits are unknown. Chemically protective gloves (impervious), and other protective clothing to prevent prolonged or repeated skin contact, must be worn during all handling operations. Wear protective chemical splash goggles to prevent mists from entering the eyes. Wash hands/nails/face thoroughly after handling. Do not eat, drink or smoke when using this product. Practice good personal hygiene after using this material. Remove and wash contaminated work clothing before re-use. Section 9. Physical and chemical properties Appearance, physical state/colour Paste Vapour pressure Not available **Odour** Characteristic Vapour density Not available Odour threshold Not available **Relative density** Not available **pH** Not available **Solubility** Not available Melting/freezing point Not available Partition coefficient - n-octanol/water Not available Initial boiling point/range Not available Auto-ignition temperature | Not available Flash point Not available **Decomposition temperature** Not available **Evaporation rate** Not available Viscosity Not available Flammability (solids and gases) Not available VOC Not available Upper and lower flammability/explosive limits Other Not available None known Section 10. Stability and reactivity Reactivity Does not react under the recommended storage and handling conditions prescribed. Chemical stability Stable under the recommended storage and handling conditions prescribed. Possibility of hazardous reactions None known Conditions to avoid (static discharge, shock or vibration) None known **Incompatible materials** Oxidizing materials; etc. Hazardous decomposition products None known

Section 11. Toxicological information	Section 11. Toxicological information				
Information on the likely routes of exposure (inhalation, ingestion, skin and eye contact)					
Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation. Suspected of causing cancer.					
Symptoms related to the physical, chemical and toxicological characteristics					
Skin irritation, redness, stinging, pain; Eye irritation, redness, tearing;					
Delayed and immediate effects (chronic effects from short-term and long-term exposure)					
Skin Sensitization - Possible; Respiratory Sensitization - No data available; Germ Cell Mutagenicity - No data available; Carcinogenicity -					
Ingredient listed by IARC, ACGIH, NTP or OSHA; Reproductive Toxicity - No data available; Specific Target Organ Toxicity - Single Exposure					
- No data available; Specific Target Organ Toxicity - Repeated Exposure - No data available; Aspiration Hazard - No data available	; Health				
Hazards Not Otherwise Classified – No data available.					
Numerical measures of toxicity (ATE; LD <sub>50</sub> & LC <sub>50</sub> )					
CAS 1317-65-3 LD <sub>50</sub> Oral - Rat - 6450 mg/kg;					
ATE not available in this document.					
Section 12. Ecological information					
Ecotoxicity (aquatic and terrestrial information) No data available for the product					
Persistence and degradability   No data available					
Bioaccumulative potential No data available					
Mobility in soil No data available					
Other adverse effects Toxic to aquatic life with long lasting effects.					
Section 13. Disposal considerations					
Information on safe handling for disposal/methods of disposal/contaminated packaging					
Dispose of contents/container into safe container in accordance with local, regional, or national regulations.					
Section 14. Transport information					
UN number; Proper shipping name; Class(es); Packing group (PG) of the TDG Regulations					
NOT REGULATED					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IMDG (maritime)					
UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;					
UN number; Proper shipping name; Class(es); Packing group (PG) of the IATA (air)					
UN3082; ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (epichlorhydrin); Class 9; PG III;					
<b>Special precautions (transport/conveyance)</b> May also be shipped as a LIMITED QUANTITY in accordance with TDG.					
Environmental hazards (IMDG or other) MARINE POLLUTANT					
Bulk transport (usually more than 450 L in capacity) Possible					
Section 15. Regulatory information					
Safety/health Canadian regulations specifics Refer to Section 2 for the appropriate classification. This product has been classified in accordance					
with the hazard criteria of the Hazardous Products Regulations (HPR).					
<b>Environmental Canadian regulations specifics</b> Refer to Section 3 for ingredient(s) of the DSL					
Safety/health/environmental outside regulations specifics					
United States OSHA information: This product is regulated according to OSHA (29 CFR).					
United States EPA (Environmental Protection Agency) information: 40 CFR Refer to the ingredients listed in Section 3 & Sections 12; 13 & 14.					
United States TCSA information: Refer to the ingredients listed in Section 3.					

Section 16. Other information			
Date of the latest revision of the safety data sheet March 05, 2021 version 3 (NSS ENTREPRISE INC.)			
Corrections	Complete review		
References	Safety Data Sheets from manufacturer/supplier & from Canadian Centre for Occupational Health and Safety, CCOHS.		
Abbreviations			
ACGIH	American Conference of Governmental Industrial Hygienists		
ATE	Acute toxicity estimate		
CAS	Chemical Abstract Service		
DSL	Domestic Substance List		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods Code		
LC	Lethal concentration		
LD	Lethal Dosage		
NIOSH	National Institute for Occupational Safety and Health		
NTP	National Toxicology Program (U.S.A.)		
OSHA	Occupational Safety and Health Administration (U.S.A.)		
PEL	Permissible Exposure Limit		
STEL	Short-term Exposure Limit		
TDG	Transport of dangerous goods in Canada		
TLV	Threshold Limit Value		
TSCA	Toxic Substances Control Act		
TWA	Time Weighted Average		
WHMIS	Workplace Hazardous Materials Information System		
	knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability		
whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the			
user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are			

the only hazards that exist.