



AVATR 11 2024 Hongmeng Smart Sharing Upgraded 90 Degrees Rear-wheel Drive Version AVATR 11 2024 Hongmeng Zhixiang upgraded 116 degrees four-wheel drive version

AVATR 11 2024 HarmonyOS Smart Enjoy Upgrade 90 Degrees Deluxe Edition AVATR 11 2024 HarmonyOS Smart Upgrade 116 Degrees Deluxe Edition

Basic Information

<u>Manufacturers</u>	AVATR Technology	AVATR Technology	AVATR Technology	AVATR Technology
level	Medium and large SUVs	Medium and large SUVs	Medium and large SUVs	Medium and large SUVs
Type of energy	Electric	Electric	Electric	Electric
<u>Availability</u>	2024.01	2024.01	2024.01	2024.01
motor	Pure electric 313 hp	Pure electric 578 hp	Pure electric 578 hp	Pure electric 578 hp
Pure electric range (km) Ministry of Industry and Information Technology	630	700	580	700
Pure electric range (km): CLTC	630	700	580	700
Charging time (hours)	Fast charging for 0.25 hours Slow charge for 10.5 hours	Fast charge for 0.42 hours Slow charge for 13.5 hours	Fast charging for 0.25 hours Slow charge for 10.5 hours	Fast charge for 0.42 hours Slow charge for 13.5 hours

Fast Charge (%)	30-80	30-80	30-80	30-80
Maximum power (kW)	230(313Ps)	425(578Ps)	425(578Ps)	425(578Ps)
Maximum torque(N·m)	370	650	650	650
Gearbox	Single-speed gearbox for electric vehicles			
LxWxH(mm)	4880x1970x1601	4880x1970x1601	4880x1970x1601	4880x1970x1601
Body structure	4-door, 5-seater SUV	4-door, 5-seater SUV	4-door, 5-seater SUV	4-door, 4-seater SUV
Maximum speed(km/h)	200	200	200	200
Official acceleration time to 100 km/h (s)	6.6	4.5	3.98	4.5
Power consumption per 100 km (kWh/100km)	17.1kWh	18.35kWh	17.1kWh	18.35kWh
Fuel consumption of electric energy equivalent (L/100km)	1.93	2.08	1.93	2.08
Warranty period of the whole vehicle	5 years or 120,000 km			
bodywork				
Length (mm)	4880	4880	4880	4880
Width (mm)	1970	1970	1970	1970
Height (mm)	1601	1601	1601	1601
Wheelbase (mm)	2975	2975	2975	2975
Front track(mm)	1678	1678	1678	1678
Rear track(mm)	1678	1678	1678	1678
Body structure	SUV	SUV	SUV	SUV

Number of doors	4	4	4	4
How the doors open	Swing doors	Swing doors	Swing doors	Swing doors
Number of seats	5	5	5	4
Curb weight (kg)	2160	2365	2280	2365
Full load weight (kg)	2535	2655	2750	2750
Front baggage compartment volume (L)	95	95	95	95
Baggage compartment volume (L)	489	489	489	489
motor				
Motor description	Pure electric 313 hp	Pure electric 578 hp	Pure electric 578 hp	Pure electric 578 hp
Motor type	Permanent magnet/synchronous	Pre-AC/Asynchronous after Permanent Magnet/Synchronous	Pre-AC/Asynchronous after Permanent Magnet/Synchronous	Pre-AC/Asynchronous after Permanent Magnet/Synchronous
Total motor power (kW)	230	425	425	425
Total motor horsepower (Ps)	313	578	578	578
Total torque of electric motor(N·m)	370	650	650	650
Maximum power of front motor (kW)	-	195	195	195
Maximum torque of front motor (N·m)	-	280	280	280
Rear motor maximum power (kW)	230	230	230	230

Maximum torque of rear motor(N·m)	370	370	370	370				
Number of drive motors	Single motor	Dual motors	Dual motors	Dual motors				
Motor layout	postposition	Front + Rear	Front + Rear	Front + Rear				
Battery/Charging	Battery/Charging							
Battery type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery				
Cell brand	CATL	CATL	CATL	CATL				
Battery pack warranty	8 years or 160,000 km	8 years or 160,000 km	8 years or 160,000 km	8 years or 160,000 km				
Battery capacity (kWh)	90.38	116.79	90.38	116.79				
Battery energy density(Wh/kg)	180.0	190.0	180.0	190.0				
Battery charging	Fast charging for 0.25 hours Slow charge for 10.5 hours	Fast charge for 0.42 hours Slow charge for 13.5 hours	Fast charging for 0.25 hours Slow charge for 10.5 hours	Fast charge for 0.42 hours Slow charge for 13.5 hours				
	Fast charging interface	Fast charging interface	Fast charging interface	Fast charging interface				
Maximum fast charging power (kW)	240	240	240	240				
The location of the fast charging interface	Left fuel tank slot	Left fuel tank slot	Left fuel tank slot	Left fuel tank slot				
The location of the slow charging interface	Left fuel tank slot	Left fuel tank slot	Left fuel tank slot	Left fuel tank slot				
Battery temperature	Heat at low temperatures	Heat at low temperatures	· Heat at low temperatures	Heat at low temperatures				
management system	Liquid cooling	Liquid cooling	Liquid cooling	Liquid cooling				

One-pedal mode

Brand-owned charging stations	• Standard	• Standard	• Standard	• Standard
VTOL mobile power station function	• Standard	• Standard	• Standard	• Standard
Maximum external discharge power (kW)	3.3	3.3	3.3	3.3
Minimum allowable value of external discharge (%)	15	15	15	15
Gearbox				
Gearbox description	Single-speed gearbox for electric vehicles			
Number of gears	1	1	1	1
<u>Gearbox type</u>	Fixed gearbox	Fixed gearbox	Fixed gearbox	Fixed gearbox
Chassis/steering				
Drive mode	Rear-mounted rear-wheel drive	Dual-motor four-wheel drive	Dual-motor four-wheel drive	Dual-motor four-wheel drive
Four-wheel drive type	-	Electric 4WD	Electric 4WD	Electric 4WD
Front suspension form	Double wishbone independent suspension			
Rear suspension form	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Steering type	Electric power assist	Electric power assist	Electric power assist	Electric power assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
Wheels/brakes				<u></u>
Front brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc typ.

Rear brake type	Ventilated disc type	Ventilated disc type	Ventilated disc type	Ventilated disc type
Type of parking brake	Electronic parking	Electronic parking	Electronic parking	Electronic parking
Front tire size	265/45 R21	265/45 R21	265/40 R22	265/40 R22
Rear tire size and size	265/45 R21	265/45 R21	265/40 R22	265/40 R22
Spare tire specifications	-	-	-	-
Spare tire placement	-	-	-	-
Active safety • Standard	· Optional - not			
ABS anti-lock braking	Standard	Standard	• Standard	• Standard
Braking force distribution (EBD/CBC, etc.)	• Standard	• Standard	• Standard	• Standard
Brake assist (EBA/BA, etc.)	Standard	Standard	Standard	• Standard
Traction control (TCS/ASR, etc.)	• Standard	• Standard	• Standard	• Standard
Body stability systems (ESP/DSC, etc.)	• Standard	• Standard	• Standard	• Standard
	· Lane Departure Warning	Lane Departure Warning	Lane Departure Warning	Lane Departure Warning
	Forward Collision Warning	Forward Collision Warning	Forward Collision Warning	Forward Collision Warning
Active safety warning system	Rear Cross Traffic Warning	Rear Cross Traffic Warning	Rear Cross Traffic Warning	Rear Cross Traffic Warning
	Reversing side warning	Reversing side warning	Reversing side warning	Reversing side warning
	• DOW door opening warning	DOW door opening warning	DOW door opening warning	• DOW door opering warning ABack 1
Active braking	Standard	Standard	Standard	Standard

Parallel Assist	Standard	Standard	• Standard	Standard
Lane Keeping Assist	Standard	Standard	Standard	Standard
Lane centering keep	• Standard	Standard	• Standard	Standard
<u>Drowsy driving tips</u>	Standard	Standard	Standard	Standard
Active DMS fatigue detection	• Standard	Standard	• Standard	• Standard
In-vehicle vital signs detection	• Standard	• Standard	• Standard	• Standard
Road traffic sign recognition	• Standard	• Standard	• Standard	• Standard
Signal light identification	• Standard	Standard	• Standard	• Standard
Night vision system				
Passive safety • Standard	· Optional not			
Front sixboos	• Main driver's seat	Main driver's seat	• Main driver's seat	• Main driver's seat
<u>Front airbags</u>	Passenger seat	Passenger seat	Passenger seat	Passenger seat
<u>Side airbags</u>	• front row	• front row	• front row	• front row
side air curtains	• Standard	• Standard	Standard	Standard
Front knee airbags				
Central airbags				
Seat belt is not fastened	Standard	Standard	Standard	Standard
<u>Tire pressure monitoring</u> <u>system</u>	• Tire pressure display 🚨	Tire pressure display	Tire pressure display	Tire pressure display
<u>Child Seat Interface</u> (<u>ISOFIX)</u>	• Standard	Standard	• Standard	• Standard

Passive pedestrian protection	-	-	-	-			
Safety tires	-	-	-	-			
Assist/control configuration • Standard • Optional - not							
Darking radar	• former	• former	• former	• former			
Parking radar	• after	• after	• after	• after			
Reminder of the departure of the vehicle in front	-	-	-	-			
	• Reversing video 🚨	Reversing video	Reversing video	Reversing video			
Driver assistance images	360° panoramic image	• 360° panoramic image	• 360° panoramic image	• 360° panoramic image			
	Transparent imagery	Transparent imagery	Transparent imagery	Transparent imagery			
	Cruise control	Cruise control	Cruise control	Cruise control			
<u>Cruise system</u>	Adaptive cruise	Adaptive cruise	Adaptive cruise	Adaptive cruise			
	• Adaptive cruise at full speed	Adaptive cruise at full speed	• Adaptive cruise at full speed	• Adaptive cruise at full speed			
Automatic lane change assist	Standard	• Standard	Standard	Standard			
Automatic ramp exit (entry)	Standard	Standard	Standard	Standard			
Driver assistance level	• Level 2 🚨	• Level 2	• Level 2	• Level 2			
Automatic parking into place	Standard	• Standard	• Standard	Standard			
Follow the trail and reverse	-	-	-	-			

Memory Parking	-	-	-	-
AUTOHOLD	Standard	• Standard	• Standard	• Standard
Hill Assist (HAC)	Standard	Standard	• Standard	Standard
<u>Descent (HDC)</u>	Standard	Standard	Standard	Standard
Variable suspension adjustment	-	-	-	-
Air suspension	-	-	-	-
Electromagnetic induction suspension	-	-	-	-
Variable steering ratio system	-	-	-	-
Front axle limited slip mode	-	-	-	-
Rear axle limited slip mode	-	-	-	-
Center differential locking function	-	-	-	-
Low-speed four-wheel drive	-	-	-	-
Integral active steering	-	-	-	-
	• motion	• motion	• motion	• motion
Drive mode selection	• personalize	• personalize	• personalize	• personalize
	• ECO/Economy	• ECO/Economy	• ECO/Economy	• ECO/Economy
	Standard comfort	Standard comfort	Standard comfort	Standard comfort
Brake energy recuperation system	• Standard	• Standard	• Standard	• Standard

Low-speed driving warning sound	• Standard	Standard	• Standard	• Standard
External configuration	• Standard • Optional - not			
Sunroof type	Segmented non- • opening panoramic sunroof	Segmented non- opening panoramic sunroof	Segmented non- • opening panoramic sunroof	Segmented non- • opening panoramic sunroof
Light-sensitive canopy	-	-	-	-
Roof racks	-	-	-	-
<u>Sporty look package</u>	Matching 6000 yuan	• Matching 6000 yuan	Standard	• Standard
Electric spoiler	-	• Standard	Standard	• Standard
Actively closed grille	Standard	• Standard	Standard	• Standard
Alloy wheels	Standard	• Standard	Standard	• Standard
Side footrests	-	-	-	-
Frameless design of the doors	Standard	Standard	• Standard	• Standard
Concealed doorknobs	Standard	• Standard	Standard	• Standard
Drag hook	-	-	-	-
Internal configuration •	Standard • Optional - not			
Steering wheel material	• dermis	• dermis	• dermis	• dermis
Steering wheel adjustment	Up and down + front and back	Up and down + front and back	Up and down + front and back	Up and down + front and back
The steering wheel is electrically adjustable	• Standard	Standard	Standard	• Standard
	Multi-function control	Multi-function control	Multi-function control	• Multi-function c
Steering wheel function	• memory	• memory	• memory	• memory

<u>Trip computer screen</u>	• colored	• colored	• colored	• colored
LCD gauge style	• Full LCD	• Full LCD	• Full LCD	• Full LCD
LCD meter size (inches)	• 10.25	• 10.25	• 10.25	• 10.25
LCD meter resolution	1920x720	1920x720	1920x720	1920x720
LCD Instrument Screen Pixel Density (PPI)	• 200	• 200	• 200	• 200

Comfort/anti-theft configuration • Standard ∘ Optional not

Motorized suction door				
Electric rear tailgate	• Standard	Standard	• Standard	• Standard
Inductive rear tailgate				
Electric rear tailgate position memory	• Standard	• Standard	• Standard	Standard
Central lock in the car	• Standard	Standard	• Standard	• Standard
<u>Type of key fob</u>	Bluetooth key for mobile phones			
	NFC/RFID key	NFC/RFID key	NFC/RFID key	NFC/RFID key
<u>Keyless entry</u>	The whole car	The whole car	• The whole car	• The whole car
<u>Keyless start</u>	• Standard	Standard	• Standard	Standard
Remote start	• Standard	Standard	• Standard	• Standard
Remotely controlled mobile vehicles	• Standard	• Standard	• Standard	• Standard
Vehicle summoning function				
<u>Head-up display (HUD)</u>				

Built-in dash cam	• Standard	• Standard	• Standard	• Standard	
Active Noise Cancellation	Standard	Standard	• Standard	Standard	
Wireless charging of your phone	• Standard	• Standard	• Standard	• Standard	
Maximum power of wireless charging of mobile phone (W)	50	50	50	50	
110V/220V/230V power socket	-	-	-	-	
12V power port in the baggage compartment	• Standard	• Standard	• Standard	Standard	
Seat configuration • Star	ndard • Optional - not				
Seat material	• dermis	• dermis	• dermis	• dermis	
Seat leather style	Nappa leather	Nappa leather	Nappa leather	Nappa leather	
<u>Sporty seats</u>	-	-	-	-	
	-	∘ 2+2	∘ 2+2	• 2+2	
Seating layout	• 2+3	• 2+3	• 2+3	-	
Separate seats in the second row	-	Matching	Matching	• Standard	
Third row seats	-	-	-	-	
	Main driver's seat	Main driver's seat	Main driver's seat	Main driver's seat	
The seat is electrically adjustable	Passenger seat	Passenger seat	Passenger seat	Passenger seat	
<u> </u>	-	· Second row	· Second row	Second row	
	Move back and forth	Move back and forth	Move back and forth	• Move back and	
	Backrest angle	Backrest angle	Backrest angle	Backrest angle	

The driver's seat is fully adjustable	High and low adjustment	High and low adjustment	High and low adjustment	High and low adjustment
The driver's seat is partially adjusted	• waist	• waist	• waist	• waist
The passenger seat is	Move back and forth	Move back and forth	Move back and forth	Move back and forth
adjusted as a whole	Backrest angle	Backrest angle	Backrest angle	Backrest angle
The passenger seat is partially adjusted	• waist	• waist	• waist	• waist
The second-row seats are fully adjustable	Backrest angle adjustment	• Backrest angle adjustment	Backrest angle adjustment	Backrest angle adjustment
The second-row seats are partially adjustable				
	• heating	• heating	• heating	• heating
Front soot footures	• airy	• airy	• airy	• airy
Front seat features	• Memory (Main Pilot)	• Memory (Main Pilot)	Memory (Main Pilot)	Memory (Main Pilot)
	• massage	• massage	• massage	• massage
		· heating	· heating	• heating
Second-row seat function		∘ airy	∘ airy	• airy
		· massage	· massage	• massage
Third-row seat function				
Boss key		Matching	Matching	Standard
Front/roar armyosts	• front row	• front row	• front row	• front row
Front/rear armrests	• Back	• Back	• Back	• Back
Rear cup holders	Standard	Standard	• Standard	• Standard

Heatable/cooled cup holders	-	-	-	-
Rear seat reclining ratio	• 40:60	• 40:60	• 40:60	• 40:60
The rear seats recline electrically	-	-	-	-
Second row of small tables	-	-	-	-
Smart connectivity • Sta	ndard • Optional – not			
Center display size (inches)	• 15.6	• 15.6	• 15.6	• 15.6
Center console color screen resolution	1920x1080	1920x1080	1920x1080	1920x1080
Pixel Density (PPI) of color screen in center console	• 141	• 141	• 141	• 141
Co-pilot screen size (inches)	• 10.25	• 10.25	• 10.25	• 10.25
Co-pilot screen resolution	1920x720	1920x720	1920x720	1920x720
Co-pilot screen pixel density (PPI)	• 200	• 200	• 200	• 200
Touchscreen vibration feedback	-	-	-	-
GPS navigation system	Standard	Standard	• Standard	Standard
AR real-world navigation	-	-	-	-
Navigation traffic information display	• Standard	• Standard	• Standard	• Standard
Roadside assistance services	• Standard	• Standard	• Standard	• Standard A Back to

Bluetooth/car phone	Standard	Standard	Standard	Standard
Mobile phone interconnection mapping	• Hicar	• Hicar	• Hicar	• Hicar
Internet of Vehicles	• Standard	• Standard	• Standard	• Standard
4G/5G network	• 5G	• 5G	• 5G	• 5G
OTA upgrades	Standard	Standard	Standard	Standard
Facial recognition	Standard	Standard	Standard	Standard
Fingerprint recognition	-	-	-	-
Voiceprint recognition	-	-	-	-
Emotion recognition	Standard	Standard	Standard	Standard
Speech recognition control system	Standard	• Standard	• Standard	• Standard
Voice wake-up free function	Standard	Standard	Standard	Standard
Voice wake-up	Main driver	Main driver	Main driver	Main driver
recognition function in	• Co-pilot	• Co-pilot	• Co-pilot	• Co-pilot
different regions	Second row	Second row	Second row	Second row
Continuous speech recognition	Standard	Standard	• Standard	• Standard
Visible is spoken	• Standard	• Standard	• Standard	• Standard
Voice assistant wake words	Small towers, small towers			
Gesture control function	• Standard	• Standard	• Standard	• Standard
<u>Wi-Fi hotspot</u>	• Standard	• Standard	• Standard	• Standard

Multi-finger flying	Standard	Standard	• Standard	 Standard
App Store	• Standard	Standard	• Standard	Standard
Naultina adia intenfa a	SD card slot	• SD card slot	• SD card slot	• SD card slot
Multimedia interface	• USB/Type-C	• USB/Type-C	• USB/Type-C	• USB/Type-C
Number of USB/Type-C	• 2 in the front row	• 2 in the front row	• 2 in the front row	• 2 in the front ro
ports	• 1 in the back	• 1 in the back	• 1 in the back	• 1 in the back
USB/Type-C maximum	50W in the front	50W in the front	50W in the front	50W in the front
charging power	50W in the rear	50W in the rear	50W in the rear	50W in the rear
<u>Car TV</u>	-	-	-	-
Rear LCD screen	-	-	-	-
Simulate sound	• Standard	Standard	• Standard	Standard
Soothing (relaxing) mode	Standard	Standard	• Standard	• Standard
Karaoke function	Standard	Standard	• Standard	• Standard
Audio brands	-	-	-	_
Number of speakers	• 14	• 14	• 14	• 14
Rear multimedia control	-	-	-	-
Lighting configuration •	Standard • Optional - not	t		
Low beam	• LED Q	• LED	• LED	• LED
<u>High beams</u>	• LED	• LED	• LED	• LED
Daytime running lights	Standard	Standard	Standard	Standard

Adaptive high and low beams	• Standard	Standard	Standard	• Standard
Automatic headlights	Standard	• Standard	Standard	Standard
<u>Turn assist lights</u>	-	-	-	-
Front fog lights	-	-	-	-
<u>Headlight Steering Servo</u> (AFS)	-	-	-	-
<u>Headlight height</u> <u>adjustment</u>	• Standard	Standard	Standard	Standard
Headlight cleaning function	-	-	-	-
Ambient lighting in the car	• 256 colors	• 256 colors	• 256 colors	• 256 colors
Active ambient lighting	-	-	-	-
<u>Lighting features</u>	-	-	-	-
The headlights are turned off for a delayed time	• Standard	Standard	Standard	Standard
Headlight rain and fog mode	-	-	-	-
Glass/mirrors • Standard	· Optional - not			
Power windows	• front row	• front row	• front row	• front row
Power windows	• Back	• Back	• Back	• Back
One-key window lifting	• The whole car			
Anti-pinch function on the windows	• Standard	Standard	Standard	• Standard
	Electrically adjustable	Electrically adjustable	Electrically adjustable	Electrically adjustable

	• heating	• heating	• heating	• heating
	Motorized folding	Motorized folding	Motorized folding	Motorized folding
Exterior mirror function	• memory	• memory	• memory	• memory
	Reversing automatically rolls down			
	• Automatically fold when locked	Automatically fold when locked	Automatically fold when locked	Automatically fold when locked
Interior mirror function	Auto-dimming	Auto-dimming	Auto-dimming	Auto-dimming
	Streaming	Streaming	• Streaming	Streaming

Air co mod	conditioning control	• automatic	• automatic	• automatic	• automatic
	vidual air conditioning _ e rear	-	-	-	
Rear	exhaust air vents	• Standard	• Standard	Standard	• Standard
Temp conti	perature zoning rol	Dual-zone air- conditioning	Dual-zone air- conditioning	Dual-zone air- conditioning	Dual-zone air- conditioning
<u>Car a</u>	air purifiers	• Standard	• Standard	• Standard	• Standard
PM2 car	.5 filter device in the	• Standard	• Standard	• Standard	• Standard
HEPA	A filtration unit -	-	-	-	
I <u>oniz</u>	zer	• Standard	• Standard	• Standard	• Standard
I <u>n-ca</u>	ar fragrance device	Matching 3000 yuan	· Matching 3000 yuan	· Matching 3000 yuan	· Matching 3000 yuan
<u>Car r</u>	refrigerators -	-	-	-	
Intel	lligent configuration				
	er assistance rating system	• HUAWEI ADS	HUAWEI ADS	HUAWEI ADS	• HUAWEI ADS
I <u>n-ve</u> syste		HarmonyOS	• HarmonyOS	HarmonyOS	HarmonyOS
I <u>n-ve</u>	ehicle smart chips	• Kirin 990A	• Kirin 990A	• Kirin 990A	• Kirin 990A
		• Digital key	• Digital key	• Digital key	• Digital key
		Charge management	Charge management	Charge management	Charge management
Mob conti	oile App remote rol	Remote control	Remote control	Remote control	Remote control
		Vehicle monitoring	Vehicle monitoring	Vehicle monitoring	Vehicle monitoring Back to top
		Service Appointments	Service Appointments	Service Appointments	Service Appointments

<u>Heat pump management</u> <u>system</u>	• Standard	• Standard	• Standard	• Standard
Number of exterior cameras	• 13	• 13	• 13	• 13
Exterior camera pixel in the car	-	-	-	-
Number of cameras in the car (units)	• 1	• 1	• 1	• 1
Interior camera pixel in the car	-	-	-	-
Number of ultrasonic radars	• 12	• 12	• 12	• 12
Number of millimeter- wave radars	• 6	• 6	• 6	• 6
Number of LiDARs	• 3	• 3	• 3	• 3
Sub-meter high-precision positioning system	• Standard	• Standard	• Standard	• Standard
<u>High-precision maps</u>	Standard	Standard	Standard	• Standard
Sentinel (clairvoyant) mode	Standard	• Standard	• Standard	• Standard
V2X communication	-	-	-	-

Optional package • Standard • Optional - not

VIP Four-Seat Privilege	
Package	

4-seat layout, full seat ventilation/massage/heating, rear seat multi-function armrest, boss key, wireless charging of rear mobile phones, HALO screen, flowing water atmosphere 4-seat layout, full seat ventilation/massage/heating, rear seat multi-function armrest, boss key, wireless charging of rear mobile phones, HALO screen, flowing water atmosphere

4-seat layout, full seat
ventilation/massage/heating,
rear seat multi-function
armrest, boss key, wireless
charging of rear m
phones, HALO scm
flowing water atmosphere

		lighting dynamic effect, rear		lighting dynamic effect, rear privacy glass		lighting dyn a mic effect, rear priv
	-	 Matching 	25,000 yuan	Matching	25,000 yuan	• Standard
Featured configurations	• Standard • Optional - r	not				
HALO screen	-	· Matching	5000 yuan	Matching	5000 yuan	• Standard
Huawei iTRACK	Standard	• Standard		• Standard		• Standard
Smart sensor electric door	-	• Standard		• Standard		• Standard

^{*}The above parameter configuration information is for reference only, please refer to the actual vehicle for details View the parameter configuration details >



Qingdao ZHYT Automobile Import And Export Co., Ltd

Add:Room 703, Zhongqi Houye Center, No. 47 Heilongjiang South Rd,Qingdao city in China.

From: Serena Han Tel/whatsapp:+86 15725246707

Email:aprilsiter1980@gmail.com