

Volkswagen ID.3 2024 Pure Smart Edition Volkswagen ID.3 2024 Standout Edition Volkswagen ID.3 2024 Extreme Edition

Basic Information

<u>Manufacturers</u>	SAIC Volkswagen	SAIC Volkswagen	SAIC Volkswagen	
level	Compact car 🚨	Compact car	Compact car	
<u>Type of energy</u>	Electric a	Electric	Electric	
<u>Availability</u>	2024.01	2024.01	2024.01	

Pure electric range (km):				
CLTC	450	450	450	
<u>Charging time (hours)</u>	Fast charging for 0.67 hours Slow charging for	Fast charging for 0.67 hours Slow charging for	Fast charging for 0.67 hours Slow charging for	
	8.5 hours	8.5 hours	8.5 hours	
Fast Charge (%)	0-80	0-80	0-80	
Maximum power (kW)	125(170Ps)	125(170Ps)	125(170Ps)	
Maximum torque(N·m)	310	310	310	
<u>Gearbox</u>	Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles	
LxWxH(mm)	4261x1778x1568	4261x1778x1568	4261x1778x1568	
Body structure	5-door, 5-seater hatchback	5-door, 5-seater hatchback	5-door, 5-seater hatchback	
Maximum speed(km/h)	160	160	160	
Official 0-50Km/h acceleration time (s)	3	3	3	
Official acceleration time to 100 km/h (s)	-	-	-	

electric energy equivalent (L/100km)	1.48	1.48	1.48	
Warranty period of the whole vehicle	3 years or 100,000 km	3 years or 100,000 km	3 years or 100,000 km	
bodywork				
<u>Length (mm)</u>	4261	4261	4261	
Width (mm)	1778	1778	1778	
<u>Height (mm)</u>	1568	1568	1568	
Wheelbase (mm)	2765	2765	2765	
Front track(mm)	1548	1548	1548	
Rear track(mm)	1525	1525	1525	
<u>Body structure</u>	Hatchbacks 🚨	Hatchbacks	Hatchbacks	
Number of doors	5	5	5	
How the doors open	Swing doors	Swing doors	Swing doors	
Number of seats	5	5	5	
<u>Curb weight (kg)</u>	1760	1760	1760	
<u>Full load weight (kg)</u>	2220	2220	2220	

Fuel consumption of

motor				
Motor description	Pure electric 170 hp	Pure electric 170 hp	Pure electric 170 hp	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	
Total motor power (kW)	125	125	125	
<u>Total motor horsepower</u> (<u>Ps)</u>	170	170	170	
Total torque of electric motor(N·m)	310	310	310	
Rear motor maximum power (kW)	125	125	125	
Maximum torque of rear motor(N·m)	310	310	310	
Number of drive motors	Single motor	Single motor	Single motor	
Motor layout	postposition	postposition	postposition	
Motor layout Rattery/Charging	postposition	postposition	postposition	

Battery/Charging

<u>Battery type</u>	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Cell brand	CATL	CATL	CATL

Battery capacity (kWh)	52.8	52.8	52.8
Battery energy density(Wh/kg)	155.0	155.0	155.0
Battery charging	Fast charging for 0.67 hours Slow charging for 8.5 hours	Fast charging for 0.67 hours Slow charging for 8.5 hours	Fast charging for 0.67 hours Slow charging for 8.5 hours
	Fast charging interface	Fast charging interface	Fast charging interface
The location of the fast charging interface	Right fuel tank slot	Right fuel tank slot	Right fuel tank slot
The location of the slow charging interface	Right fuel tank slot	Right fuel tank slot	Right fuel tank slot
Battery temperature	Heat at low temperatures	Heat at low temperatures	Heat at low temperatures
management system	Liquid cooling	Liquid cooling	Liquid cooling
One-pedal mode	-	-	-
VTOL mobile power station function	-	-	_

Gearbox

Gearbox description Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles	Single-speed gearbox for electric vehicles
---	--	--

<u>Gearbox type</u>	Fixed gearbox	Fixed gearbox	Fixed gearbox				
Chassis/steering							
<u>Drive mode</u>	Rear-mounted rear-wheel drive	Rear-mounted rear-wheel drive	Rear-mounted rear-wheel drive				
Front suspension form	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension				
Rear suspension form	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension				
Steering type	Electric power assist	Electric power assist	Electric power assist				
Body structure	Load-bearing	Load-bearing	Load-bearing				
Wheels/brakes							
Front brake type	Ventilated disc type 🚨	Ventilated disc type	Ventilated disc type				
Rear brake type	Drum pose	Drum pose	Drum pose				
Type of parking brake	Electronic parking	Electronic parking	Electronic parking				
Front tire size	215/55 R18	215/55 R18	215/55 R18				
Rear tire size and size	215/55 R18	215/55 R18	215/55 R18				
Spare tire specifications	-	-	-				

ABS anti-lock braking	• Standard	• Standard	• Standard
Braking force distribution (EBD/CBC, etc.)	• Standard	• Standard	• Standard
Brake assist (EBA/BA, etc.)	• Standard	• Standard	• Standard
<u>Traction control (TCS/ASR,</u> etc.)	• Standard	• Standard • Standard • Stan	
<u>Body stability systems</u> (<u>ESP/DSC, etc.)</u>	• Standard	• Standard	• Standard
	Lane Departure Warning	Lane Departure Warning	Lane Departure Warning
Active safety warning system	Forward Collision Warning	Forward Collision Warning	Forward Collision Warning
	_	_	Reversing side warning
Active braking	• Standard	• Standard	• Standard
Parallel Assist	-	-	• Standard
Lane Keeping Assist	• Standard	• Standard	• Standard
Lane centering keep	-	• Standard	Standard
<u>Drowsy driving tips</u>	• Standard	• Standard	• Standard

In-vehicle vital signs detection	-	_	-
Road traffic sign recognition	-	_	Standard
Signal light identification	-	-	-
Night vision system	-	-	_
Passive safety • Standard	· Optional - not		
Frant airbags	• Main driver's seat	Main driver's seat	Main driver's seat
<u>Front airbags</u>	• Passenger seat	Passenger seat	Passenger seat
<u>Side airbags</u>	• front row	• front row	• front row
side air curtains	• Standard	Standard	• Standard
<u>Front knee airbags</u>	-	-	-
<u>Central airbags</u>	-	-	-
Seat belt is not fastened	Standard	Standard	• Standard
<u>Tire pressure monitoring</u> <u>system</u>	• Tire pressure alarm 🚨	Tire pressure alarm	Tire pressure alarm
Child Seat Interface (ISOFIX)	• Standard	Standard	• Standard

Safety tires	Matching 2000 yuan	 Matching 2000 yuan 	 Matching 	
Assist/control configuration	• Standard • Optional	- not		
Doubing rodor	• former	• former	• former	
<u>Parking radar</u>	• after	• after	• after	
Reminder of the departure of the vehicle in front	-	_	_	
Driver assistance images	Reversing 1000 yuan	• Reversing video lcon	Reversing video	
Driver assistance images	-	-	360° panoramic image	
	• Cruise control 🚨	Cruise control	Cruise control	
<u>Cruise system</u>	• Adaptive cruise	Adaptive cruise	Adaptive cruise	
	• Adaptive cruise at full speed	Adaptive cruise at full speed	Adaptive cruise at full speed	
Automatic lane change assist	-	-	_	
Automatic ramp exit (entry)	-	-	_	

Automatic parking into place	-		-		 Matching 	1800 yuan
Follow the trail and reverse	-		-		-	
Memory Parking	_		_		_	
AUTOHOLD	• Standard		Standard		• Standard	
Hill Assist (HAC)	• Standard	i Icon	Standard	a Icon	• Standard	a Icon
<u>Descent (HDC)</u>	-		-		_	
Variable suspension adjustment	-		-		-	
Air suspension	-		-		_	
Electromagnetic induction suspension	-		-		_	
Variable steering ratio system	-		-		-	
Front axle limited slip mode	-		-		_	
Rear axle limited slip mode	-		-		-	

Integral active steering	-	_	-	
	• motion	• motion	• motion	
Drive mode selection	 personalize 	• personalize	• personalize	
Drive mode selection	• ECO/Economy	• ECO/Economy	• ECO/Economy	
	Standard comfort	Standard comfort	Standard comfort	
Brake energy recuperation system	• Standard	• Standard	• Standard	
<u>Low-speed driving</u> <u>warning sound</u>	• Standard	• Standard	• Standard	
External configuration • Standard • Optional - not				
External configuration •	Standard • Optional - not			
External configuration • Sunroof type	Standard • Optional - not	The panoramic sunroof cannot be opened	The panoramic sunroof cannot be opened	
-	Standard • Optional - not -	The panoramic sunroof	• •	
Sunroof type	-	The panoramic sunroof	• •	
Sunroof type Light-sensitive canopy	-	The panoramic sunroof cannot be opened	• •	
Sunroof type Light-sensitive canopy Roof racks	-	The panoramic sunroof cannot be opened	cannot be opened	
Sunroof type Light-sensitive canopy Roof racks Sporty look package	- - -	The panoramic sunroof cannot be opened	cannot be opened	

Consocied dearlynehs			
Concealed doorknobs	-	-	-
Drag hook	-	-	-
Internal configuration •	Standard • Optional - not		
	• plastics	-	-
Steering wheel material	-	• cortex	• cortex
	-	_	-
Steering wheel adjustment	Up and down + front and back	Up and down + front and back	• Up and down + front and back
The steering wheel is electrically adjustable	-	_	-
Stagring wheel function	Multi-function control	Multi-function control	Multi-function control
Steering wheel function	-	• heating	• heating
Trip computer screen	• colored	• colored	• colored
LCD gauge style	• Full LCD	• Full LCD	• Full LCD
LCD meter size (inches)	• 5.3	• 5.3	• 5.3
Comfort/anti-theft configuration • Standard • Optional - not			
Motorized suction door	-	-	-

Inductive rear tailgate	-		_		-	
Electric rear tailgate position memory	-		_		-	
Central lock in the car	• Standard		• Standard		• Standard	
Type of key fob	Smart key fol	0 @	Smart key fo	b	• Smart key fo	ob
<u>Keyless entry</u>	• front row	a Icon	• front row	a Icon	• front row	₫ Icon
Keyless start	• Standard	ढ Icon	Standard	i lcon	• Standard	i Icon
Remote start	• Standard		Standard		• Standard	
Remotely controlled mobile vehicles	-		-		-	
Vehicle summoning function	-		-		-	
<u>Head-up display (HUD)</u>	-		-		 Matching 	
Augmented Reality Head- Up Display (AR-HUD)	_		-		Matching	5000 yuan
Built-in dash cam	_		_		-	
Original ETC	-		_		Matching	200 yuan
Active Noise Cancellation	-		_		-	

110V/220V/230V power socket	-	-	-
12V power port in the baggage compartment	• Standard	• Standard	• Standard
Seat configuration • Sta	ndard • Optional - not		
Seat material	Leather mix and match	Leather mix and match	Leather mix and match
<u>Sporty seats</u>	-	-	-
Separate seats in the second row	-	-	-
The seat is electrically	-	Main driver's seat	Main driver's seat
adjustable	-	Passenger seat	Passenger seat
	Move back and forth	Move back and forth	Move back and forth
The driver's seat is fully	Backrest angle	Backrest angle	Backrest angle
<u>adjustable</u>	High and low adjustment	High and low adjustment	· High and low adjustment
The driver's seat is	• Headrest	• Headrest	• Headrest
partially adjusted	-	• waist	• waist
	Move back and forth	Move back and forth	Move back and forth

	Backrest angle	Backrest angle	Backrest angle
The passenger seat is	• Headrest	Headrest	• Headrest
<u>partially adjusted</u>	-	• waist	• waist
The second-row seats are fully adjustable	_	_	_
The second-row seats are partially adjustable	_	_	_
Front seat features	-	-	• heating
Second-row seat function	-	-	-
Boss key	-	-	-
Front /voor overests	• front row	• front row	• front row
Front/rear armrests	_	-	• Back
Rear cup holders	_	-	• Standard
Heatable/cooled cup holders	_	-	-
Rear seat reclining ratio	• 40:60	• 40:60	• 40:60
Second row of small tables	-	-	-

Center display size (inches)	• 10	• 10	• 10
Touchscreen vibration feedback	_	-	-
GPS navigation system	• Standard	• Standard	• Standard
AR real-world navigation	-	-	-
Navigation traffic information display	• Standard	• Standard	• Standard
Roadside assistance services	• Standard	• Standard	• Standard
Bluetooth/car phone	• Standard	• Standard	Standard
	• CarPlay	• CarPlay	• CarPlay
Mobile phone interconnection mapping	• CarLife	• CarLife	• CarLife
	Original machine	Original machine	Original machine
Internet of Vehicles	• Standard	• Standard	• Standard
4G/5G network	• 4G	• 4G	• 4G
OTA upgrades	• Standard	• Standard	• Standard
Facial recognition	_	-	_
Fingerprint recognition	-	-	-

Emotion recognition	-	-	-
Speech recognition control system	• Standard	• Standard	• Standard
Voice wake-up free function	-	_	_
Voice wake-up recognition function in different regions	• Main driver	Main driver	Main driver
Continuous speech recognition	-	-	_
Visible is spoken	-	-	-
Voice assistant wake words	Hello Volkswagen	Hello Volkswagen	Hello Volkswagen
Gesture control function	-	-	-
Wi-Fi hotspot	Standard	• Standard	• Standard
Audio-visual entertainment	• Standard • Optional	- not	
Multi-finger flying	-	-	-
App Store	• Standard	• Standard	• Standard
Multimedia interface	• USB/Type-C	• USB/Type-C	• USB/Type-C

	• 2 in the back	• 2 in the back	• 2 in the back
USB/Type-C maximum charging power	_	_	_
<u>Car TV</u>	-	-	_
Rear LCD screen	-	-	-
Simulate sound	-	-	-
Audio brands	-	-	_
Number of speakers	• 7	• 7	• 7
Rear multimedia control	-	-	-
Lighting configuration •	Standard • Optional - not		
Low beam	• LED	• LED	• LED
<u>High beams</u>	• LED 🚨	• LED	• LED
Daytime running lights	• Standard	Standard	Standard
Adaptive high and low beams	_	_	Standard
Automatic headlights	• Standard	Standard	Standard
Turn assist lights	-	-	Standard
Front fog lights	-	-	-

<u>Headlight height</u> <u>adjustment</u>	• Standard	• Standard	Standard
<u>Headlight cleaning</u> <u>function</u>	-	-	_
Ambient lighting in the car	• monochrome	• monochrome	• 30 colors
Active ambient lighting	-	-	-
<u>Lighting features</u>	-	-	• Matrix 🚨
The headlights are turned off for a delayed time	• Standard	• Standard	• Standard
Headlight rain and fog mode	_	_	Standard
Glass/mirrors • Standard	· Optional - not		
Davier windows	• front row	• front row	• front row
<u>Power windows</u>	• Back	• Back	• Back
One-key window lifting	• The whole car	The whole car	The whole car
Anti-pinch function on the windows	• Standard	• Standard	• Standard

	• heating	• heating	• heating
	Motorized folding	Motorized folding	Motorized folding
	Automatically fold when locked	Automatically fold when locked	Automatically fold when locked
Interior mirror function	-	-	_
Make up poirror in the car	Main driver's seat + with lighting	Main driver's seat + with lighting	Main driver's seat + with lighting
Make-up mirror in the car	Passenger seat + with lighting	Passenger seat + with lighting	Passenger seat + with lighting
Rear privacy glass	-	-	-
Sunshades in the car	-	-	_
Rain-sensing wipers	Standard	• Standard	• Standard
<u>rear wipers</u>	• Standard	• Standard	• Standard
Multi-layer soundproof glass	-	_	_
Electrically heated front windshield	-	-	-
Heated water nozzles	-	-	-

Air conditioning control mode	• automatic	• automatic	• automatic
Individual air conditioning in the rear	_	-	-
Rear exhaust air vents	-	-	-
Temperature zoning control	Dual-zone air- conditioning	Dual-zone air- conditioning	Dual-zone air- conditioning
<u>Car air purifiers</u>	Standard	• Standard	Standard
PM2.5 filter device in the car	Standard	• Standard	• Standard
HEPA filtration unit	-	-	-
<u>Ionizer</u>	-	-	-
In-car fragrance device	-	-	-
<u>Car refrigerators</u>	-	-	-
Intelligent configuration			
<u>Driver assistance</u> <u>operating system</u>	• IQ. Drive	• IQ. Drive	• IQ. Drive
	Remote control	Remote control	Remote control
	Vehicle monitoring	Vehicle monitoring	Vehicle monitoring

	Service Appointments	Service Appointments	• Service Appointments
Heat pump management system	_	_	-
	• 1	-	-
Number of exterior cameras	。 2	• 2	-
	-	-	• 5
Exterior camera pixel in the car	_	-	_
Interior camera pixel in the car	_	_	_
Number of ultrasonic	• 8	• 8	• 8
radars	-	-	∘ 12
Number of millimeter- wave radars	• 1	• 1	• 3
Sub-meter high-precision positioning system	-	-	_
<u>High-precision maps</u>	-	-	-
Sentinel (clairvoyant) mode	_	_	_
V2X communication	-	-	-

Customized options	Exterior, interior, wheels, brakes are available	Exterior, interior, wheels, brakes are available	Exterior, interior, wheels, brakes are available
Enjoy the bag	-	_	_
Enjoy the Winter Kit Wise	-	_	_
Smart Driving Control Package	-	_	_

^{*}The above parameter configuration information is for reference only, please refer to the actual vehicle for details View the parameter configuration details >



Qingdao ZHYT Automobile Import And Export Co., Ltd

Add:Room 703, Zhongqi Houye Center, No. 47 Heilongjiang South Rd,Qingdao city in China.

From: Serena Han Tel/whatsapp:+86 15725246707

Email:aprilsiter1980@gmail.com