

Powered by Confident LIMS 1 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Complete



4.603 mg/unit

Total THC

ND

Total CBD

ND

Total CBG

4.603 mg/unit

Total Cannabinoids

Cannabinoids

Date Analyzed: 04/08/2024

Analyte	LOD	LOQ	Result	Result	
	mg/unit	mg/unit	mg/unit	%	
THCa	0.1172	0.3906	ND	ND	
Δ9-THC	0.1172	0.3906	4.603	0.001298	
Δ8-THC	0.1172	0.3906	ND	ND	
THCVa	0.1172	0.3906	ND	ND	
THCV	0.1172	0.3906	ND	ND	
CBDa	0.1172	0.3906	ND	ND	
CBD	0.1172	0.3906	ND	ND	
CBDVa	0.1172	0.3906	ND	ND	
CBDV	0.1172	0.3906	ND	ND	
CBN	0.1172	0.3906	ND	ND	
CBGa	0.1172	0.3906	ND	ND	
CBG	0.1172	0.3906	ND	ND	
CBCa	0.2276	0.7586	ND	ND	
CBC	0.1172	0.3906	ND	ND	
CBL	0.1172	0.3906	ND	ND	
Total	3.1172	5.5700	4.600	0.001298	

1 Unit = 12 fl oz Can, 354.7426g

Unit Mass/Volume provided by Client and may affect the validity of "mg/unit" results. SOP.102, AOAC 2018.11 (Modified); UHPLC-PDA. Total THC = THCa $^{\circ}$ 0.877 + Δ 9-THC; Total CBD = CBDa $^{\circ}$ 0.877 + CBD; Total CBG = CBGa $^{\circ}$ 0.878 + CBG. Pass/Fail THC criteria, if listed, is in accordance with 86 FR 5596 issued by the USDA for pre-harvest hemp clearance (total THC - uncertainty \leq 0.3% THC). Dry weight percent of cannabinoids, if listed, is calculated using the dried weight determined by the moisture content prior to extraction, indicated as follows (SOP.702; Gravimetry).

TRI— CHOME ANALY- 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Microbials Pass

Date Analyzed: 04/09/2024

Analytes	Limit	Result	Status
	CFU/g	CFU/g	_
Total Aerobic Count	100000	<100	Pass
E. Coli		<1	Tested
Salmonella SPP	Detected in 1g	Not Detected	Pass
E. Coli (STEC)	Detected in 1g	Not Detected	Pass
Yeast & Mold	10000	<100	Pass

SOP.602, SOP.606, SOP.607; qPCR, SOP.604; Plating, and/or SOP.605; MPN.

TRI— CHOME ANALY- 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS 3 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Mycotoxins

Date Analyzed: 04/08/2024

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
Aflatoxin B1	0.000826	0.00275		ND	Tested
Aflatoxin B2	0.000826	0.00275		ND	Tested
Aflatoxin G1	0.000826	0.00275		ND	Tested
Aflatoxin G2	0.000826	0.00275		ND	Tested
Total Aflatoxins			0.0200	ND	Pass
Ochratoxin A	0.00330	0.0110	0.0200	ND	Pass

SOP.402; LC-MS/MS.

TRI— CHOME ANALY-TI—CAI 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical ManaLic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Myelvll Kristen Goedde Lab Manager Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS 4 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Elemental
Date Analyzed: 04/10/2024

Heavy Metals

Analytes	LOD	DOT	Limit	Result	Status
	μg/g	µg/g	µg/g	µg/g	
Arsenic	0.00651	0.0482	1.50	ND	Pass
Cadmium	0.000512	0.0241	0.500	ND	Pass
Lead	0.00609	0.0241	1.00	ND	Pass
Mercury	0.00276	0.00722	1.50	ND	Pass
Chromium	0.0259	0.0722		<loq< th=""><th>Tested</th></loq<>	Tested
Nickel	0.0266	0.0722		ND	Tested
Antimony	0.00805	0.0241		ND	Tested
Selenium	0.0126	0.0963		ND	Tested

Nutrients

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Copper	0.103	0.489		ND	Tested
Iron	1.67	5.00		ND	Tested
Manganese	0.0155	0.489		ND	Tested
Zinc	1.67	5.00		ND	Tested

SOP 502; ICPMS.

TRI— CHOME ANALY- 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS 5 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Pesticides Pass

Date Analyzed: 04/09/2024

Abamectin	Analytes	LOD	LOO	Limit	Result	Status	Analytes	LOD	LOO	Limit	Result	Status
Abamectin 0.0103 0.0344 0.300 ND Pass Fludioxonil 0.0103 0.0344 3.00 ND Pass Acephate 0.0103 0.0344 2.00 ND Pass Hexythiazox 0.0103 0.0344 2.00 ND Pass Acephate 0.0103 0.0344 2.00 ND Pass Imazalil 0.0103 0.0344 0.100 ND Pass Acetamiprid 0.0103 0.0344 2.00 ND Pass Ilmazalil 0.0103 0.0344 0.100 ND Pass Acetamiprid 0.0103 0.0344 3.00 ND Pass Ilmidacloprid 0.0103 0.0344 1.00 ND Pass Azoxystrobin 0.0103 0.0344 3.00 ND Pass Methorith 0.0103 0.0344 2.00 ND Pass Bifenazate 0.0103 0.0344 3.00 ND Pass Malathion 0.0103 0.0344 2.00 ND Pass Bifenathrin 0.0103 0.0344 0.500 ND Pass Methory 0.0103 0.0344 2.00 ND Pass Bifenathrin 0.0103 0.0344 0.500 ND Pass Methory 0.0103 0.0344 2.00 ND Pass Boscalid 0.0103 0.0344 0.500 ND Pass Methory 0.0103 0.0344 0.100 ND Pass Captan 0.0826 0.275 3.00 ND Pass Methory 0.0103 0.0344 0.100 ND Pass Carbaryl 0.0103 0.0344 0.500 ND Pass Methory 0.0103 0.0344 0.100 ND Pass Carbaryl 0.0103 0.0344 0.500 ND Pass Methory 0.0103 0.0344 0.100 ND Pass Carbofuran 0.0103 0.0344 0.000 ND Pass Nailed 0.0103 0.0344 0.000 ND Pass Chlorantraniliprole 0.0103 0.0344 3.00 ND Pass Nailed 0.0103 0.0344 0.000 ND Pass Nailed 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass Nailed 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass Nailed 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass Parabhion Methyl 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.000 ND Pass Parabhion Methyl 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.000 ND Pass Parabhion Methyl 0.0103 0.0344 0.000 ND Pass Chlordane 0.0103 0.0344 0.000 ND Pass Propiconazole 0.0103 0.0344 0.000 ND Pass Diazinon 0.0103 0.0344 0.000 ND Pass Propiconazole 0.0103 0.0344 0.000 ND Pass Diazinon 0.0103 0.0344 0.000 ND Pass Propiconazole 0.0103 0.0344 0.000 ND Pass Dimethoate 0.0103 0.0344 0.000 ND Pass Spinosafe 0.0103 0.0344 0.000 ND Pass Dimethoate 0.0103 0.0344 0.100 ND Pass Spinosafen 0.0103 0.0344 0.000 ND Pass Dimethoate 0.0103 0.0344 0.100 ND Pass Spinosafen 0.0103 0.0344 0.000 ND Pass Dimethoate 0.0103	/ 100					- Ctatus	, 100					- Clatus
Acephate 0.0103 0.0344 3.00 ND Pass Acequinocyl Heavythiazox 0.0103 0.0344 2.00 ND Pass Acequinocyl Imazalii 0.0103 0.0344 0.100 ND Pass Acetaniprid Imazalii 0.0103 0.0344 3.00 ND Pass Imidacloprid 0.0103 0.0344 3.00 ND Pass Imidacloprid 0.0103 0.0344 3.00 ND Pass Imidacloprid 0.0103 0.0344 3.00 ND Pass Malathion 0.0103 0.0344 2.00 ND Pass Malathion 0.0103 0.0344 2.00 ND Pass Malathion 0.0103 0.0344 2.00 ND Pass Malathion Mol 003 0.0344 0.00 ND Pass Malathion Mol 003 0.0344 0.00 ND Pass Malathion Methiocarb 0.0103 0.0344 0.00 ND Pass Methomyl 0.0103 0.0344 0.00 ND Pass Methomyl 0.0103 0.0344 0.10 ND Pass Methomyl 0.0103 0.0344	Abamectin					Pass	Fludioxonil					Pass
Acequinocyl 0.0103 0.0344 2.00 ND Pass Mazalli 0.0103 0.0344 3.00 ND Pass Imizacilorid 0.0103 0.0344 3.00 ND Pass Kresoxim Methyl 0.0103 0.0344 3.00 ND Pass Kresoxim Methyl 0.0103 0.0344 1.00 ND Pass Kresoxim Methyl 0.0103 0.0344 1.00 ND Pass Bifenazate 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 0.00 ND Pass Methiocarb 0.0103 0.0344 0.100 ND Pass Methiocarb 0.0103 <td>Acephate</td> <td>0.0103</td> <td></td> <td>3.00</td> <td></td> <td></td> <th></th> <td></td> <td>0.0344</td> <td></td> <td></td> <td></td>	Acephate	0.0103		3.00					0.0344			
Acetamiprid 0.0103 0.0344 3.00 ND Pass Imidacloprid 0.0103 0.0344 3.00 ND Pass Kresoxim Methyl 0.0103 0.0344 3.00 ND Pass Kresoxim Methyl 0.0103 0.0344 1.00 ND Pass Metalaxyl 0.0103 0.0344 2.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Methorarb 0.0103 0.0344 0.00 ND Pass Methorarb 0.0103 0.0344 0.100 ND Pass Bifenthrin 0.0103 0.0344 0.500 ND Pass Methomyl 0.0103 0.0344 0.100 ND Pass Boscalid 0.0103 0.0344 0.300 ND Pass Methomyl 0.0103 0.0344 0.100 ND Pass Carbary 0.0103 0.0344 0.100 ND Pass M	•						•					
Addicarb 0.0103 0.0344 0.100 ND Pass Azoxystrobin 0.0103 0.0344 3.00 ND Pass Malathion 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Methompl 0.0103 0.0344 0.100 ND Pass Paclobutrail 0.0103 0	. ,	0.0103	0.0344	3.00	ND	Pass	Imidacloprid	0.0103	0.0344	3.00	ND	Pass
Azoxystrobin 0.0103 0.0344 3.00 ND Pass Malathion 0.0103 0.0344 2.00 ND Pass Metalaxyl 0.0103 0.0344 0.00 ND Pass Metalaxyl 0.0103 0.0344 0.00 ND Pass Metalaxyl 0.0103 0.0344 0.00 ND Pass Metalocarb 0.0103 0.0344 0.100 ND Pass 0.0103 0.0344 0.100 ND	Aldicarb	0.0103	0.0344	0.100	ND	Pass		0.0103	0.0344	1.00	ND	Pass
Bifenazate 0.0103 0.0344 3.00 ND Pass Metalaxyl 0.0103 0.0344 3.00 ND Pass Bifenthrin 0.0103 0.0344 3.00 ND Pass Methlocarb 0.0103 0.0344 0.100 ND Pass Boscalid 0.0103 0.0344 3.00 ND Pass Methomyl 0.0103 0.0344 0.100 ND Pass Captan 0.0826 0.275 3.00 ND Pass Methomyl 0.0103 0.0344 0.100 ND Pass Carbofuran 0.0103 0.0344 0.500 ND Pass McK-264 0.0206 0.0688 ND Tested Chlordran 0.0103 0.0344 0.100 ND Pass Naled 0.0103 0.0344 3.00 ND Pass Naled 0.0103 0.0344 0.500 ND Pass Namyl 0.0103 0.0344 0.500 ND Pass Paclobutraio	Azoxystrobin	0.0103	0.0344	3.00	ND	Pass	•	0.0103	0.0344	2.00	ND	Pass
Boscalid	Bifenazate	0.0103	0.0344	3.00	ND	Pass	Metalaxyl	0.0103	0.0344	3.00	ND	Pass
Captan 0.0826 0.275 3.00 ND Pass Mevinphos 0.0103 0.0344 0.100 ND Pass Carbaryl 0.0103 0.0344 0.500 ND Pass MGK-264 0.0206 0.0688 ND Tested Carbofuran 0.0103 0.0344 0.100 ND Pass Myclobutanil 0.0103 0.0344 3.00 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass Oxamyl 0.0103 0.0344 0.500 ND Pass Chlordrane 0.0103 0.0344 0.100 ND Pass Oxamyl 0.0103 0.0344 0.100 ND Pass Chlordrane 0.0103 0.0344 0.100 ND Pass Oxamyl 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Pertachloronitrobenzene 0.0103 0.0344 0.100 <td< td=""><td>Bifenthrin</td><td>0.0103</td><td>0.0344</td><td>0.500</td><td>ND</td><td>Pass</td><th>Methiocarb</th><td>0.0103</td><td>0.0344</td><td>0.100</td><td>ND</td><td>Pass</td></td<>	Bifenthrin	0.0103	0.0344	0.500	ND	Pass	Methiocarb	0.0103	0.0344	0.100	ND	Pass
Carbaryl 0.0103 0.0344 0.500 ND Pass MgK-264 0.0206 0.0688 ND Tested Carbofuran 0.0103 0.0344 0.100 ND Pass Myclobutanil 0.0103 0.0344 3.00 ND Pass Chlorantraniliprole 0.0103 0.0344 3.00 ND Pass O.0103 0.0344 0.500 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass O.0103 0.0344 0.500 ND Pass Chlorfenapyr 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass	Boscalid	0.0103	0.0344	3.00	ND	Pass	Methomyl	0.0103	0.0344	0.100	ND	Pass
Carbaryl 0.0103 0.0344 0.500 ND Pass MgK-264 0.0206 0.0688 ND Tested Carbofuran Carbofuran 0.0103 0.0344 0.100 ND Pass Myclobutanil 0.0103 0.0344 3.00 ND Pass Chlordane 0.0103 0.0344 0.100 ND Pass Oxamyl 0.0103 0.0344 0.500 ND Pass Chlorfenapyr 0.0103 0.0344 0.100 ND Pass Daclobutrazol 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Chlormequat chloride 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344	Captan	0.0826	0.275	3.00	ND	Pass	Mevinphos	0.0103	0.0344	0.100	ND	Pass
Chlorantraniliprole 0.0103 0.0344 3.00 ND Pass Naled 0.0103 0.0344 0.500 ND Pass Chlordane Chlordane 0.0103 0.0344 0.100 ND Pass Pass Oxamyl 0.0103 0.0344 0.500 ND Pass Pass Pass Pass Pass Pass Pass Pass	Carbaryl	0.0103	0.0344	0.500	ND	Pass	MGK-264	0.0206	0.0688		ND	Tested
Chlordane 0.0103 0.0344 0.100 ND Pass Oxamyl 0.0103 0.0344 0.500 ND Pass Chlorfenapyr 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Chlorpryifos 0.0103 0.0344 0.100 ND Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Clofentezine 0.0103 0.0344 0.100 ND Pass Permethrins 0.0206 0.0688 1.00 ND Pass Coumaphos 0.0103 0.0344 0.100 ND Pass Permethrins 0.0206 0.0688 1.00 ND Pass Cyfluthrin 0.0413 0.138 1.00 ND Pass Phosmet 0.0103 0.0344 0.200 ND Pass Cypermethrin 0.0206 0.0688 1.00 ND Pass Piperonyl Butoxide 0.0103 0.0344	Carbofuran	0.0103	0.0344	0.100	ND	Pass	Myclobutanil	0.0103	0.0344	3.00	ND	Pass
Chlorfenapyr 0.0103 0.0344 0.100 ND Pass Paclobutrazol 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Pass Pass Pass Pass Pass Pass	Chlorantraniliprole	0.0103	0.0344	3.00	ND	Pass	Naled	0.0103	0.0344	0.500	ND	Pass
Chlorfenapyr 0.0103 0.0344 0.100 ND Pass Pasclobutrazol 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Pasclobutrazol 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pass Pasclobutrazol 0.0103 0.0344 0.100 ND Pass Pass Parathion Methyl 0.0103 0.0344 0.100 ND Pass Pasclobutrazol 0.0103 0.0344 0.200 ND Pass Pasclobutrazol 0.0103 0.0344 0.200 ND Pass Pasclobutrazol 9.0103 0.0344 0.200 ND Pass Pasclobutrazol 9.020 0.0206 0.0688 1.00 ND Pass Pasclobutrazol 9.020 0.0206 0.0688 1.00 ND Pass Pasclobutrazol 9.0206 0.0688 1.00 ND Pass Pasclobutrazol <td>Chlordane .</td> <td>0.0103</td> <td>0.0344</td> <td>0.100</td> <td>ND</td> <td>Pass</td> <th>Oxamyl</th> <td>0.0103</td> <td>0.0344</td> <td>0.500</td> <td>ND</td> <td>Pass</td>	Chlordane .	0.0103	0.0344	0.100	ND	Pass	Oxamyl	0.0103	0.0344	0.500	ND	Pass
Chlorpyrifos 0.0103 0.0344 0.100 ND Pass Pentachloronitrobenzene 0.0103 0.0344 0.200 ND Pass Clofentezine 0.0103 0.0344 0.500 ND Pass Permethrins 0.0206 0.0688 1.00 ND Pass Coumaphos 0.0103 0.0344 0.100 ND Pass Phosmet 0.0103 0.0344 0.200 ND Pass Cyfluthrin 0.0413 0.138 1.00 ND Pass Piperonyl Butoxide 0.0103 0.0344 0.400 ND Pass Cypermethrin 0.0206 0.0688 1.00 ND Pass Prallethrin 0.0413 0.0344 0.400 ND Pass Daminozide 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 1.00 ND Pass Diazinon 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103	Chlorfenapyr	0.0103	0.0344	0.100	ND	Pass	Paclobutrazol	0.0103	0.0344	0.100	ND	Pass
Clofentezine 0.0103 0.0344 0.500 ND Pass Permethrins 0.0206 0.0688 1.00 ND Pass Pass Phosmet Coumaphos 0.0103 0.0344 0.100 ND Pass Phosmet 0.0103 0.0344 0.200 ND Pass Pass Phosmet Cypermethrin 0.0413 0.138 1.00 ND Pass Prallethrin 0.0413 0.0344 0.400 ND Pass Propiconazole 0.0103 0.0344 0.00 ND Pass Propiconazole 0.0103 0.0344 0.00 ND Pass Propiconazole 0.0103 0.0344 0.00 ND Pass Propiconazole 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103	Chlormequat chloride	0.0103	0.0344	3.00	ND	Pass	Parathion Methyl	0.0103	0.0344	0.100	ND	Pass
Coumaphos 0.0103 0.0344 0.100 ND Pass Phosmet 0.0103 0.0344 0.200 ND Pass Cyfluthrin Cyfluthrin 0.0413 0.138 1.00 ND Pass Piperonyl Butoxide 0.0103 0.0344 3.00 ND Pass Pass Proprometria Cypermethrin 0.0206 0.0688 1.00 ND Pass Prallethrin 0.0413 0.0344 0.400 ND Pass Prallethrin Daminozide 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 1.00 ND Pass Propiconazole 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 0.100 ND <	Chlorpyrifos	0.0103	0.0344	0.100	ND	Pass	Pentachloronitrobenzene	0.0103	0.0344	0.200	ND	Pass
Cyfluthrin 0.0413 0.138 1.00 ND Pass Piperonyl Butoxide 0.0103 0.0344 3.00 ND Pass Pass Prallethrin Cypermethrin 0.0206 0.0688 1.00 ND Pass Prallethrin 0.0413 0.0344 0.400 ND Pass Pass Propiconazole 0.0103 0.0344 1.00 ND Pass Propiconazole 0.0103 0.0344 <	Clofentezine	0.0103	0.0344	0.500	ND	Pass	Permethrins	0.0206	0.0688	1.00	ND	Pass
Cypermethrin 0.0206 0.0688 1.00 ND Pass Prallethrin 0.0413 0.0344 0.400 ND Pass Daminozide Diazinon 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 1.00 ND Pass Propiconazole Diazinon 0.0103 0.0344 0.200 ND Pass Propoxur 0.0103 0.0344 0.100 ND Pass Propiconazole Dichlorvos 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 0.100 ND Pass Propiconazole Dichlorvos 0.0103 0.0344 0.100 ND Pass Propicor 0.0103 0.0344 0.100 ND Pass Propicor 0.0103 0.0344 0.100 ND Pass Propicor 0.0103 0.0344 0.00 ND <td>Coumaphos</td> <td>0.0103</td> <td>0.0344</td> <td>0.100</td> <td>ND</td> <td>Pass</td> <th>Phosmet</th> <td>0.0103</td> <td>0.0344</td> <td>0.200</td> <td>ND</td> <td>Pass</td>	Coumaphos	0.0103	0.0344	0.100	ND	Pass	Phosmet	0.0103	0.0344	0.200	ND	Pass
Daminozide 0.0103 0.0344 0.100 ND Pass Propiconazole 0.0103 0.0344 1.00 ND Pass Pass Propiconazole Diazinon 0.0103 0.0344 0.200 ND Pass Propoxur 0.0103 0.0344 0.100 ND Pass Pyrethrins 0.0413 0.138 1.00 ND Pass Pyrethrins 0.0413 0.138 1.00 ND Pass Pyridaben 0.0103 0.0344 3.00 ND Pass Pyridaben<	Cyfluthrin	0.0413	0.138	1.00	ND	Pass	Piperonyl Butoxide	0.0103	0.0344	3.00	ND	Pass
Diazinon 0.0103 0.0344 0.200 ND Pass Propoxur 0.0103 0.0344 0.100 ND Pass Pyrethrins Dichlorvos 0.0103 0.0344 0.100 ND Pass Pyrethrins 0.0413 0.138 1.00 ND Pass Dimethoate Dimethoate 0.0103 0.0344 0.100 ND Pass Pyridaben 0.0103 0.0344 3.00 ND Pass Spinetoram 0.0103 0.0344 3.00 ND Pass Spinosad 0.0103 0.0344 3.00 ND <td>Cypermethrin</td> <td>0.0206</td> <td>0.0688</td> <td>1.00</td> <td>ND</td> <td>Pass</td> <th>Prallethrin</th> <td>0.0413</td> <td>0.0344</td> <td>0.400</td> <td>ND</td> <td>Pass</td>	Cypermethrin	0.0206	0.0688	1.00	ND	Pass	Prallethrin	0.0413	0.0344	0.400	ND	Pass
Dichlorvos 0.0103 0.0344 0.100 ND Pass Pyrethrins 0.0413 0.138 1.00 ND Pass Dimethoate Dimethoate 0.0103 0.0344 0.100 ND Pass Pyridaben 0.0103 0.0344 3.00 ND Pass Pyridaben	Daminozide	0.0103	0.0344	0.100	ND	Pass	Propiconazole	0.0103	0.0344	1.00	ND	Pass
Dimethoate 0.0103 0.0344 0.100 ND Pass Pyridaben 0.0103 0.0344 3.00 ND Pass Pyridaben Dimethomorph 0.0103 0.0344 3.00 ND Pass Spinetoram 0.0103 0.0344 3.00 ND Pass Ethoprophos Ethoprophos 0.0103 0.0344 0.100 ND Pass Spinosad 0.0103 0.0344 3.00 ND Pass Etofenprox Etoxazole 0.0103 0.0344 1.50 ND Pass Spiromesifen 0.0103 0.0344 3.00 ND Pass Etomesifen 0.0103 0.0344 3.00 ND Pass Spiromesifen 0.0103 0.0344 0.00 ND Pass Spiromesifen 0.0103 0.0344 0.00 ND Pass Spiromesifen 0.0103 0.0344 0.00 ND Pass Spiromesifen	Diazinon	0.0103	0.0344	0.200	ND	Pass	Propoxur	0.0103	0.0344	0.100	ND	Pass
Dimethomorph 0.0103 0.0344 3.00 ND Pass Spinetoram 0.0103 0.0344 3.00 ND Pass Ethoprophos Ethoprophos 0.0103 0.0344 0.100 ND Pass Spinosad 0.0103 0.0344 3.00 ND Pass Etofenprox Etofenprox 0.0103 0.0344 0.100 ND Pass Spiromesifen 0.0103 0.0344 3.00 ND Pass Etoxazole Etoxazole 0.0103 0.0344 1.50 ND Pass Spirotetramat 0.0103 0.0344 3.00 ND Pass Spiroxamine Fenhexamid 0.0103 0.0344 3.00 ND Pass Spiroxamine 0.0103 0.0344 0.100 ND Pass Tebuconazole 0.0103 0.0344 1.00 ND Pass Thiacloprid 0.0103 0.0344 0.100 ND Pass Thiacloprid 0.0103 0.0344 1.00 ND Pass Thiamethoxam 0.0103 0.0344 1.00 ND Pass	Dichlorvos	0.0103	0.0344	0.100	ND	Pass	Pyrethrins	0.0413	0.138	1.00	ND	Pass
Ethoprophos 0.0103 0.0344 0.100 ND Pass Spinosad 0.0103 0.0344 3.00 ND Pass Etofenprox Etofenprox 0.0103 0.0344 0.100 ND Pass Spiromesifen 0.0103 0.0344 3.00 ND Pass Etoxazole Etoxazole 0.0103 0.0344 1.50 ND Pass Spirotetramat 0.0103 0.0344 3.00 ND Pass Spiroxamine Fenoxycarb 0.0103 0.0344 0.100 ND Pass Tebuconazole 0.0103 0.0344 1.00 ND Pass Fenoxycarb Fenpyroximate 0.0103 0.0344 0.100 ND Pass Thiacloprid 0.0103 0.0344 1.00 ND Pass Fipronil	Dimethoate	0.0103	0.0344	0.100	ND	Pass	Pyridaben	0.0103	0.0344	3.00	ND	Pass
Etofenprox 0.0103 0.0344 0.100 ND Pass Pass Pass Pass Pass Pass Pass Pass	Dimethomorph	0.0103	0.0344	3.00	ND	Pass	Spinetoram	0.0103	0.0344	3.00	ND	Pass
Etoxazole 0.0103 0.0344 1.50 ND Pass Pass Pass Pass Pass Pass Pass Pass	Ethoprophos	0.0103	0.0344	0.100	ND	Pass	Spinosad	0.0103	0.0344	3.00	ND	Pass
Fenhexamid 0.0103 0.0344 3.00 ND Pass Pass Pass Pass Pass Pass Pass Pass	Etofenprox	0.0103	0.0344	0.100	ND	Pass	Spiromesifen	0.0103	0.0344	3.00	ND	Pass
Fenoxycarb 0.0103 0.0344 0.100 ND Pass Tebuconazole 0.0103 0.0344 1.00 ND Pass Pass Pass Pass Pass Pass Pass Pass	Etoxazole	0.0103	0.0344	1.50	ND	Pass	Spirotetramat	0.0103	0.0344	3.00	ND	Pass
Fenpyroximate 0.0103 0.0344 0.100 ND Pass Thiacloprid 0.0103 0.0344 0.100 ND Pass Thiamethoxam Fipronil 0.0103 0.0344 0.100 ND Pass Thiamethoxam 0.0103 0.0344 1.00 ND Pass	Fenhexamid	0.0103	0.0344	3.00	ND	Pass	Spiroxamine	0.0103	0.0344	0.100	ND	Pass
Fipronil 0.0103 0.0344 0.100 ND Pass Thiamethoxam 0.0103 0.0344 1.00 ND Pass	Fenoxycarb	0.0103	0.0344	0.100	ND	Pass	Tebuconazole	0.0103	0.0344	1.00	ND	Pass
	Fenpyroximate	0.0103	0.0344	0.100	ND	Pass	Thiacloprid	0.0103	0.0344	0.100	ND	Pass
Flonicamid 0.0103 0.0344 2.00 ND Pass Trifloxystrobin 0.0103 0.0344 3.00 ND Pass	Fipronil	0.0103	0.0344	0.100	ND	Pass	Thiamethoxam	0.0103	0.0344	1.00	ND	Pass
	Flonicamid	0.0103	0.0344	2.00	ND	Pass	Trifloxystrobin	0.0103	0.0344	3.00	ND	Pass

SOP.402; LC-MS/MS & SOP.302; GC-MS

TRI— CHOME ANALY-TI—CAL 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS 6 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Residual Solvents

Date Analyzed: 04/08/2024

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	μg/g	
1,1- Dichloroethene	0.0369	0.111	8.00	ND	Pass
1,2-Dichloroethane	0.147	0.442	5.00	ND	Pass
Acetone	14.7	44.2	5000	ND	Pass
Acetonitrile	14.7	44.2	410	ND	Pass
Benzene	0.0369	0.111	2.00	ND	Pass
Butane	14.7	44.2	2000	ND	Pass
Chloroform	0.0369	0.111	60.0	ND	Pass
Ethanol	14.7	44.2	5000	352	Pass
Ethyl acetate	14.7	44.2	5000	ND	Pass
Ethyl ether	14.7	44.2	5000	ND	Pass
Ethylene oxide	0.147	0.442	5.00	ND	Pass
Heptane	14.7	44.2	5000	ND	Pass
n-Hexane	7.37	22.1	290	ND	Pass
Isopropyl alcohol	14.7	44.2	5000	ND	Pass
Methanol	14.7	44.2	3000	ND	Pass
Methylene chloride	0.0737	0.221	600	ND	Pass
Pentane	3.69	11.1	5000	ND	Pass
Propane	7.37	22.1	5000	ND	Pass
Toluene	7.37	22.1	890	ND	Pass
Trichloroethylene	0.0369	0.111	80.0	ND	Pass
Xylenes	7.37	22.1	2170	ND	Pass

SOP.204; HS-GC-MS.



6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Kristen Goedde Lab Manager

Tom Barkley Technical Manager

Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com







Powered by Confident LIMS 7 of 7

OHB CBD LLC

Philadelphia, PA 19123

Sample: 240405TRI010.001

Sample Description: PHL 040324

Sample Received: 04/05/2024; Report Created: 04/11/2024;

Sampled By: Client; Report Revised: 4/11/2024; Revision #: 1

Revision Description: Updated client contact information

OH2 Chill: Cucumber Mango

Ingestible, Beverage



Foreign Matter

Date Analyzed: 04/09/2024

Pass

Foreign Matter

SOP.706; Microscopy. Screened for: mold, combustion by-products, cinders, sand, soil, dirt, hair, insect parts, rodent feces, and other foreign material. Pass/fail criteria determined by the laboratory based on the limit of detection of the method, which is as follows: 1% by weight, 10% visual area estimation, 1 foreign material particulate such as insect parts, hair, etc. per 3 grams of material.

TRI— CHOME ANALY-TI—CAI 6000 Commerce Parkway Suite I Mount Laurel, NJ (856) 316-0600

http://www.trichomeanalytical.com Lab Manager Technical Mana Lic# ISO/IEC 17025:2017 A2LA CERT# 5913.01 // DEA# RT0581098 // NJ HEMP# 34_00077

Myelvll Kristen Goedde Lab Manager Tom Barkley Technical Manager Confident LIMS All Rights Reserved coa.support@confidentlims.com (866) 506-5866 www.confidentlims.com

