




SMITHERS

Smithers AMS LLC
790 Main St
Wareham, MA 02571
License #: IL281355
Phone: 508-295-2550

the
drinkable
company

Customer: The Drinkable Company
Address:
107 Water Street
Danvers MA 01923
Phone: 978-828-8810
License #: MDAR 25210176P

Certificate of Analysis




Sample ID: 10746
Sample Name: Bulk Seltzer - Lemon
Sample Type: Beverage
Received Date: 02/16/2024
Report Date: 02/20/2024
METRC ID: N/A
Client Batch ID: LMS02
Unit Weight (g): 355

Results Summary

| | |
|---|--------|
| Cannabinoids 02/17/2024 | TESTED |
| Microbial Impurities 02/20/2024 | ✓ PASS |
| Mycotoxins 02/17/2024 | ✓ PASS |

Cannabinoid Distribution (%)



Disclaimer: The results presented within this report pertain only to the sample(s) indicated, as received by Smithers AMS LLC. Smithers AMS LLC is responsible for the information provided in this report, unless indicated that the customer provided the information. This report shall not be reproduced, except in full, without the written approval of Smithers AMS LLC. Action limits used to dictate pass/fail criteria are set by the Massachusetts Cannabis Control Commission.



Report Number:
10746.V1



SMITHERS

Smithers AMS LLC

790 Main St

Wareham, MA 02571

License #: IL281355

Phone: 508-295-2550

Certificate of Analysis

Cannabinoids

Date Started: 02/16/2024

Instrument: UPLC-PDA

Date Completed: 02/17/2024

Method: TP-09.001.05 & TP-09.012.05

Analyst: Yuemin Wang Kovaleff

Deviation: N/A

| Cannabinoid | Result (mg/serving) | LOD (mg/serving) | LOQ (mg/serving) |
|---------------------------|---------------------|------------------|------------------|
| Δ9-THC | 5.04 | 0.128 | 0.691 |
| CBDVA | ND | 0.0465 | 0.276 |
| CBDV | ND | 0.132 | 0.276 |
| CBDA | ND | 0.0435 | 0.691 |
| CBGA | ND | 0.0271 | 0.345 |
| CBG | ND | 0.0300 | 0.345 |
| CBD | ND | 0.0535 | 0.691 |
| Δ9-THCV | ND | 0.0372 | 0.276 |
| Δ8-THCV | ND | 0.0674 | 0.276 |
| THCVA | ND | 0.0293 | 0.276 |
| CBN | ND | 0.0473 | 0.345 |
| CBNA | ND | 0.0365 | 0.276 |
| Exo-THC | ND | 0.0553 | 0.276 |
| Δ8-THC | ND | 0.121 | 0.345 |
| CBL | ND | 0.0818 | 0.276 |
| THCA-A | ND | 0.111 | 0.691 |
| CBC | ND | 0.0327 | 0.276 |
| CBCA | ND | 0.0890 | 0.276 |
| Total THC | 5.04 | | |
| Total CBD | ND | | |
| Total Cannabinoids | 5.04 | | |

Total THC = Δ9-THC + (THCA-A x 0.877)

Total CBD = CBD + (CBDA x 0.877)

Total Cannabinoids = Sum of all cannabinoids without THC/CBD corrections.

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected.

Microbial Impurities

PASS

Date Started: 02/16/2024

Instrument: TEMPO & Gene-Up

Date Completed: 02/20/2024

Method: TP-09.010.01 & TP-09.011.01

Analyst: Meagan Mattos

Deviation: N/A

| Microbials | Result (CFU/g) | Limit (CFU/g) | Status |
|--------------------------------------|----------------|---------------|--------|
| Coliforms | ND | 1000 | Pass |
| Bile-Tolerant Gram-Negative Bacteria | ND | 1000 | Pass |
| Yeast & Mold | ND | 10000 | Pass |
| Aerobic Bacteria | ND | 100000 | Pass |
| E.coli | ND | | Pass |
| Salmonella | ND | | Pass |

Disclaimer: The results presented within this report pertain only to the sample(s) indicated, as received by Smithers AMS LLC. Smithers AMS LLC is responsible for the information provided in this report, unless indicated that the customer provided the information. This report shall not be reproduced, except in full, without the written approval of Smithers AMS LLC. Action limits used to dictate pass/fail criteria are set by the Massachusetts Cannabis Control Commission.



Report Number:
10746.V1

Page 2 of
3

Powered by QBench



SMITHERS

Smithers AMS LLC
790 Main St
Wareham, MA 02571
License #: IL281355
Phone: 508-295-2550

Certificate of Analysis

Mycotoxins

PASS

Date Started: 02/16/2024
Instrument: LC-MS/MS

Date Completed: 02/17/2024
Method: TP-09.009.04

Analyst: Eric Steele
Deviation: N/A

| Mycotoxins | Result (ppb) | LOD (ppb) | LOQ (ppb) | Limit (ppb) | Status |
|-------------------------|--------------|--------------|-------------|-------------|-------------|
| Aflatoxin B1 | ND | 1.95 | 4.80 | | |
| Aflatoxin B2 | ND | 0.386 | 3.60 | | |
| Aflatoxin G1 | ND | 0.401 | 3.60 | | |
| Aflatoxin G2 | ND | 1.02 | 4.80 | | |
| Ochratoxin A | ND | 1.11 | 3.60 | | |
| Total Mycotoxins | ND | 0.386 | 3.60 | 20.0 | Pass |

Eric Steele, Lab Director
02/20/2024

END OF REPORT

Disclaimer: The results presented within this report pertain only to the sample(s) indicated, as received by Smithers AMS LLC. Smithers AMS LLC is responsible for the information provided in this report, unless indicated that the customer provided the information. This report shall not be reproduced, except in full, without the written approval of Smithers AMS LLC. Action limits used to dictate pass/fail criteria are set by the Massachusetts Cannabis Control Commission.



Report Number:
10746.V1

Page 3 of
3

Powered by QBench