



TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
HEATER	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
	TOTAL WATTS	41 watts
ROTOR MOTOR		2 at 5 watts
HEIGHT,WIDTH,DEPTH		33" x 43 1/4" x 13 3/4"
GLASS VIEWIN	NG OPENING	22" X 39 5/8"
GLASS SIZE		22" X 39 5/8"
SHIPPING SIZ	E	35 1/4" x 47 1/2" x 15 5/8"
SHIPPING WE	IGHT	125.7 lbs
	UNIT	109.6 lbs
(	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORD LENGTH		76"
APPROX. HEATING AREA		400 sq ft



SERIES		MODEL		REV
TRU VIE	W	40-TRV-XL-XT	c ⊕ us	1
SCALE 1	"=1'-0"	DATE: 9/19/2019	SHEET 1 OF 1	





TEC	HNICAL SPI	ECIFICATIONS
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
HEATER	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
	TOTAL WATTS	41 watts
ROTOR MOTOR		2 at 5 watts
HEIGHT,WID	TH,DEPTH	83.7 x 109.8 x 34.8 cm
GLASS VIEW	ING OPENING	55.9 X 100.7 cm
GLASS SIZE		55.9 X 100.7 cm
SHIPPING SIZ	ZE	89.6 x 120.8 x 39.8 cm
SHIPPING WI	EIGHT	57 Kgs
	UNIT	49.7 Kgs
GLASS FRONT		Included
PLUG LOCATION		Left Side
CORD LENGTH		193 cm
APPROX. HEATING AREA		37 sqm





SERIES MODEL
TRU VIEW 40-TRV-XL-XT

SCALE 1:12 DATE: 9/19/2019 SHE


REV 1

SHEET 1 OF 1







TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
HEATER	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
	TOTAL WATTS	48 watts
ROTOR MOTOR		2 at 5 watts
HEIGHT,WIDTH,DEPTH		33" x 53 1/4" x 13 3/4"
GLASS VIEWII	NG OPENING	22" X 49 5/8"
GLASS SIZE		22" X 49 5/8"
SHIPPING SIZ	E	35 1/4" x 57 1/2" x 15 5/8"
SHIPPING WE	IGHT	147.7 lbs
	UNIT	129.6 lbs
GLASS FRONT		Included
PLUG LOCATION		Left Side
CORD LENGTH		76"
APPROX. HEATING AREA		400 sq ft





SERIES	MODEL		REV
TRU VIEW	50-TRV-XL-XT	c Us	1
SCALE 1"=1'-0"	DATE: 9/19/2019	SHEET 1 OF 1	





TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HIGH	1465 watts	
LOW	750 watts	
NO HEATER	19 watts	
TYPE	LED	
LAMPS WATTS		
TOTAL WATTS	48 watts	
ROTOR MOTOR	2 at 5 watts	
HEIGHT,WIDTH,DEPTH	83.7 x 135.2 x 34.8 cm	
GLASS VIEWING OPENING	55.9 X 126.1 cm	
GLASS SIZE	55.9 X 126.1 cm	
SHIPPING SIZE	89.6 x 146.2 x 39.8 cm	
SHIPPING WEIGHT	67 Kgs	
UNIT	58.8 Kgs	
GLASS FRONT	Included	
PLUG LOCATION	Left Side	
CORD LENGTH	193 cm	
APPROX. HEATING AREA	37 sqm	




SERIES MODEL
TRU VIEW 50-TRV-XL-XT

C US

REV 1


SCALE 1:12 DATE: 9/19/2019 SHEET 1 OF 1



TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HIGH	1465 watts	
LOW	750 watts	
NO HEATER	19 watts	
TYPE	LED	
LAMPS WATTS		
TOTAL WATTS	54 watts	
ROTOR MOTOR	2 at 5 watts	
HEIGHT,WIDTH,DEPTH	33" x 63 1/4" x 13 3/4"	
GLASS VIEWING OPENING	22" X 59 5/8"	
GLASS SIZE	22" X 59 5/8"	
SHIPPING SIZE	35 1/4" x 67 1/2" x 15 5/8"	
SHIPPING WEIGHT	169.8 lbs	
UNIT	150.4 lbs	
GLASS FRONT	Included	
PLUG LOCATION	Left Side	
CORD LENGTH	76"	
APPROX. HEATING AREA	400 sq ft	



SERIES	MODEL		REV
TRU VIEW	60-TRV-XL-XT	c Us	1
SCALE 1''=1'-0''	DATE: 9/19/2019	SHEET 1 OF 1	



TECHNICAL SPECIFICATIONS		
VOLTS	120	
AMPS	12.5	
WATTS	1465	
HIGH	1465 watts	
LOW	750 watts	
NO HEATER	19 watts	
TYPE	LED	
LAMPS WATTS		
TOTAL WATTS	54 watts	
ROTOR MOTOR	2at 5 watts	
HEIGHT,WIDTH,DEPTH	83.7 x 160.6 x 34.8 cm	
GLASS VIEWING OPENING	55.9 X 151.5 cm	
GLASS SIZE	55.9 X 151.5 cm	
SHIPPING SIZE	89.6 x 171.6 x 39.8 cm	
SHIPPING WEIGHT	77 Kgs	
UNIT	68.2 Kgs	
GLASS FRONT	Included	
PLUG LOCATION	Left Side	
CORD LENGTH	193 cm	
APPROX. HEATING AREA	37 sqm	





SERIES MODEL
TRU VIEW 60-TRV-XL-XT

C US

REV 1

SCALE 1:12 DATE: 9/19/2019 SHEET 1 OF 1





TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
TILATEN	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
	TOTAL WATTS	60 watts
ROTOR MOTO	R	2 at 5 watts
HEIGHT,WIDTH,DEPTH		33" x 75 1/4" x 13 3/4"
GLASS VIEWING OPENING		22" X 71 5/8"
GLASS SIZE		22" X 71 5/8"
SHIPPING SIZ	E	35 1/4" x 79 5/8" x 15 5/8"
SHIPPING WE	IGHT	200.6 lbs
	UNIT	174.4 lbs
(	GLASS FRONT	Included
PLUG LOCATION		Left Side
CORD LENGTH	1	76"
APPROX. HEA	TING AREA	400 sq ft





 SERIES
 MODEL

 TRU VIEW
 72-TRV-XL-XT

 SCALE 1"=1'-0"
 DATE: 9/19/2019

 SHEET 1 OF 1





TECHNICAL SPECIFICATIONS		
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
IILAILK	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
	TOTAL WATTS	60 watts
ROTOR MOTOR		2 at 5 watts
HEIGHT,WIDTH,DEPTH		83.7 x 191 x 34.8 cm
GLASS VIEWIN	IG OPENING	55.9 X 182 cm
GLASS SIZE		55.9 X 182 cm
SHIPPING SIZI	≣	89.6 x 202.1 x 39.8 cm
SHIPPING WEI	GHT	91 Kgs
	UNIT	79.1 Kgs
GLASS FRONT		Included
PLUG LOCATION		Left Side
CORD LENGTH		193 cm
APPROX. HEATING AREA		37 sqm



SERIES
TRU VIEW


72-TRV-XL-XT

SCALE 1:12

DATE: 9/19/2019

REV
1

SHEET 1 OF 1




TECHN	ECIFICATIONS	
VOLTS		120
AMPS		12.5
WATTS		1465
HEATER	HIGH	1465 watts
HEATER	LOW	750 watts
NO HEATER		19 watts
	TYPE	LED
LAMPS	WATTS	
TC	OTAL WATTS	67 watts
ROTOR MOTOR		2 at 5 watts
HEIGHT,WIDTH,DEPTH		33" x 91 1/4" x 13 3/4"
GLASS VIEWING OPENING		22" X 87 5/8"
GLASS SIZE		22" X 87 5/8"
SHIPPING SIZE		35 1/4" x 95 1/2" x 15 5/8"
SHIPPING WEIG	НТ	231.5 lbs
UNIT		198.4 lbs
GL	ASS FRONT	Included
PLUG LOCATION		Left Side
CORD LENGTH		76"
APPROX. HEATING AREA		400 sq ft

REV



SERIES	MODEL	<b>.</b>	
TRU VIEW	88-TRV-XL-XT		
SCALE 1"=1'-0"	DATE: 9/19/2019	SHEET 1 OF 1	



TECHNICAL SPECIFICATIONS				
VOLTS		120		
AMPS		12.5		
WATTS		1465		
HEATER	HIGH	1465 watts		
	LOW	750 watts		
NO HEATER		19 watts		
	TYPE	LED		
LAMPS	WATTS			
	TOTAL WATTS	67 watts		
ROTOR MOTO	R	2 at 5 watts		
HEIGHT,WIDT	H,DEPTH	83.7 x 231.7 x 34.8 cm		
GLASS VIEWIN	NG OPENING	55.9 X 222.6 cm		
GLASS SIZE		55.9 X 222.6 cm		
SHIPPING SIZ	E	89.6 x 242.7 x 39.8 cm		
SHIPPING WE	IGHT	105 Kgs		
	UNIT	90 Kgs		
	GLASS FRONT	Included		
PLUG LOCATION	ON	Left Side		
CORD LENGTH	+	193 cm		
APPROX. HEA	TINGAREA	37 sqm		



SERIES	MODEL
TRU VIEW	88-TRV-XL-XT

REV C US

SHEET 1 OF 1 SCALE 1:12 DATE: 9/19/2019