

Prepared for:
CBD For Life

30706 Bryant Dr.
Evergreen, CO USA 80439

CBD For Life Face Cream

Batch ID or Lot Number: 243042	Test: Potency	Reported: 29Sep2023	USDA License: N/A
Matrix: Unit	Test ID: T000257308	Started: 28Sep2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Sep2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	5.215	16.921	ND	ND	# of Servings = 1, Sample Weight=50g
Cannabichromenic Acid (CBCA)	4.770	15.477	ND	ND	
Cannabidiol (CBD)	18.032	49.165	516.020	10.30	
Cannabidiolic Acid (CBDA)	18.495	50.426	ND	ND	
Cannabidivarin (CBDV)	4.265	11.628	ND	ND	
Cannabidivarinic Acid (CBDVA)	7.715	21.035	ND	ND	
Cannabigerol (CBG)	2.961	9.607	ND	ND	
Cannabigerolic Acid (CBGA)	12.378	40.162	ND	ND	
Cannabinol (CBN)	3.863	12.533	ND	ND	
Cannabinolic Acid (CBNA)	8.445	27.401	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	14.746	47.847	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	13.392	43.454	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	11.866	38.500	ND	ND	
Tetrahydrocannabivarin (THCV)	2.693	8.739	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	10.466	33.959	ND	ND	
Total Cannabinoids			516.020	10.30	
Total Potential THC			ND	ND	
Total Potential CBD			516.020	10.30	

Final Approval



Karen Winternheimer
29Sep2023
09:04:00 AM MDT

PREPARED BY / DATE



Sam Smith
29Sep2023
09:05:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/7daf1a74-7c35-4a29-aaeb-411e511a54ee>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
7daf1a747c354a29aaeb411e511a54ee.1