

Prepared for:
CBD For Life

30706 Bryant Dr.
Evergreen, CO USA 80439

CBD For Life Strawberry Guava CBD Gummy

Batch ID or Lot Number: 230715	Test: Potency	Reported: 28Jul2023	USDA License: N/A
Matrix: Unit	Test ID: T000250195	Started: 27Jul2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 25Jul2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.252	0.900	ND	ND	# of Servings = 1, Sample Weight=4g
Cannabichromenic Acid (CBCA)	0.230	0.823	ND	ND	
Cannabidiol (CBD)	0.885	2.387	32.450	8.10	
Cannabidiolic Acid (CBDA)	0.908	2.448	ND	ND	
Cannabidivarin (CBDV)	0.209	0.564	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.379	1.021	ND	ND	
Cannabigerol (CBG)	0.143	0.511	ND	ND	
Cannabigerolic Acid (CBGA)	0.598	2.135	ND	ND	
Cannabinol (CBN)	0.187	0.666	ND	ND	
Cannabinolic Acid (CBNA)	0.408	1.457	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.713	2.544	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.647	2.310	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.573	2.047	ND	ND	
Tetrahydrocannabivarin (THCV)	0.130	0.465	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.506	1.805	ND	ND	
Total Cannabinoids			32.450	8.10	
Total Potential THC			ND	ND	
Total Potential CBD			32.450	8.10	

Final Approval



Karen Winternheimer
28Jul2023
10:18:00 AM MDT

PREPARED BY / DATE



Sam Smith
28Jul2023
10:19:00 AM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/2234f783-6833-413f-b9df-a57244e91cfa>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
2234f7836833413fb9dfa57244e91cfa.1