


Prepared for:
CBD For Life30706 Bryant Dr.
Evergreen, CO USA 80439**CBD For Life Vanilla Rub**


Batch ID or Lot Number: 231106	Test: Potency	Reported: 10Nov2023	USDA License: N/A
Matrix: Unit	Test ID: T000261177	Started: 08Nov2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 07Nov2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	4.966	17.836	ND	ND	# of Servings = 1, Sample Weight=28g
Cannabichromenic Acid (CBCA)	4.542	16.313	ND	ND	
Cannabidiol (CBD)	17.388	47.598	487.010	17.40	
Cannabidiolic Acid (CBDA)	17.834	48.819	ND	ND	
Cannabidivarin (CBDV)	4.112	11.257	ND	ND	
Cannabidivarinic Acid (CBDVA)	7.439	20.365	ND	ND	
Cannabigerol (CBG)	2.820	10.126	ND	ND	
Cannabigerolic Acid (CBGA)	11.787	42.333	ND	ND	
Cannabinol (CBN)	3.679	13.211	ND	ND	
Cannabinolic Acid (CBNA)	8.042	28.882	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	14.043	50.433	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	12.754	45.803	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	11.300	40.581	ND	ND	
Tetrahydrocannabivarin (THCV)	2.565	9.211	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	9.967	35.794	ND	ND	
Total Cannabinoids			487.010	17.40	
Total Potential THC			ND	ND	
Total Potential CBD			487.010	17.40	

Final ApprovalKaren Winternheimer
10Nov2023
08:53:00 AM MST

PREPARED BY / DATE

Sam Smith
10Nov2023
08:54:00 AM MST

APPROVED BY / DATE

<https://results.botanacor.com/api/v1/coas/uuid/02eec352-c33a-4b2c-9aaf-5de96a9acdb3>**Definitions**

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).

Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 A2LA Cert #: 4329.02 Chemical; 4329.03 Biological.



Cert #4329.02

02eec352c33a4b2c9aaf5de96a9acdb3.1