





**Technical Specifications**

|                           |  |
|---------------------------|--|
| <b>HUSKY MODEL NUMBER</b> | <b>KK50-305-US-HU</b>                  |
| <b>PRODUCT CLASS</b>      | <b>Free Standing Compact Cooler</b>    |
| <b>CAPACITY</b>           |  |
| Nett Volume/litre/cu.ft.  | <b>43/1.61 cuft</b>                    |
| <b>PERFORMANCE</b>        |  |
| Climate Class             | <b>3</b>                               |
| Power V/Hz                | <b>110-120V 60Hz</b>                   |
| Noise Level db            | <b>40db</b>                            |
| Energy Consumption kWh/yr | <b>147</b>                             |
| <b>FEATURES</b>           |  |
| Temp. Control Farenheit   | <b>Manual 32'f to 50'f</b>             |
| Back of unit material     | <b>Metal</b>                           |
| Reversible Door           | <b>Yes</b>                             |
| Adjustable Feet           | <b>Yes</b>                             |
| Door                      | <b>Glass</b>                           |
| Plug                      | <b>US</b>                              |
| Finishing                 | <b>Plastic coated steel</b>            |
| Branding                  | <b>n/a</b>                             |
| Unit Colour               | <b>Red</b>                             |
| Door Colour               | <b>Red</b>                             |
| Interior                  | <b>Black</b>                           |
| Logo                      | <b>Husky</b>                           |
| Refrigerant g             | <b>R600a/19g</b>                       |
| Insulation Material       | <b>Cyclopentane</b>                    |
| <b>DIMENSIONS</b>         |  |
| Nett HxWxD mm/inches      | <b>509x433x470 (20.1'x16.9'x18.5')</b> |
| Weight Nett kg/lbs        | <b>17.3 (38.2lbs)</b>                  |

|  |                                      |
|--|--------------------------------------|
| <b>COMPARTMENT FEATURES</b>                      |                                      |
| Shelf  | <b>1 black</b>                       |
| Door Basket Bin                                  | <b>n/a</b>                           |
| Interior Lamp                                    | <b>n/a</b>                           |
| Wine Rack  | <b>n/a</b>                           |
| Lock   | <b>n/a</b>                           |
| <b>MISCELLANEOUS</b>                             |                                      |
| Lead Time  | <b>6 weeks production</b>            |
| Country of origin                                | <b>China</b>                         |
| Suitability                                      | <b>Domestic and light commercial</b> |
| Container Quantity (20ftGP/40ftGP/40ftHC) pieces | <b>220/460/573</b>                   |
| <b>APPROVAL</b>                                  |                                      |
| ETL  | <b>210317102GZU-001</b>              |
| DOE2017EMC Directive                             | <b>21041616GZU-001</b>               |





Husky International Ltd. reserves the right to change specifications at any time without notice. 020222

|  |  |  |
|--|--|--|
|  | Cooler   |  |
|  | Model: OSFG010-RM  |  |
|  | Rated Current Input:0.75A  |  |
|  | Energy Consumption:0.405kWh/24h  |  |
|  | Watt:56W   |  |
|  | Voltage:110-120VAC Frequency:60Hz  |  |
|  | Refrigerant: R600a/19g   |  |
|  | Effective Volume: 46L  |  |
|  | Net Weight: 17.3kg   |  |
|  | CONFORMS TO UL STD.60335-1 AND 60335-2-24<br>CERTIFIED TO CSA STD. C22.2 No.60335-1 AND 60335-2-24 |  |

105x63mm


## Rating Label

A



D


B




### ETL Warning Labels



## **UPC Barcode and Number**



## **Factory Standard Serial Number Example**



**Carton**

**HUSKY**<sup>®</sup><sub>TM</sub>



**OSFG010-RM**

SC46 Husky- ONE Smart Fridgirator Medium-Glass door-Red

**Carton Box Identifying Decal**

