





Technical Specifications

HUSKY MODEL NUMBER	KK50-306-US-HU
PRODUCT CLASS	Free Standing Compact Cooler
CAPACITY	
Nett Volume/litre/cu.ft.	43/1.61 cuft
PERFORMANCE	
Climate Class	3
Power V/Hz	110-120V 60Hz
Noise Level db	40db
Energy Consumption kWh/yr	147
FEATURES	
Temp. Control Farenheit	Manual 32'f to 50'f
Back of unit material	Metal
Reversible Door	Yes
Adjustable Feet	Yes
Door	Glass
Plug	US
Finishing	Plastic coated steel
Branding	n/a
Unit Colour	Black
Door Colour	Black
Interior	Black
Logo	Husky
Refrigerant g	R600a/19g
Insulation Material	Cyclopentane
DIMENSIONS	
Nett HxWxD mm/inches	509x433x470 (20.1'x16.9'x18.5')
Weight Nett kg/lbs	17.3 (38.2lbs)

COMPARTMENT FEATURES	
Shelf	1 black
Door Basket Bin	n/a
Interior Lamp	n/a
Wine Rack	n/a
Lock	n/a
MISCELLANEOUS	
Lead Time	6 weeks production
Country of origin	China
Suitability	Domestic and light commercial
Container Quantity (20ftGP/40ftGP/40ftHC) pieces	220/460/573
APPROVAL	
ETL	210317102GZU-001
DOE2017EMC Directive	21041616GZU-001





Husky International Ltd. reserves the right to change specifications at any time without notice. 020222

	Cooler	
	Model: OSFFG11-BM	
	Rated Current Input:0.75A	
	Energy Consumption:0.405kWh/24h	
	Watt:56W	
	Voltage:110-120VAC Frequency:60Hz	
	Refrigerant: R600a/19g	
	Effective Volume: 46L	
	Net Weight: 17.3kg	
	CONFORMS TO UL STD.60335-1 AND 60335-2-24 CERTIFIED TO CSA STD. C22.2 No.60335-1 AND 60335-2-24	

105x63mm


Rating Label

A



D

B




C


ETL Warning Labels



UPC Barcode and Number



Factory Standard Serial Number Example



Carton


HUSKY[®]
TM®



OSFG011-BM

SC46 Husky- ONE Smart Fridgirator Medium-Glass door-Black

Carton Box Identifying Decal



Carton with Decals – Visual Guide Only