VEROBOARD®

Name: _____

Company: _____

Phone: _____

Email: _____

VBD-MTR-14C Light Fixture 2.5" Round Recessed Downlight

SPECIFICATIONS

Model No.	VBD-MTR-14C
Trim Color	Polished Chrome
Trim Material	Aluminum
Trim Shape	Round
Compatible Light Engines	VBD-TR5-W (2400K • 2700K • 3000K • 3500K • 4000K • 5000K) VBD-TR4-RGBW
Outer Diameter	98.17mm (3.85")
Cut Size	64.83mm (2.5")
Depth	16mm (0.62")



SKU: 666561407100

Features

- Widely used by interior designers.
- This VBD-MTR-14C light fixture is compatible to work with our VBD-TR Series Light engines.
- Contact us for more assistance and to know more about bulk orders.



VBD-TR5-W (Frosted Glass)

Model No.	VBD-TR5-W-FG
Input Voltage	12V DC
Wattage	5W
Body Colour	Metallic Silver
Available Trim Color	Silver • White • Black • Gold
Diffuser Material	Frosted Glass
Fixture Material	Aluminum
Beam Angle	110°
Rendering Index	CRI>90
IP Rating	IP20 (Damp Location)
Dimensions	49mm x 28.5mm (1.93" x 1.12")

Beam Details



Available Colour Temperatures



Beam Angle



ORDERING GUIDE

Example part number: **VBD-TR5-W - FG - 24K - S**

MODEL	SERIES	DIFFUSER	COLOUR	TRIM COLOUR
VBD	TR5-W	FG	XXX	X
			24K 35K 27K 40K 30K 50K	S B G W

NOTES:
FG = Frosted Glass
S = Silver
G = Gold
B = Black
W = White

Intertek 5018798

VBD-TR5-W (Clear Lens)

Model No.	VBD-TR5-W-L
Input Voltage	12V DC
Wattage	5W
Body Colour	Metallic Silver
Available Trim Color	Silver • White • Black • Gold
Diffuser Material	Clear Lens
Fixture Material	Aluminum
Beam Angle	35°
Rendering Index	CRI>90
IP Rating	IP20 (Damp Location)
Dimensions	49mm x 28.5mm (1.93" x 1.12")



Beam Details



Available Colour Temperatures

AMBER WHITE 2400K | SOFT WHITE 2700K | WARM WHITE 3000K | MID-WARM WHITE 3500K | NATURAL WHITE 4000K | DAY LIGHT 5000K

Beam Angle



ORDERING GUIDE

Example part number: **VBD-TR5-W - L - 24K - S**

MODEL	SERIES	DIFFUSER	COLOUR	TRIM COLOUR
VBD	TR5-W	L	XXX	X
			24K 35K 27K 40K 30K 50K	S B G W

NOTES:
L = Clear Lens
S = Silver
G = Gold
B = Black
W = White

Intertek 5018798

VBD-TR4-RGBW (Frosted Glass)

Model No.	VBD-TR4-RGBW-FG
Input Voltage	12V DC
Wattage	4W
Color Temperature	RGBW
Body Colour	Metallic Silver
Available Trim Color	Silver • White • Black • Gold
Diffuser Material	Frosted Glass
Fixture Material	Aluminum
Beam Angle	110°
Rendering Index	CRI>80
IP Rating	IP20 (Damp Location)
Dimensions	49mm x 28.5mm (1.93" x 1.12")



WARM WHITE 3000K

Beam Details



Beam Angle



ORDERING GUIDE

Example part number: **VBD-TR4-RGBW - FG - S**

MODEL	SERIES	DIFFUSER	TRIM COLOUR
VBD	TR4-RGBW	FG	X
			S B G W

NOTES:
FG = Frosted Glass
S = Silver
G = Gold
B = Black
W = White

Intertek 5018798

AVAILABLE TRIM MODELS

MODEL No. VBD-MTR-1C

MODEL No. VBD-MTR-1W

MODEL No. VBD-MTR-13C

MODEL No. VBD-MTR-13W

MODEL No. VBD-MTR-13B

MODEL No. VBD-MTR-12C

MODEL No. VBD-MTR-12W


MODEL No. VBD-MTR-12B

MODEL No. VBD-MTR-11C

MODEL No. VBD-MTR-11W

MODEL No. VBD-MTR-11B

MODEL No. VBD-MTR-9C

MODEL No. VBD-MTR-9W


MODEL No. VBD-MTR-9B

MODEL No. VBD-MTR-7C

MODEL No. VBD-MTR-7W

MODEL No. VBD-MTR-14C

MODEL No. VBD-MTR-14W

MODEL No. VBD-MTR-14B

MODEL No. VBD-MTR-2C

MODEL No. VBD-MTR-2W

MODEL No. VBD-MTR-8C

MODEL No. VBD-MTR-8W

MODEL No. VBD-MTR-8B

MODEL No. VBD-MTR-5C

MODEL No. VBD-MTR-5W

MODEL No. VBD-MTR-6C

MODEL No. VBD-MTR-6W

AVAILABLE TRIM MODELS

MODEL No. VBD-MTR-3C

MODEL No. VBD-MTR-3W

MODEL No. VBD-MTR-4C

MODEL No. VBD-MTR-4W

MODEL No. VBD-MTR-16C

MODEL No. VBD-MTR-16W

MODEL No. VBD-MTR-10W

MODEL No. VBD-MTR-10B

MODEL No. VBD-MTR-54T

MODEL No. VBD-MTR-59T

MODEL No. VBD-MTR-60T

MODEL No. VBD-MTR-65T

MODEL No. VBD-MTR-67T

MODEL No. VBD-MTR-70T

MODEL No. VBD-MTR-75T

MODEL No. VBD-MTR-76T

MODEL No. VBD-MTR-73T

MODEL No. VBD-MTR-74T

MODEL No. VBD-MTR-77T

MODEL No. VBD-MTR-78T

MODEL No. VBD-MTR-17-1W

MODEL No. VBD-MTR-17C

MODEL No. VBD-MTR-79W

MODEL No. VBD-MTR-80W

MODEL No. VBD-MTR-81W

MODEL No. VBD-MTR-82W

MODEL No. VBD-MTR-83W

MODEL No. VBD-MTR-84W

AVAILABLE TRIM MODELS

MODEL No. VBD-MTR-85W

MODEL No. VBD-MTR-86B

MODEL No. VBD-MTR-87W

MODEL No. VBD-MTR-88W

COLOUR TEMPERATURE	DIFFUSER	SKU NUMBER
2400K (Sunset White)	Frosted Glass (FG) Clear Lens (L)	666561428518 666561428464
2700K (Soft White)	Frosted Glass (FG) Clear Lens (L)	666561428525 666561428471
3000K (Warm White)	Frosted Glass (FG) Clear Lens (L)	666561428532 666561428488
3500K (Mid-Warm White)	Frosted Glass (FG) Clear Lens (L)	666561428549 666561428495
4000K (Natural White)	Frosted Glass (FG) Clear Lens (L)	666561428556 666561428501
5000K (Daylight)	Frosted Glass (FG) Clear Lens (L)	666561429997 666561429980
RGBW	Frosted Glass (FG)	666561428457

NOTES:

Disclaimer:

The data and information contained in this specification sheet are subject to change without notice; the ratings supplied are provided based on the product manufacturer. The information contained in this specification sheet should not be considered a warranty, expressed or implied, including, but not limited to, a warranty of merchantability or fitness for a particular purpose. In no event shall Veroboard be liable for any incidental or consequential damages resulting from the use, misuse, or inability to use the product. This exclusion applies regardless of whether such damages are sought based on breach of warranty, breach of contract, negligence, strict liability in tort, or any other legal theory.