

Orange Runtz

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001023; METRC Batch: 1A406030003C9EE000001020

Sample ID: 2211NIVA5336.15927

Strain: N/A

Matrix: Concentrates & Extracts

Type: Live Resin

Sample Size: 20 units; Batch Size: 1,460 units

Produced: 11/08/2022

Collected: 11/11/2022

Received: 11/11/2022

Completed: 11/14/2022

Batch#: EX-11011GC-OR

Distributor

Premier Greens, LLC

Lic. # C12-0000387-LIC

1231 S Gene Autry Trail

Palm Springs, CA 92264

Producer

Premier Greens, LLC

Lic. # C12-0000387-LIC

1231 S Gene Autry Trail

Palm Springs, CA 92264



| | | | |
|---|---|--|---|
| Pass Foreign Matter SOPTS.4.001 | Pass Heavy Metals SOPTS.4.500 ICP-MS | Complete Terpenes SOPTS.4.200/SOPTS.4.800 | Pass Pesticides SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS |
| Pass Microbials SOPTS.4.600 PathogenDx SOPTS.4.900 qPCR | Pass Solvents SOPTS.4.400 GC-MS | Not Tested NT Water Activity SOPTS.4.003 | Pass Mycotoxins SOPTS.4.300 LC-MS/MS |

Cannabinoids (SOPTS.4.100 HPLC Analysis)

Pass

| | | | |
|---|--|--|-------------------------------------|
| 85.328% 853.282 mg/g Total THC | 0.351% 3.512 mg/g Total CBD | 92.114% 921.144 mg/g Total Cannabinoids | NT Not Tested Moisture |
|---|--|--|-------------------------------------|

| Analyte | LOD | LOQ | Results | Results |
|------------------|--------|--------|----------------|---------------|
| | mg/g | mg/g | mg/g | % |
| Δ9-THC | 0.2400 | 0.8000 | 829.60 | 82.96 |
| CBG | 0.2400 | 0.8000 | 31.20 | 3.12 |
| THCa | 0.2400 | 0.8000 | 27.00 | 2.70 |
| CBC | 0.2400 | 0.8000 | 11.13 | 1.11 |
| CBGa | 0.2400 | 0.8000 | 8.34 | 0.83 |
| THCV | 0.2400 | 0.8000 | 7.66 | 0.77 |
| CBN | 0.2400 | 0.8000 | 7.05 | 0.70 |
| CBD | 0.2400 | 0.8000 | 3.51 | 0.35 |
| CBDV | 0.2400 | 0.8000 | ND | ND |
| Δ8-THC | 0.2400 | 0.8000 | ND | ND |
| CBDa | 0.2400 | 0.8000 | ND | ND |
| Total THC | | | 853.282 | 85.328 |
| Total CBD | | | 3.512 | 0.351 |
| Total | | | 921.144 | 92.114 |

Density: g per 1 mL

Cannabinoids Date Tested: 11/13/2022

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

; Water Activity Date Tested:

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: Foreign Matter Date Tested: 11/14/2022



Accreditation #101219
ISO/IEC 17025:2017

Daniel Bernal
Lab Director
11/14/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

Orange Runtz

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001023; METRC Batch: 1A406030003C9EE000001020

Sample ID: 2211NIVA5336.15927

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,460 units

Batch#: EX-11011GC-OR

Palm Springs, CA 92264

Palm Springs, CA 92264

Microbials

Pass

| Analyte | Results | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Pass |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Pass |

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

Mycotoxins

Pass

| Analyte | LOD µg/kg | LOQ µg/kg | Limit µg/kg | Results µg/kg | Status |
|------------------|--------------|--------------|----------------|------------------|--------|
| B1 | 4.00 | 5.00 | | ND | Tested |
| B2 | 4.00 | 5.00 | | ND | Tested |
| G1 | 4.00 | 5.00 | | ND | Tested |
| G2 | 4.00 | 5.00 | | ND | Tested |
| Total Aflatoxins | | | 20 | ND | Pass |
| Ochratoxin A | 16 | 20 | 20 | ND | Pass |

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

Heavy Metals

Pass

| Analyte | LOD µg/g | LOQ µg/g | Limit µg/g | Results µg/g | Status |
|---------|-------------|-------------|---------------|-----------------|--------|
| Arsenic | 0.009 | 0.090 | 0.2 | ND | Pass |
| Cadmium | 0.009 | 0.090 | 0.2 | ND | Pass |
| Lead | 0.009 | 0.090 | 0.5 | <LOQ | Pass |
| Mercury | 0.005 | 0.020 | 0.1 | ND | Pass |

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219
ISO/IEC 17025:2017

Daniel Bernal
Lab Director
11/14/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-000024-LIC

Orange Runtz

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001023; METRC Batch: 1A406030003C9EE000001020

Sample ID: 2211NIVA5336.15927

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,460 units

Batch#: EX-11011GC-OR

Palm Springs, CA 92264

Palm Springs, CA 92264

Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Results | Status | Analyte | LOD | LOQ | Limit | Results | Status |
|---------------------|-------|-------|-------|---------|--------|-------------------------|-------|-------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.040 | 0.050 | 0.1 | ND | Pass | Fludioxonil | 0.040 | 0.050 | 0.1 | ND | Pass |
| Acephate | 0.050 | 0.100 | 0.1 | ND | Pass | Hexythiazox | 0.010 | 0.020 | 0.1 | ND | Pass |
| Acequinocyl | 0.040 | 0.050 | 0.1 | ND | Pass | Imazalil | 0.040 | 0.050 | 0.04 | ND | Pass |
| Acetamiprid | 0.010 | 0.020 | 0.1 | ND | Pass | Imidacloprid | 0.010 | 0.020 | 5 | ND | Pass |
| Aldicarb | 0.010 | 0.020 | 0.01 | ND | Pass | Kresoxim Methyl | 0.020 | 0.050 | 0.1 | ND | Pass |
| Azoxystrobin | 0.010 | 0.020 | 0.1 | ND | Pass | Malathion | 0.010 | 0.020 | 0.5 | ND | Pass |
| Bifenazate | 0.010 | 0.020 | 0.1 | 0.04 | Pass | Metalaxyl | 0.010 | 0.020 | 2 | ND | Pass |
| Bifenthrin | 0.010 | 0.020 | 3 | ND | Pass | Methiocarb | 0.010 | 0.020 | 0.01 | ND | Pass |
| Boscalid | 0.040 | 0.050 | 0.1 | ND | Pass | Methomyl | 0.010 | 0.020 | 1 | ND | Pass |
| Captan | 0.100 | 0.100 | 0.7 | ND | Pass | Mevinphos | 0.018 | 0.045 | 0.018 | ND | Pass |
| Carbaryl | 0.020 | 0.050 | 0.5 | ND | Pass | Myclobutanil | 0.040 | 0.050 | 0.1 | ND | Pass |
| Carbofuran | 0.010 | 0.020 | 0.01 | ND | Pass | Naled | 0.040 | 0.050 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.040 | 0.050 | 10 | ND | Pass | Oxamyl | 0.010 | 0.020 | 0.5 | ND | Pass |
| Chlordane | 0.030 | 0.050 | 0.03 | ND | Pass | Pacllobutrazol | 0.040 | 0.050 | 0.04 | ND | Pass |
| Chlorfenapyr | 0.030 | 0.050 | 0.03 | ND | Pass | Parathion Methyl | 0.030 | 0.050 | 0.03 | ND | Pass |
| Chlorpyrifos | 0.020 | 0.050 | 0.020 | ND | Pass | Pentachloronitrobenzene | 0.030 | 0.050 | 0.1 | ND | Pass |
| Clofentezine | 0.010 | 0.020 | 0.1 | ND | Pass | Permethrin | 0.020 | 0.050 | 0.5 | ND | Pass |
| Coumaphos | 0.050 | 0.100 | 0.05 | ND | Pass | Phosmet | 0.010 | 0.020 | 0.1 | ND | Pass |
| Cyfluthrin | 0.050 | 0.100 | 2 | ND | Pass | Piperonyl Butoxide | 0.010 | 0.020 | 3 | 0.03 | Pass |
| Cypermethrin | 0.050 | 0.100 | 1 | ND | Pass | Prallethrin | 0.040 | 0.050 | 0.1 | ND | Pass |
| Daminozide | 0.040 | 0.050 | 0.04 | ND | Pass | Propiconazole | 0.040 | 0.050 | 0.1 | ND | Pass |
| Diazinon | 0.010 | 0.020 | 0.1 | ND | Pass | Propoxur | 0.010 | 0.020 | 0.01 | ND | Pass |
| Dichlorvos | 0.050 | 0.100 | 0.05 | ND | Pass | Pyrethrins | 0.042 | 0.084 | 0.5 | ND | Pass |
| Dimethoate | 0.010 | 0.020 | 0.01 | ND | Pass | Pyridaben | 0.030 | 0.050 | 0.1 | ND | Pass |
| Dimethomorph | 0.020 | 0.050 | 2 | ND | Pass | Spinetoram | 0.041 | 0.061 | 0.1 | ND | Pass |
| Ethoprophos | 0.010 | 0.020 | 0.01 | ND | Pass | Spinosad | 0.019 | 0.048 | 0.1 | ND | Pass |
| Etofenprox | 0.010 | 0.020 | 0.01 | ND | Pass | Spiromesifen | 0.010 | 0.020 | 0.1 | ND | Pass |
| Etoazole | 0.010 | 0.020 | 0.1 | ND | Pass | Spirotetramat | 0.020 | 0.050 | 0.1 | ND | Pass |
| Fenhexamid | 0.040 | 0.050 | 0.1 | ND | Pass | Spiroxamine | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fenoxycarb | 0.010 | 0.020 | 0.01 | ND | Pass | Tebuconazole | 0.050 | 0.100 | 0.1 | ND | Pass |
| Fenpyroximate | 0.010 | 0.020 | 0.1 | ND | Pass | Thiacloprid | 0.010 | 0.020 | 0.01 | ND | Pass |
| Fipronil | 0.040 | 0.050 | 0.04 | ND | Pass | Thiamethoxam | 0.010 | 0.020 | 5 | ND | Pass |
| Fonicamid | 0.010 | 0.020 | 0.1 | ND | Pass | Trifloxystrobin | 0.010 | 0.020 | 0.1 | ND | Pass |

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219
ISO/IEC 17025:2017

[Signature]

Daniel Bernal
Lab Director
11/14/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-000024-LIC

Orange Runtz

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001023; METRC Batch: 1A406030003C9EE000001020

Sample ID: 2211NIVA5336.15927

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,460 units

Batch#: EX-11011GC-OR


Palm Springs, CA 92264

Palm Springs, CA 92264

Residual Solvents

| Analyte | LOD | LOQ | Limit | Results | Status |
|--------------------|------|------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloroethane | 0.25 | 0.50 | 1.0 | ND | Pass |
| Acetone | 5.0 | 10 | 5000 | ND | Pass |
| Acetonitrile | 5.0 | 10 | 410 | ND | Pass |
| Benzene | 0.25 | 0.50 | 1.0 | ND | Pass |
| Butane | 5.0 | 10 | 5000 | 153.757 | Pass |
| Chloroform | 0.25 | 0.50 | 1.0 | ND | Pass |
| Ethanol | 5.0 | 10 | 5000 | 26.645 | Pass |
| Ethyl-Acetate | 5.0 | 10 | 5000 | ND | Pass |
| Ethyl-Ether | 5.0 | 10 | 5000 | ND | Pass |
| Ethylene Oxide | 0.50 | 1.0 | 1.0 | ND | Pass |
| Heptane | 5.0 | 10 | 5000 | ND | Pass |
| Isopropanol | 5.0 | 10 | 5000 | 72.385 | Pass |
| Methanol | 5.0 | 10 | 3000 | ND | Pass |
| Methylene Chloride | 0.25 | 0.50 | 1.0 | ND | Pass |
| n-Hexane | 5.0 | 10 | 290 | ND | Pass |
| Pentane | 5.0 | 10 | 5000 | ND | Pass |
| Propane | 5.0 | 10 | 5000 | ND | Pass |
| Toluene | 5.0 | 10 | 890 | ND | Pass |
| Trichloroethene | 0.25 | 0.50 | 1.0 | ND | Pass |
| Xylenes | 5.0 | 10 | 2170 | ND | Pass |

Date Tested: 11/14/2022 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219
ISO/IEC 17025:2017

Daniel Bernal
Lab Director
11/14/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs
13171 Telfair Ave
Sylmar, CA 91342

(213) 225-6482
thenivalabs.com/
Lic# C8-0000024-LIC

Orange Runtz

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001023; METRC Batch: 1A406030003C9EE000001020

Sample ID: 2211NIVA5336.15927

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,460 units

Batch#: EX-11011GC-OR


Palm Springs, CA 92264

Palm Springs, CA 92264


Terpenes

| Analyte | LOD | LOQ | Results | Results | Analyte | LOD | LOQ | Results | Results |
|---------------------|-------|-------|---------|---------|------------------|-------|-------|---------------|---------------|
| | mg/g | mg/g | mg/g | % | | mg/g | mg/g | mg/g | % |
| β-Caryophyllene | 0.002 | 0.010 | 11.680 | 1.168 | Camphene | 0.002 | 0.010 | 0.090 | 0.009 |
| δ-Limonene | 0.002 | 0.010 | 8.630 | 0.863 | Guaiol | 0.002 | 0.010 | 0.071 | 0.007 |
| γ-Terpinene | 0.005 | 0.010 | 5.066 | 0.507 | Eucalyptol | 0.002 | 0.010 | 0.066 | 0.007 |
| β-Myrcene | 0.002 | 0.010 | 4.761 | 0.476 | Fenchone | 0.004 | 0.020 | 0.063 | 0.006 |
| α-Humulene | 0.002 | 0.010 | 3.905 | 0.391 | Isoborneol | 0.002 | 0.010 | 0.037 | 0.004 |
| α-Bisabolol | 0.002 | 0.010 | 1.950 | 0.195 | α-Cedrene | 0.002 | 0.010 | ND | ND |
| Linalool | 0.002 | 0.010 | 1.676 | 0.168 | Camphor | 0.006 | 0.030 | ND | ND |
| α-Phellandrene | 0.002 | 0.010 | 1.616 | 0.162 | Cedrol | 0.002 | 0.010 | ND | ND |
| β-Pinene | 0.002 | 0.010 | 1.212 | 0.121 | cis-Nerolidol | 0.005 | 0.010 | ND | ND |
| α-Pinene | 0.002 | 0.010 | 1.129 | 0.113 | γ-Terpineol | 0.000 | 0.002 | ND | ND |
| Fenchol | 0.002 | 0.010 | 0.845 | 0.085 | Geraniol | 0.002 | 0.010 | ND | ND |
| α-Terpineol | 0.001 | 0.006 | 0.817 | 0.082 | Geranyl Acetate | 0.002 | 0.010 | ND | ND |
| Caryophyllene Oxide | 0.005 | 0.010 | 0.567 | 0.057 | Isopulegol | 0.005 | 0.010 | ND | ND |
| Ocimene | 0.004 | 0.008 | 0.552 | 0.055 | Menthol | 0.002 | 0.010 | ND | ND |
| α-Terpinene | 0.002 | 0.010 | 0.269 | 0.027 | Nerol | 0.002 | 0.010 | ND | ND |
| δ-3-Carene | 0.002 | 0.010 | 0.250 | 0.025 | Pulegone | 0.002 | 0.010 | ND | ND |
| Terpinolene | 0.002 | 0.010 | 0.170 | 0.017 | Sabinene | 0.002 | 0.010 | ND | ND |
| trans-Nerolidol | 0.002 | 0.010 | 0.144 | 0.014 | Sabinene Hydrate | 0.002 | 0.010 | ND | ND |
| Borneol | 0.004 | 0.020 | 0.130 | 0.013 | Valencene | 0.002 | 0.010 | ND | ND |
| Total | | | | | | | | 45.696 | 4.5696 |


Primary Aromas




Cinnamon




Lemon



Wood



Hops



Chamomile

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.800

This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.



Accreditation #101219
ISO/IEC 17025:2017

[Signature]

Daniel Bernal
Lab Director
11/14/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty