



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Wedding Cake

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001022; METRC Batch: 1A406030003C9EE000001021

Sample ID: 2211NIVA5336.15928

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,471 units

Batch#: EX-11011GC-WC

Palm Springs, CA 92264

Palm Springs, CA 92264



<b>Pass</b> Foreign Matter SOPTS.4.001	<b>Pass</b> Heavy Metals SOPTS.4.500 ICP-MS	<b>Complete</b> Terpenes SOPTS.4.200/SOPTS.4.800	<b>Pass</b> Pesticides SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS
<b>Pass</b> Microbials SOPTS.4.600 PathogenDx SOPTS.4.900 qPCR	<b>Pass</b> Solvents SOPTS.4.400 GC-MS	<b>Not Tested</b> NT Water Activity SOPTS.4.003	<b>Pass</b> Mycotoxins SOPTS.4.300 LC-MS/MS

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

Pass

<b>86.835%</b> 868.350 mg/g Total THC	<b>0.400%</b> 4.000 mg/g Total CBD	<b>93.273%</b> 932.734 mg/g Total Cannabinoids	<b>NT</b> Not Tested Moisture
---	--	--	-------------------------------------

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
Δ9-THC	0.2400	0.8000	846.84	84.68
CBG	0.2400	0.8000	31.64	3.16
THCa	0.2400	0.8000	24.53	2.45
CBC	0.2400	0.8000	11.36	1.14
THCV	0.2400	0.8000	7.89	0.79
CBN	0.2400	0.8000	7.29	0.73
CBD	0.2400	0.8000	4.00	0.40
CBGa	0.2400	0.8000	2.53	0.25
CBDV	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
CBDa	0.2400	0.8000	ND	ND
<b>Total THC</b>			<b>868.350</b>	<b>86.835</b>
<b>Total CBD</b>			<b>4.000</b>	<b>0.400</b>
<b>Total</b>			<b>932.734</b>	<b>93.273</b>

Density: g per 1 mL


Cannabinoids Date Tested: 11/13/2022

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

; Water Activity Date Tested:

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: Foreign Matter Date Tested: 11/14/2022



Accreditation #101219  
ISO/IEC 17025:2017

Daniel Bernal  
Lab Director  
11/14/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Wedding Cake

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001022; METRC Batch: 1A406030003C9EE000001021

Sample ID: 2211NIVA5336.15928

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,471 units

Batch#: EX-11011GC-WC

Palm Springs, CA 92264

Palm Springs, CA 92264

## Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

## Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

## Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.009	0.090	0.2	ND	Pass
Cadmium	0.009	0.090	0.2	ND	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219  
ISO/IEC 17025:2017

Daniel Bernal  
Lab Director  
11/14/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Wedding Cake

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001022; METRC Batch: 1A406030003C9EE000001021

Sample ID: 2211NIVA5336.15928

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,471 units

Batch#: EX-11011GC-WC

Palm Springs, CA 92264

Palm Springs, CA 92264

## Pesticides


Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	0.04	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Paclobotrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyfluthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	0.03	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoxazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Flonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219  
ISO/IEC 17025:2017

Daniel Bernal  
Lab Director  
11/14/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-000024-LIC

## Wedding Cake

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001022; METRC Batch: 1A406030003C9EE000001021

Sample ID: 2211NIVA5336.15928

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,471 units

Batch#: EX-11011GC-WC


Palm Springs, CA 92264

Palm Springs, CA 92264

## Residual Solvents

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	12.452	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	20.178	Pass
Ethyl-Acetate	5.0	10	5000	ND	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
Isopropanol	5.0	10	5000	18.377	Pass
Methanol	5.0	10	3000	ND	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	ND	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xylenes	5.0	10	2170	ND	Pass

Date Tested: 11/14/2022 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219  
ISO/IEC 17025:2017

Daniel Bernal  
Lab Director  
11/14/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

## Wedding Cake

Overall Status: Pass

METRC Sample: 1A406030003C9EE000001022; METRC Batch: 1A406030003C9EE000001021

Sample ID: 2211NIVA5336.15928

Produced: 11/08/2022

Distributor

Producer

Strain: N/A

Collected: 11/11/2022

Premier Greens, LLC

Premier Greens, LLC

Matrix: Concentrates & Extracts

Received: 11/11/2022

Lic. # C12-0000387-LIC

Lic. # C12-0000387-LIC

Type: Live Resin

Completed: 11/14/2022

1231 S Gene Autry Trail

1231 S Gene Autry Trail

Sample Size: 20 units; Batch Size: 1,471 units

Batch#: EX-11011GC-WC

Palm Springs, CA 92264

Palm Springs, CA 92264

### Terpenes

Analyte	LOD	LOQ	Results	Results	Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%		mg/g	mg/g	mg/g	%
β-Myrcene	0.002	0.010	26.403	2.640	Borneol	0.004	0.020	0.127	0.013
δ-Limonene	0.002	0.010	7.690	0.769	Guaiol	0.002	0.010	0.066	0.007
β-Caryophyllene	0.002	0.010	6.500	0.650	Eucalyptol	0.002	0.010	0.041	0.004
α-Pinene	0.002	0.010	5.050	0.505	Fenchone	0.004	0.020	0.037	0.004
β-Pinene	0.002	0.010	2.514	0.251	Isoborneol	0.002	0.010	0.016	0.002
Linalool	0.002	0.010	2.299	0.230	α-Cedrene	0.002	0.010	ND	ND
α-Humulene	0.002	0.010	2.284	0.228	Camphor	0.006	0.030	ND	ND
α-Phellandrene	0.002	0.010	2.283	0.228	Cedrol	0.002	0.010	ND	ND
α-Bisabolol	0.002	0.010	2.139	0.214	cis-Nerolidol	0.005	0.010	ND	ND
γ-Terpinene	0.005	0.010	1.533	0.153	γ-Terpineol	0.000	0.002	ND	ND
Fenchol	0.002	0.010	0.665	0.067	Geraniol	0.002	0.010	ND	ND
α-Terpineol	0.001	0.006	0.495	0.050	Geranyl Acetate	0.002	0.010	ND	ND
trans-Nerolidol	0.002	0.010	0.346	0.035	Isopulegol	0.005	0.010	ND	ND
Caryophyllene Oxide	0.005	0.010	0.335	0.034	Menthol	0.002	0.010	ND	ND
δ-3-Carene	0.002	0.010	0.325	0.033	Nerol	0.002	0.010	ND	ND
α-Terpinene	0.002	0.010	0.271	0.027	Pulegone	0.002	0.010	ND	ND
Ocimene	0.004	0.008	0.186	0.019	Sabinene	0.002	0.010	ND	ND
Camphene	0.002	0.010	0.144	0.014	Sabinene Hydrate	0.002	0.010	ND	ND
Terpinolene	0.002	0.010	0.138	0.014	Valencene	0.002	0.010	ND	ND
<b>Total</b>								<b>61.887</b>	<b>6.1887</b>

### Primary Aromas



Date Tested: 11/14/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.800  
This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.



Accreditation #101219  
ISO/IEC 17025:2017

*[Signature]*

Daniel Bernal  
Lab Director  
11/14/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty