

# Marshmallow OG

Overall Status: Pass

METRC Sample: 1A406030000A431000080956; METRC Batch: 1A406030000A432000001209

Sample ID: 2206NIVA3270.9642  
Strain: Marshmallow OG  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: 10 g; Batch Size: 455 g

Produced:  
Collected: 06/22/2022  
Received: 06/22/2022  
Completed: 06/24/2022  
Batch#: 1A406030000A432000001209

Distributor  
GP OPERATIONS, INC.  
Lic. # C11-0000306-LIC  
15858 LITTLE MORONGO RD, UNIT D-2  
DSRT HOT SPGS, CA 92240

Producer  
JM Endeavors, Inc.  
Lic. # CCL19-0000676  
19533 McLane Street  
Palm Springs, CA 92262

	<b>Pass</b> Foreign Matter <small>SOPTS.4.001</small>	<b>Pass</b> Heavy Metals <small>SOPTS.4.500 ICP-MS</small>	<b>Not Tested</b> Terpenes <small>SOPTS.4.200/SOPTS.4.800</small>	<b>Pass</b> Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small>
	<b>Pass</b> Microbials <small>SOPTS.4.600 PathogenDx SOPTS.4.900 qPCR</small>	<b>Not Tested</b> Solvents <small>SOPTS.4.400 GC-MS</small>	<b>Pass</b> 0.53 aw Water Activity <small>SOPTS.4.003</small>	<b>Pass</b> Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small>

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

Pass

<b>35.036%</b> 350.361 mg/g Total THC	<b>0.072%</b> 0.717 mg/g Total CBD	<b>36.724%</b> 367.238 mg/g Total Cannabinoids	<b>7.59%</b> Complete Moisture
---	--	--	--------------------------------------

Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	mg/g	%
THCa	0.2400	0.8000	387.79	38.78
CBGa	0.2400	0.8000	16.30	1.63
Δ9-THC	0.2400	0.8000	10.27	1.03
CBG	0.2400	0.8000	1.86	0.19
CBDa	0.2400	0.8000	0.82	0.08
CBDV	0.2400	0.8000	ND	ND
CBC	0.2400	0.8000	ND	ND
Δ8-THC	0.2400	0.8000	ND	ND
THCV	0.2400	0.8000	ND	ND
CBN	0.2400	0.8000	ND	ND
CBD	0.2400	0.8000	ND	ND
<b>Total THC</b>			<b>350.361</b>	<b>35.036</b>
<b>Total CBD</b>			<b>0.717</b>	<b>0.072</b>
<b>Total</b>			<b>367.238</b>	<b>36.724</b>

Density: g per 1 mL


Cannabinoids Date Tested: 06/23/2022

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date:; Water Activity Date Tested: 06/23/2022

Moisture Content Analytical Instrumentation: Ohaus MB90 Moisture Balance. Moisture Content Analysis Date:; Moisture Date Tested: 06/23/2022

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 06/23/2022



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
06/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Marshmallow OG

Overall Status: Pass

METRC Sample: 1A406030000A431000080956; METRC Batch: 1A406030000A432000001209

Sample ID: 2206NIVA3270.9642  
Strain: Marshmallow OG  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: 10 g; Batch Size: 455 g

Produced:  
Collected: 06/22/2022  
Received: 06/22/2022  
Completed: 06/24/2022  
Batch#: 1A406030000A432000001209

Distributor  
**GP OPERATIONS, INC.**  
Lic. # C11-0000306-LIC  
15858 LITTLE MORONGO RD, UNIT D-2  
DSRT HOT SPGS, CA 92240

Producer  
**JM Endeavors, Inc.**  
Lic. # CCL19-0000676  
19533 McLane Street  
Palm Springs, CA 92262

## Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 06/23/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

## Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Results µg/kg	Status
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 06/23/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

## Heavy Metals


Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Results µg/g	Status
Arsenic	0.009	0.090	0.2	ND	Pass
Cadmium	0.009	0.090	0.2	ND	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	0.1	ND	Pass

Date Tested: 06/23/2022

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
06/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Marshmallow OG

Overall Status: Pass

METRC Sample: 1A406030000A431000080956; METRC Batch: 1A406030000A432000001209

Sample ID: 2206NIVA3270.9642  
Strain: Marshmallow OG  
Matrix: Plant  
Type: Flower - Cured  
Sample Size: 10 g; Batch Size: 455 g

Produced:  
Collected: 06/22/2022  
Received: 06/22/2022  
Completed: 06/24/2022  
Batch#: 1A406030000A432000001209

Distributor  
GP OPERATIONS, INC.  
Lic. # C11-0000306-LIC  
15858 LITTLE MORONGO RD, UNIT D-2  
DSRT HOT SPGS, CA 92240


Producer  
JM Endeavors, Inc.  
Lic. # CCL19-0000676  
19533 McLane Street  
Palm Springs, CA 92262

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.1	ND	Pass	Fludioxonil	0.040	0.050	0.1	ND	Pass
Acephate	0.050	0.100	0.1	ND	Pass	Hexythiazox	0.010	0.020	0.1	ND	Pass
Acequinocyl	0.040	0.050	0.1	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	0.1	ND	Pass	Imidacloprid	0.010	0.020	5	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	0.1	ND	Pass
Azoxystrobin	0.010	0.020	0.1	ND	Pass	Malathion	0.010	0.020	0.5	ND	Pass
Bifenazate	0.010	0.020	0.1	ND	Pass	Metalaxyl	0.010	0.020	2	ND	Pass
Bifenthrin	0.010	0.020	3	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	0.1	ND	Pass	Methomyl	0.010	0.020	1	ND	Pass
Captan	0.100	0.100	0.7	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	0.1	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.1	ND	Pass
Chlorantraniliprole	0.040	0.050	10	ND	Pass	Oxamyl	0.010	0.020	0.5	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.1	ND	Pass
Clofentezine	0.010	0.020	0.1	ND	Pass	Permethrin	0.020	0.050	0.5	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.1	ND	Pass
Cyfluthrin	0.050	0.100	2	ND	Pass	Piperonyl Butoxide	0.010	0.020	3	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.1	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	0.1	ND	Pass
Diazinon	0.010	0.020	0.1	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	0.5	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	0.1	ND	Pass
Dimethomorph	0.020	0.050	2	ND	Pass	Spinetoram	0.041	0.061	0.1	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	0.1	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	0.1	ND	Pass
Etoxazole	0.010	0.020	0.1	ND	Pass	Spirotetramat	0.020	0.050	0.1	ND	Pass
Fenhexamid	0.040	0.050	0.1	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	0.1	ND	Pass
Fenpyroximate	0.010	0.020	0.1	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	5	ND	Pass
Fonicamid	0.010	0.020	0.1	ND	Pass	Trifloxystrobin	0.010	0.020	0.1	ND	Pass

Date Tested: 06/23/2022  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
06/24/2022

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty