



# EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

**Certificate N° 0075/1562/161/08/21/1438**

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

**Manufacturer :** **CORTINA N.V.**  
MEERSBLOEM-MELDEN 42, B-9700 OUDENAARDE  
BELGIUM

## Description

**PPE Type :** *an occupational footwear*  
**Product reference :** **BESTLIGHT1**  
**Article code :** **BLK, WHT**  
**Construction and material of outsole :** **Injection, EVA+RUBBER sole**

**Pictures :**



EU 42 UK 8.0		UK CA	US 9.0 CM 27.0
		BESTLIGHT1 WHT	
		05/2021 O/30916	
<b>EN ISO 20347:2012 OB SRC</b>			
SAFETY JOGGER Meersbleom-Melden 42 B-9700 Oudenaarde Belgium			
<b>Made in China Hecho en China Fabriqué en Chine</b>			

**Reference standard :** **EN ISO 20347 : 2012**  
**Classification :** **II** **Category :** **OB SRC**  
**Size range :** **36-46** **Slip resistance :** **SRC**  
**Toecap nature :** **N/A** **Insert nature :** **N/A**

At the date of certificate the product is in compliance with Annex XVII of REACH regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file index 01 dated from AUGUST 2021

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

**Issued in Lyon by**

Didier GUISSADO

Certification and Quality Manager

**Date of first issue :** 27 August 2021

**End of validity date :** 27 August 2026



In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



Accreditation n° 5-0594  
Scope available on:  
www.cofrac.fr

[www.ctcgroupe.com](http://www.ctcgroupe.com)

[cemarking@ctcgroupe.com](mailto:cemarking@ctcgroupe.com)

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France  
Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - [ctclyon@ctcgroupe.com](mailto:ctclyon@ctcgroupe.com)

Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie  
Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

**CORTINA N.V.**

# **MANUFACTURER'S TECHNICAL FILE**

**Reference of the product :** BESTLIGHT1

**Article code :** BLK, WHT

**Technical file index :** 01

**Last update :** AUGUST 2021

# IDENTIFICATION

Reference of the product : BESTLIGHT1  
Article Code : BLK, WHT  
Basic model  
Technical file index : 01  
Last update : AUGUST 2021

## Manufacturer :

CORTINA N.V.  
MEERSBLOEM-MELDEN 42, B-9700 OUDENAARDE  
BELGIUM  
tel : 32 55 33 57 05  
fax : N.A

## Factory :

QUNLI SHOES INDUSTRY CO.,LTD  
5# MEICHENG RD, TUAN INDUSTRIAL ZONE, NEIKENG TOWN, JINJIANG, FUJIAN  
CHINA  
Tel : 86 595 88392616/ 13600753278  
Fax : N.A

# FOOTWEAR DESCRIPTION

## Footwear description:

The classification of this footwear is: II : All-rubber (i.e. entirely vulcanized) or all-polymeric (i.e. entirely moulded) footwear

The design of this footwear is: A : low shoe

## Visual description:

General view :



Outsole view :



Reference of the mould : (O)M1467

## Range of sizes :

36-46

## Construction and material of outsole :

Injection, EVA+RUBBER sole

## Field of use

Kitchen and Hotel for slip risks

Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)			
		Applicable	Covered by
§1	Requirements defined in the Annex II §1 are applicable to all PPE	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§1.4	Manufacturer's instructions and information is available	<input checked="" type="checkbox"/>	<input type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.2	PPE is designed and manufactured in a way that perspiration resulting from use is minimised. Otherwise it must be equipped with means of absorbing perspiration.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.4	If it is known that the design performance of new PPE may be significantly affected by ageing, the month and year of manufacture and/or, if possible, the month and year of obsolescence must be indelibly and unambiguously marked on each item of PPE placed on the market and on its packaging.	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.6	PPE is intended for use in potentially explosive atmospheres	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§2.9	PPE incorporating components which can be adjusted or removed by the user	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input type="checkbox"/> Marking
§2.12	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.1.2.1	The PPE is intended to protect against falls due to slipping	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking
§3.3	The PPE is intended to protect against mechanical injuries	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/> Standard
			<input checked="" type="checkbox"/> Instruction for use
			<input checked="" type="checkbox"/> Marking

## FOOTWEAR CONSTITUTION

	Ref	Material	Color
UPPER	M1467	UPPER / STRAP : EVA	BLACK, WHITE
	PL-BN	PLASTIC BUTTON	BLACK, WHITE
INSOCK	BL-ISK(2)	PREMOULDED EVA+MESH WITH MICRO-PERFORATED	BLACK/ WHITE, GREY/ BLACK/ WHITE
OUTSOLE	M1467	MIDSOLE :EVA	BLACK, WHITE
	(O)M1467	OUTSOLE : RUBBER	BLACK, GREY

# PROTECTION SCOPE

## Basic requirements :

This product has been designed to be an occupational footwear.

The technical rules are :

European Standard EN ISO 20344 : 2011 Personal protective equipment - test methods for footwear

European Standard EN ISO 20347 : 2012 : Personal protective equipment - Occupational footwear

It is a category II product

Requirement of the standard EN ISO 20347 : 2012 concerning the value of the coefficient of friction of ceramic tiles floor with detergent solution and steel floor with glycerol (SRC)

Requirement of the paragraph 5.8.1. Design of the standard EN ISO 20347 : 2012 concerning cleated outsole.


At the date of certificate, the product is in compliance with Annex XVII of European REACH regulation (n° 1907/2006 and revisions)

## Additional requirements :

The additional requirements are :

# MARKING - PACKAGING

## Information printed on the footwear :

- \* Logo of the Manufacturer
- \* Logo 
- \* Manufacturer's type designation
- \* Postal address of manufacturer
- \* Footwear's reference BESTLIGHT1
- \* Article code BLK, WHT
- \* Size
- \* Year of manufacture and at least quarter
- \* The number and year of the Standard used
- \* The symbol(s) of the additional requirements

## Marking example :



The location of marking is : printing on the inner side of strap

### Method of marking on the footwear :

printing on the inner side of strap

### Packaging :

one pair in one inner box with wrapping paper

### References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	References
CTC	D181122412_2
CTC	D181225504_3
CTC	D190101115_2
CTC	D190303199_1
CTC	D210507971_1
CTC	D210610396_1
CTC	D210610396_1
CTC	D210612146_1

## MEANS OF CONTROL

we control quality for our safety shoes as below:

When the raw materials arrive, the Q.C will pick up some samples from them for testing in accordance with revised standard EN ISO 20345:2011 and EN ISO 20347:2012, different materials are tested in different ways. Test leather with tear strength, tensile and PH/Cr VI, composite toe cap with impact resistance and compression resistance, mesh with tear strength and abrasion as lining, and so on. We have special Q.C. for leather, inspecting leather one piece by one piece. After the test, we use in production. Otherwise, it's forbidden to use them in mass production.

During production in factories, each procedure gets Q.C. supervising production. Material cutting, stitches, upper finish, sole injection, shoe tidying, packing, each working desk gets Q.C. there. If Q.C. find some problems, need to solve them at once, in order that no any problems will occur in finished shoes with good quality.

During the production, Q.C. depart. pick some shoes to test for each batch on sole abrasion and slip resistance.

Besides this, our customers have their own Q.C. in factories, we do the most parts of the work, but they are also important to the quality control. They supervise the quality of the factories and push us to improve.

### **PPE subject to ageing :**

Peremption period : 5 years when stored in appropriate conditions (humidity, temperature, clean , ventilated, light). Before use, the footwear shall be visually controlled, in case of deterioration the footwear must be scrapped (abrasion, cut, tear, ...).

### **Declaration of conformity :**

Available on : <http://dw.safetyjogger.com/?dir=certificates/>