

SAFETY JOGGER

PROFESSIONAL

best price

best quality

always in stock



NEW

COLLECTION 2021

WWW.SAFETYJOGGER.COM

Why choose Safety Jogger Professional?

Our shoes are equipped with all technical features which are important for nursing staff. Below, you will find more information on the main specifications. Further on in the catalog, you will find the valid specifications per model.

CE Standard

The **CE certification** guarantees that the shoes are in accordance with the valid European standards for work or safety shoes:

- **EN 20347:** work shoes without reinforced toe.
- **EN 20346:** safety shoes with reinforced toe, resistant to an impact of up to 100 joules.
- **EN 20345:** safety shoes with reinforced toe, resistant to an impact of up to 200 joules.



Anti-static ESD

By friction of clothes a person becomes charged with **static electricity**. Without a constant discharge, you can easily load up to 3,000 volts without even noticing!

This charge can be unintentionally passed through by touching electronic equipment. 100 volts can already suffice to damage a sensitive (but maybe vital) equipment.

Always wear **ESD (Electro Static Discharge)** shoes to prevent static electricity from building up.




Shock absorbing & ultra-light

All day long, you are on your feet. The materials Oxy pas uses for the soles and insoles **absorb shocks** and therefore offer **more comfort**.



Moreover, we strive to make our shoes **as light as possible** to make your daily kilometers as enjoyable as possible.



Slip resistant outsoles



The level of grip of a slip resistant sole is determined by a test measuring the friction coefficient between the sole and the surface. This is tested on the flat outsole and heel.

If the sole has a good grip on a wet, stone floor (Ceramic surface with a mix of soap and water), it obtains the **SRA standard**.

If the sole has good grip on a dirty, metal floor (Steel surface with glycerol), it gets the **SRB standard**.

If the sole passes the SRA and SRB tests, it gets the **SRC standard**.

Discover our latest outsole with Oxygrip®-technology on page 6. The test results show that Oxygrip® scores far above the required values at both of the tests. Safety guaranteed.



Removable insole



Most Oxy pas models feature a **removable insole**. Renew your insole at a regular base or use your own orthopedic insoles.

Maintenance



Do your shoes often get dirty? Choose a model in leather or synthetic leather as they can **easily and quickly** be cleaned with a damp cloth and soap.

Coolmax®-lining

Coolmax® is a technical material which effectively drains perspiration. In contrast to a normal cotton or synthetic fiber, the Coolmax®-fiber consists out of 4 very thin round tubes. Small canals between the tubes transport the perspiration to the outside. As a result, the transpiration spreads quicker and evaporates 4 times faster than using cotton.

Not all features apply to all models. Please check the product information per model.



CHEMICALLY
and UV sterilisable



CHEMICALLY AND UV STERILISABLE
The shoes can be safely washed in the washing machine at the indicated temperature.



AUTOCLAVABLE
The Oxylog model can be sterilised in the autoclave.



ULTRA-LIGHT
Extremely light and flexible.



SHOCK ABSORBING
The light materials provide excellent cushioning.



WATERPROOF
All clogs are made out of waterproof material.



CE STANDARD
CE EN 20347-certified.
High quality materials, free from toxic substances.



SLIP RESISTANT
The pattern of the outsole ensures maximum grip on both wet and dry surfaces and is compliant with the non-slip standard.



ANTI-STATIC ESD
The shoe features an anti-static insert that facilitates the dissipation of static electricity and that complies with the ESD anti-static standard (Electrostatic Discharge).



INDEX



LISBETH 02

SRC ESD WR

P.08



ALIZEE 01

SRC ESD

P.17



DANY 0B

SRC ESD

P.09



DOMINIQUE 01

SRC ESD

P.18



NILDA 01

SRC ESD

P.10



KAYLA 02

SRC ESD

P.19



LINA 0B

SRC ESD

P.11



KASSIE 01

SRC

P.20



ELIANE 01

SRC ESD

P.12



EVELYN 01

SRC ESD

P.21



CARINNE 0B

SRC ESD

P.13



MAUD 0B

SRA

P.22



CAMILLE 01

SRC ESD

P.14



JAMES 0B

SRA

P.23



SOPHIE 0B

SRC ESD

P.15



SAFETYGLOG PB

SRC WR

P.24



SAMANTHA 0B

SRC ESD

P.16



BESTCLOG 0B

SRC WR

P.25



OXYSAFE PB

SRC ESD

P.26



JULINE 0B

SRC

P.36



OXYVA 01

SRC ESD

P.27



JULIA 0B

SRC ESD

P.37



OXYCLOG 0B

SRA ESD

P.28



COLETTE 01

SRC ESD

P.38



BESTLIGHT1 0B

SRC

P.29



LAUREN 0B

P.39



SMOOTH 0B

SRC ESD

P.30



ROMAN 01

SRC ESD

P.40



SONIC 0B

SRC ESD

P.31



PATRICIA 01

SRC ESD

P.41



REMY 0B

SRC ESD

P.32



OXYFOAM

P.42



ROY 01

SRC ESD

P.33



OXYSOCK

P.42



EVAN 01

SRC ESD

P.34



PHARMAMASK

P.43



EVA 01

SRC ESD

P.35

LISBETH 02

SRC ESD WR



Size Range:

EU	35 - 42
UK	3 - 8
US	5.5 - 10.5
CM	23 - 27



BLK



WHT

LBL

DANY 0B

SRC ESD



Size Range:

EU	35 - 42
UK	3 - 8
US	5.5 - 10.5
CM	23 - 27



WHT



LBL

MUG

MUL

BLK

Closed shoe with an elegant touch

Product features

Upper	Nappa Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O2 SRC ESD WR
Weight	ca. 233 gr. / shoe (size 37)

Trendy clog with a playful touch

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 216 gr. / shoe (size 37)



NILDA 01

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



BLK



WHT

LINA 0B

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



WHT



LBL



MUL

Ballet flats with refined comfort

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 215 gr. / shoe (size 37)



Elegant and casual

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 217 gr. / shoe (size 37)



ELIANE 01

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



BLK



WHT

LBL

FUC

CARINNE 0B

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



WHT



FUC

LBL

Sporty design with adjustable velcro strap

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 236 gr. / shoe (size 37)



Clog with adjustable velcro strap

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 247 gr. / shoe (size 37)



CAMILLE 01

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



WHT



LBL

SOPHIE 01

SRC ESD

Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



BLK



WHT



FLR



FUC

Ultra-comfortable shoe in lycra

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 230 gr. / shoe (size 37)



Sober look, pure comfort

Product features

Upper	Synthetic Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 217 gr. / shoe (size 37)



SAMANTHA **OB**

SRC ESD



Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



BLK



WHT

LBL

ALIZEE **OB**

SRC ESD

Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



WHT



LBL

FUC

Stylish and comfortable shoe in leather with heel

Product features

Upper	Nappa Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 239 gr. / shoe (size 37)



Sporty and stylish everyday clog

Product features

Upper	Synthetic leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 205 gr. / shoe (size 37)



DOMINIQUE 01

SRC ESD



Size Range:

EU | 35 - 47
 UK | 3 - 12
 US | 3 - 13
 CM | 23 - 31



BLK

KAYLA 02

SRC ESD



Size Range:

EU | 35 - 42
 UK | 3 - 8
 US | 5.5 - 10.5
 CM | 23 - 27



BLK

Sporty sneaker for all day comfort

Product features

Upper	Leather
Slip resistant	SRC
Anti-static	ESD
Lining	3D Mesh
Footbed	SJ Foam
Outsole	PU/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 410 gr. / shoe (size 41)



Sporty lightweight sneakers offering maximum comfort

Product features

Upper	Nappa Leather
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	Phylon/Rubber
Standard	CE EN ISO 20347 O2 SRC ESD
Weight	ca. 280 gr. / shoe (size 37)



KASSIE 01

SRC

Size Range:

EU | 35 - 48
UK | 3 - 13
US | 5.5 - 13.5
CM | 23 - 31.5



BLK



BLU

DGR

WHT

EVELYN 01

SRC ESD

Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



BLK



LBL

WHT

Breathable youthfull work sneaker

Product features

Upper	3D Mesh
Slip resistant	Oxygrip® SRC
Anti-static	Yes
Lining	Mesh
Footbed	SJ Foam
Outsole	Phylon/Rubber
Standard	CE EN ISO 20347 O1 SRC
Weight	ca. 225 gr. / shoe (size 37)



Soft and super flexible slip-on work shoe

Product features

Upper	Mesh
Slip resistant	Oxygrip® SRC
Anti-static	ESD
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 195 gr. / shoe (size 37)



MAUD **OB**

SRA

Size Range:

EU	36 - 42
UK	3.5 - 8
US	6 - 10.5
CM	23.5 - 27



FUX



WHT

LGR

NAV

JAMES **OB**

SRA

Size Range:

EU	39 - 47
UK	5.5 - 12
US	6.5 - 13
CM	25.5 - 31



NAV



LGR

BLK

Sporty and ultra-light sneaker for her

Product features

Upper	3D mesh
Slip resistant	SRA
Anti-static	-
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRA
Weight	ca. 264 gr. / shoe (size 37)



Sporty and ultra-light sneaker for him

Product features

Upper	3D mesh
Slip resistant	SRA
Anti-static	-
Lining	Mesh
Footbed	SJ Foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 OB SRA
Weight	ca. 324 gr. / shoe (size 41)



SAFETYCLOG PB

SRC WR

Size Range:

EU | 35 - 47
 UK | 3 - 12
 US | 3 - 13
 CM | 23 - 31

composite
safety toe cap




BLK

BESTCLOG OB

SRC WR

Size Range:

EU | 35 - 47
 UK | 3 - 12
 US | 3 - 13
 CM | 23 - 31



WHT



BLK

Easy fitting lightweight safety shoe

Product features

Standard	CE EN ISO 20346 PB SRC
Slip resistant	SRC
Anti-static	-
Safety toe cap	Composite 100 Joules
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. / shoe (size 37)



Easy fitting lightweight safety shoe

Product features

Standard	CE EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 250 gr. / shoe (size 37)



OXYSAFE PB

SRC ESD

Size Range:

EU | 35/36 - 45/46
UK | 3/3.5 - 10.5/11
US | 3/4 - 11.5/12
CM | 23/23.5 - 29.5/30

composite safety toe cap



WHT



BLK

NAV

OXYVA 01

SRC ESD

Size Range:

EU | 35/36 - 45/46
UK | 3/3.5 - 10.5/11
US | 3/4 - 11.5/12
CM | 23/23.5 - 29.5/30



EGN



LIC
35/36-41/42

NAV

WHT

EBL

BLK

The lightest safety shoe on the market

Product features

Standard	CE EN ISO 20346 PB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Safety toe cap	Composite 100 Joules
Material	EVA
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 280 gr. / shoe (size 37)



Unmatched comfort

Product features

Standard	CE EN ISO 20347 O1 SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 200 gr. / shoe (size 37)



OXYCLOG OB

SRA ESD

Size Range:

EU | 35/36 - 45/46
UK | 3/3.5 - 10.5/11
US | 3/4 - 11.5/12
CM | 23/23.5 - 29.5/30



EGN



WHT

LBL

EBL

BLU

BESTLIGHT1 OB

SRC WR

Size Range:

EU | 36 - 46
UK | 3.5 - 11
US | 4 - 12
CM | 23.5 - 30



WHT



BLK

The clog that meets all your needs

Product features

Standard	CE EN ISO 20347 OB SRA ESD
Slip resistant	SRA
Anti-static	ESD
Material	TPE(thermoplastic elastomer)
Footbed	N/A
Maintenance	Autoclavable at 135°C Washable at 90°C Chemically and UV sterilisable
Weight	ca. 240 gr. / shoe (size 37)



Ultra-light, universal clog

Product features

Standard	CE EN ISO 20347 OB SRC
Slip resistant	SRC
Anti-static	-
Material	EVA+Rubber outsole
Footbed	SJ Foam
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. / shoe (size 37)



SMOOTH OB

SRC ESD WR

Size Range:

EU | 36 - 46
UK | 3.5 - 11
US | 4 - 12
CM | 23.5 - 30



WHT



SONIC OB

SRC ESD

Size Range:

EU | 35/36 - 45/46
UK | 3/3.5 - 10.5/11
US | 3/4 - 11.5/12
CM | 23/23.5 - 29.5/30



FUX



Closed model with great comfort

Product features

Standard	CE EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA+Rubber outsole
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 240 gr. / shoe (size 37)



Extremely light hospital clog

Product features

Standard	CE EN ISO 20347 OB SRC ESD
Slip resistant	SRC
Anti-static	ESD
Material	EVA
Maintenance	Washable at 30°C Chemically and UV sterilisable
Weight	ca. 150 gr. / shoe (size 37)



REMY OB

SRC ESD



Size Range:

EU | 39 - 46
UK | 6 - 11
US | 6.5 - 12
CM | 25.5 - 30



NAV



WHT

ROY O1

SRC ESD



Size Range:

EU | 39 - 46
UK | 6 - 11
US | 6.5 - 12
CM | 25.5 - 30



BLK



WHT

Clog with adjustable strap

Product features

Upper	Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Memory foam
Outsole	Phylon/Rubber
Standard	CE EN ISO 20347 OB SRC ESD
Weight	ca. 260 gr. / shoe (size 41)

Comfortable loafer

Product features

Upper	Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Memory foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 280 gr. / shoe (size 41)



EVAN 01

SRC ESD



BLK



Size Range:

EU | 39 - 46
UK | 6 - 11
US | 6.5 - 12
CM | 25.5 - 30



WHT

EVA 01

SRC ESD



WHT



Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



BLK

Trendy and comfortable

Product features

Upper	Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Memory foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 320 gr. / shoe (size 41)



Comfortable loafer

Product features

Upper	Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Memory foam
Outsole	EVA/Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 240 gr. / shoe (size 37)



JULINE OB

SRC

Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



BLK

JULIA OB

SRC

Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



WHT



BLK

Professional and stylish work pump

Product features

Upper	Synthetic Leather
Slip resistant	SRC
Anti-static	-
Lining	Coolmax® Mesh / Synthetic Leather
Footbed	Synthetic Leather
Outsole	Rubber
Standard	CE EN ISO 20347 OB SRC
Weight	ca. 220 gr. / shoe (size 37)



Professional and stylish work shoe

Product features

Upper	Synthetic Leather
Slip resistant	SRC
Anti-static	-
Lining	Coolmax® Mesh / Synthetic Leather
Footbed	Synthetic Leather
Outsole	PU
Standard	CE EN ISO 20347 OB SRC
Weight	ca. 190 gr. / shoe (size 37)



COLETTE 01

SRC ESD

Size Range:
EU | 35 - 44
UK | 3 - 9.5
US | 3 - 12
CM | 23 - 28.5



BLK



WHT

LAUREN 0B

Size Range:
EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27



WHT



BLK

Elegant without compromising

Product features

Upper	Synthetic Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh / Synthetic Leather
Footbed	Synthetic Leather
Outsole	EVA / Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 220 gr. / shoe (size 37)



Light and airy shoe with a adjustable strap

Product features

Upper	Mesh
Slip resistant	N/A
Anti-static	-
Lining	Coolmax® Mesh
Footbed	Memory foam
Outsole	EVA
Standard	CE EN ISO 20347 OB
Weight	ca. 190 gr. / shoe (size 37)



ROMAN 01

SRC ESD

Size Range:

EU | 40 - 47
UK | 7 - 12
US | 7.5 - 13
CM | 26 - 31



BLK



WHT



BLK

PATRICIA 01

SRC ESD

Size Range:

EU | 35 - 42
UK | 3 - 8
US | 5.5 - 10.5
CM | 23 - 27

Airy and trendy sneaker for him

Product features

Upper	Synthetic Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Removable SJ foam
Outsole	Phylon / Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 275 gr. / shoe (size 41)

Airy and trendy sneaker for her


Product features

Upper	Synthetic Leather
Slip resistant	SRC
Anti-static	ESD
Lining	Coolmax® Mesh
Footbed	Removable SJ foam
Outsole	Phylon / Rubber
Standard	CE EN ISO 20347 O1 SRC ESD
Weight	ca. 250 gr. / shoe (size 37)



OXYFOAM

OXYSOCK



WHT



WHT

Memory foam insole

Regularly renew the insole of your shoe for a better walking comfort. This sole is suitable for all models indicated by 'removable insole'.

Specifications Maximum cushioning
Reduces muscle, foot, knee and back pain
ESD standard ensures the dissipation of electrostatic charges
3 sizes in 1: adjustable to every foot
Coolmax®

Size Range 3 sizes in 1, adjustable to every foot:
36/37/38 and 39/40/41

Comfortable, plain ankle socks

The Oxysock is durable, comfortable and short. These ankle socks are primarily made of cotton and can be washed at 40°C. The elastane ensures a great fit.

Specifications 74% cotton, 16% spandex, 10% polyester
Washable at 40°C


Size Range Available in 3 sizes:
35/37 - 38/40 - 41/42

PHARMAMASK

DISPOSABLE STERILE SURGICAL MASK

CE EN14683-2019 TYPE IIR BFE ≥98%

- ✓ Adjustable nose bridge
- ✓ Comfortable & breathable
- ✓ Special 3-ply non-woven design



Splash resistant

Highly efficient filtration mid layer

Fine, smooth inner layer

This product is suitable for use in a general medical environment. It is composed out of three materials: a non-woven fabric, a nose strip and an elastic band. The face mask is divided into an inner-, middle- and outer polypropylene fiber melt-blown fabric. The nose strip is made of a galvanized metal strip.

17.5 x 9cm - ear loop
50 pieces/box - 5x10 pieces



SAFETY JOGGER

WORKS

EUROPE

Lindestraat 58
9700 Oudenaarde
Belgium

Phone: (32) 55 33 44 44
info@safetyjogger.com

CHINA

Niu Dun Industrial estate
Hengli, Wang Niu Dun, Dongguan
Guangdong Province
China (postal code 523216)

广东省东莞市望牛墩镇横沥村牛顿工业区
二楼直销部 (邮编523216)

Phone: (86) 769 3901 8500
safetyjogger@cortinachina.com

RUSSIA

Невский проспект 55 А
191025 Санкт-Петербург
Россия

Телефон: 7 (812) 313 92 96
info@safetyjogger.com

UNITED STATES

Fitron Americas Inc
suite220, 9250 Wilshire Blvd.
Beverly Hills CA90212-USA

Phone: 1-877-669-9727
info@fitronamericas.com

INDUSTRIAL PROFESSIONAL TACTICAL

WWW.SAFETYJOGGER.COM

**ENGINEERED
IN EUROPE**