

# MODENO

THE ART OF FIRE

OCEAN ROCK USA INC.  
505 E Rincon St., Ste 100 Corona, CA 92879  
www.elementifire.com  
E-mail: [info@oceanrockusa.com](mailto:info@oceanrockusa.com)  
Tel.: +1 951-220-7227

OCEAN ROCK EU GmbH  
Karl-Benz-Straße 9, 40764 Langenfeld, Germany  
www.elementieu.com  
E-mail: [info@oceanrockeu.com](mailto:info@oceanrockeu.com)  
Tel.: +49 2173-2979 981

ELEMENTI INDUSTRIAL (XIAMEN) CO., LTD.  
OCEAN ROCK GLOBAL TRADING (XIAMEN) CO., LTD.  
901, 1739 Lvling Rd., Xiamen, China (361008)  
www.oceanrockcn.com  
E-mail: [info@oceanrockcn.com](mailto:info@oceanrockcn.com)  
Tel.: +86 592-6368809

2024



# MODENO

## FIRE

■ GAS FIRE PIT

■ ETHANOL TABLETOP FIREPLACE

**MODENO** expresses the fashion diversity of modern cities with simple yet unique design styles.

In the outdoor living area, MODENO FIRE will provide a modern and comfortable atmosphere for you and your family and friends to enjoy a relaxed and joyful time in the wonderland.





# AURORA

FIRE TABLE  
OFG114



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: 20.3 × 20.3 × 2 in  
51.5 × 51.5 × 5 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG114-NG
- Propane item number: OFG114-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
Length	34.3	87	38.6	98
Width	34.3	87	38.6	98
Height	14.2	36	18.1	46
Weight	108 lbs	49 kgs	147 lbs	67 kgs





# WESTPORT

## FIRE TABLE OFG135



### Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: 20.3 × 20.3 × 2 in  
51.5 × 51.5 × 5 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG135-NG
- Propane item number: OFG135-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	34.3	87	38.6	98
<b>Width</b>	34.3	87	38.6	98
<b>Height</b>	14.2	36	18.1	46
<b>Weight</b>	108 lbs	49 kgs	147 lbs	67 kgs



# ROCA

## FIRE TABLE

### OFG107



#### Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG107-NG
- Propane item number: OFG107-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	34.3	87	38.6	98
<b>Width</b>	34.3	87	38.6	98
<b>Height</b>	14.6	37	18.5	47
<b>Weight</b>	97 lbs	44 kgs	117 lbs	53 kgs





# VENICE

FIRE TABLE  
OFG113



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG113-NG
- Propane item number: OFG113-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	34.3	87	38.6	97.5
<b>Width</b>	34.3	87	38.6	97.5
<b>Height</b>	14.6	37	18.9	48
<b>Weight</b>	105lbs	48 kgs	127 lbs	58 kgs

# TRAMORE

FIRE TABLE  
OFG132



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG132-NG
- Propane item number: OFG132-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	34.3	87	38.6	97.5
<b>Width</b>	34.3	87	38.6	97.5
<b>Height</b>	14.6	37	18.9	48
<b>Weight</b>	105lbs	48 kgs	127 lbs	58 kgs



# NANTUCKET

FIRE BOWL  
OFG116



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG116-NG
- Propane item number: OFG116-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Tank cover available (sold separately)

Specification	Product		Package	
	inch	cm	inch	cm
Length	26.6	67.5	30.3	77
Width	26.6	67.5	30.3	77
Height	13.8	35	17.1	43.5
Weight	74 lbs	34 kgs	85 lbs	39 kgs

# JEFFERSON

FIRE BOWL  
OFG119



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG119-NG
- Propane item number: OFG119-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Tank cover available (sold separately)

Specification	Product		Package	
	inch	cm	inch	cm
Length	26.6	67.5	30.3	77
Width	26.6	67.5	30.3	77
Height	13.8	35	17.1	43.5
Weight	74 lbs	34 kgs	85 lbs	39 kgs







# YORK

FIRE BOWL  
OFG115



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG115-NG
- Propane item number: OFG115-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Tank cover available (sold separately)

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	26.6	68	30.3	77
<b>Width</b>	26.6	68	30.3	77
<b>Height</b>	14.2	36	17.9	45.5
<b>Weight</b>	78 lbs	36 kgs	90 lbs	41 kgs

# NEWBRIDGE

FIRE BOWL  
OFG138



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG138-NG
- Propane item number: OFG138-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Tank cover available (sold separately)

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	26.6	68	30.3	77
<b>Width</b>	26.6	68	30.3	77
<b>Height</b>	14.2	36	17.9	45.5
<b>Weight</b>	78 lbs	36 kgs	90 lbs	41 kgs



# RIDGEFIELD

FIRE PIT  
OFG150



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 12.2 × 0.2 in  
Dia. 31 × 31 × 0.5 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG150-NG
- Propane item number: OFG150-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	26.8	68	31.7	80.5
<b>Width</b>	26.8	68	31.7	80.5
<b>Height</b>	14.2	36	19.3	49
<b>Weight</b>	89 lbs	41 kgs	110 lbs	50 kgs

# WATERFORD

FIRE TABLE  
OFG152



## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 0.04 in  
Dia. 31 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG152-NG
- Propane item number: OFG152-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	26.8	68	30.3	77
<b>Width</b>	26.8	68	30.3	77
<b>Height</b>	14.2	36	17.9	45.5
<b>Weight</b>	78 lbs	36 kgs	91 lbs	41 kgs



# BRANFORD

## FIRE TABLE OFG141



### Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 12 in / 30.5 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 17.8 × 0.04 in  
Dia. 45.1 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Natural gas item number: OFG141-NG
- Propane item number: OFG141-LP
- Maximum heat output: 50,000 BTUs for CSA  
14.6 KW (50,000 BTUs) for CE & UKCA
- Certification: CSA & CE & UKCA Certified
- Media: 13.2 lbs / 6 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included
- Accessories available (sold separately):
  1. Wind screen
  2. Tank cover

### Available colors:



Light Gray  
OFG141LG

Black  
OFG141BK

Specification	Product		Package	
	inch	cm	inch	cm
<b>Length</b>	34.3	87	37.2	94.5
<b>Width</b>	34.3	87	37.2	94.5
<b>Height</b>	16.9	43	19.7	50
<b>Weight</b>	127 lbs	58 kgs	149 lbs	68 kgs





# BASALT COLUMN FIRE PIT OFG601



Specification	Product		Package	
	inch	cm	inch	cm
Length	19.7	50	22.8	58
Width	19.9	48	25.2	68
Height	27.6	70	32.3	82
Weight	82 lbs	37 kgs	94 lbs	43 kgs

## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 0.04 in  
Dia. 31 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Gas type: Propane  
Item number: OFG601-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Conceals standard 20 lbs / 5 kgs propane tank (not included)
- Certification: CSA & CE & UKCA Certified
- Media: 6.6 lbs / 3 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included

# LAVA TUBE FIRE PIT OFG602



Specification	Product		Package	
	inch	cm	inch	cm
Length	17.7	45	21.7	55
Width	17.7	45	21.7	55
Height	27.8	70	31.7	80.5
Weight	75 lbs	34 kgs	86 lbs	39 kgs

## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 0.04 in  
Dia. 31 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Gas type: Propane  
Item number: OFG602-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Conceals standard 20 lbs / 5 kgs propane tank (not included)
- Certification: CSA & CE & UKCA Certified
- Media: 6.6 lbs / 3 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included



# POMPEII

FIRE PIT  
OFG609



Specification	Product		Package	
	inch	cm	inch	cm
Length	23.2	59	26.6	67.5
Width	23.2	59	26.6	67.5
Height	26	66	29.5	75
Weight	75 lbs	34 kgs	89 lbs	41 kgs

## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 0.04 in  
Dia. 31 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Gas type: Propane  
Item number: OFG609-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Conceals standard 20 lbs / 5 kgs propane tank (not included)
- Certification: CSA & CE & UKCA Certified
- Media: 6.6 lbs / 3 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included

# EXETER

FIRE PIT  
OFG612




Specification	Product		Package	
	inch	cm	inch	cm
Length	20.9	53	25.6	65
Width	20.9	53	25.6	65
Height	38.2	97	42.9	109
Weight	119 lbs	54 kgs	133 lbs	60 kgs

## Product Description:

- Body construction: Glass-fiber reinforced concrete
- Burner ring size: 9.8 in / 25 cm diameter
- Burner ring construction: 18 gauge, 304 stainless steel
- Burner pan size: Dia. 12.2 × 0.04 in  
Dia. 31 × 0.1 cm
- Burner pan construction: 18 gauge, 304 stainless steel
- Control system: Push button spark ignition system
- Gas type: Propane  
Item number: OFG612-LP
- Maximum heat output: 40,000 BTUs for CSA  
11.72 KW (40,000 BTUs) for CE & UKCA
- Conceals standard 20 lbs / 5 kgs propane tank (not included)
- Certification: CSA & CE & UKCA Certified
- Media: 6.6 lbs / 3 kgs lava rock (included)
- Warranty: 1 year
- PVC cover included

## Available colors:



Light Gray  
OFG612LG

Dark Gray  
OFG612DG



# TANK COVER

## ROUND TANK COVER

20 in / 51 cm H

### Product Description:

- Item Number: ONB017
- Body construction: Glass-fiber reinforced concrete
- Product size: 15.7 × 15.7 × 20 in  
40 × 40 × 50.8 cm
- Product weight: 27.5 lbs / 12.5 kgs

### Available colors:



Light Gray  
ONB017LG

Dark Gray  
ONB017DG

## SQUARE TANK COVER

20 in / 51 cm H

### Product Description:

- Item Number: ONB021
- Body construction: Glass-fiber reinforced concrete
- Product size: 15.7 × 15.7 × 20 in  
40 × 40 × 50.8 cm
- Product weight: 30.1 lbs / 15 kgs

### Available colors:




Light Gray  
ONB021LG

Dark Gray  
ONB021DG

# WIND SCREEN



**ONC05-001** 24.4 × 24.4 × 7 in  
62 × 62 × 18 cm



**ONC05-004** 22 × 22 × 7 in  
56 × 56 × 18 cm

### Product Description:

- Clear tempered glass
- Easy to assemble and clean
- Stainless steel attachment clips
- For rectangle, square and round fire pits
- Available in different fire pit sizes
- It is recommended to purchase together with fire features

FID#	Matching Fire Table List
ONC05-001	OFG107 / OFG141 / OFG113 / OFG132 - WS
ONC05-004	OFG114 / OFG135 - WS

# NATURAL GAS CONVERSION KIT

## OCK40-NG01

For 40,000 RTUs Compatibility

## OCK50-NG01

For 50,000 BTUs Compatibility



### Product Description:

- Convert your propane gas unit to run on natural gas
- It must be installed by a qualified installer or gas technical