



BRECKWELL

HEARTH





Table of **CONTENTS**

GAS FIREPLACES, STOVES & INSERTS - 3

GAS ACCESSORIES - 8

GAS PRODUCT SPECS - 12

WOOD STOVES - 13

WOOD STOVE SPECS - 17

PELLET STOVES - 18

PELLET STOVE ACCESSORIES - 26

PELLET STOVE SPECS - 27

Model shown on cover is SW1.8, with a heavy cast iron door with a cool touch wood handle, and an air washed ceramic glass.

GAS FIREPLACES AND ACCESSORIES



BH6113LFP Direct Vent Gas Linear Fireplace



FEATURES

6 levels of heat output from
50,000 BTUS high to 30,000 BTUS low
4" x 6" vent size

Top vent

Viewing area: 793 SQ. IN.

Crystal clear safety screen standard
5" Sage

Breckwell's linear fireplaces offer modern or traditional options. You decide. Do you love traditional wood logs? Are you ready to get contemporary with glass or rocks? We have you covered. Our linear options can be customized to match your home's look and feel. Your new linear fireplace will be a center of attention for years to come.

LOG OPTIONS:

Old Hickory, Colorado Birch, Top Sail, Driftwood Log, Bangor Stone, Sunlit Sap, Black Lantern, Urban Rain, Glacier Ice Glass

DECORATIVE LINER OPTIONS:

Black Wave, Sand Wave, Stone Bridge Stucco

FRONT OPTIONS:

5" Sage

BH3024FP Direct Vent Gas Fireplace



FEATURES

Are you ready to remodel your existing home? Are you building a new home? The BH3024FP is the right choice for you. This fireplace offers the right size for today's homes and is backed by the best warranty in the industry. You'll love the detailed log craftsmanship, the dancing flames and the affordable luxury it brings as a focal point in your home.

LOG OPTIONS:

Ridgewood Timber and Riverside

DECORATIVE LINER OPTIONS:

Black Tie, Aged Red, Baker Street and Frisco LedgeStone

FRONT OPTIONS:

5" Sage, Artisan and Concord

Blower Standard 130CFM

4" x 6" Vent Size

Rear or Top Vent Capabilities

**6 levels of heat output from
27,500 BTUS high to 16,500 BTUS low**

Viewing area: 720 SQ. IN.

Multi-Function Thermostatic Remote Control standard with 6 levels of heat output, blower speed & light intensity

5" Sage, Artisan and Concord

BH2613I Direct Vent Gas Insert



FEATURES

**6 levels of heat output from
18,500 BTUS high to 10,000 BTUS low
Blower Standard 130CFM**

**3" x 3" Co Axial Top Vent
Viewing area: 338 SQ. IN.**

**Multi-Function Thermostatic Remote
Control standard with 6 levels of heat output,
blower speed & light intensity**

Transform your dark, drafty wood-burning fireplace into a warm, welcoming centerpiece. Our insert is offered in two sizes to complement your home with style and comfort. You'll love the new look of your fireplace with high-detail log options that match your decor. Stay cozy with heat adjustment that can be customized to meet your warmth needs.

LOG OPTIONS:

Ridgewood Timber and Riverside

DECORATIVE LINER OPTIONS:

Black Tie, Aged Red, Baker Street
and Frisco LedgeStone

BH2818I Direct Vent Gas Insert



FEATURES

The Breckwell gas inserts offer a warm welcome for your home but have a special flair. In the off season, these models function as a beautiful focal point that will complement your décor. Our high detail log, liner, and front options can be customized to match your style. The Proflame system offers a variable light intensity, and the standard remote control makes this an easy-to-use beauty!

LOG OPTIONS:

Ridgewood Timber and Riverside

DECORATIVE LINER OPTIONS:

Black Tie, Aged Red, Baker Street and Frisco Ledgestone

**6 levels of heat output from
26,000 BTUS high to 12,000 BTUS low
Blower Standard 130CFM**

**3" x 3" Co Axial Top Vent
Viewing area: 503 SQ. IN.**

**Multi-Function Thermostatic Remote
Control standard with 6 levels of heat
output, blower speed & light intensity**

ACCESSORIES

LOG SELECTIONS



Colorado Birch



Riverside Log



Ridgewood Timber




Top Sail Driftwood



Old Hickory

FIREPLACES & INSERTS



Black Tie



Aged Red Brick




Baker Street



Frisco LedgeStone

LINEAR GAS FIREPLACES



Black Wave




Sand Wave



Stone Bridge Stucco



Portland River Rock



Sunlit Sap



Black Lantern



Urban Rain



Glacier Ice



BH6113LFP

Direct Vent Gas Linear
Fireplace

PRODUCT HEIGHT

34.75"

PRODUCT WIDTH

70.75"

PRODUCT DEPTH W/BLOWER

19.25"

CATEGORY

GAS

VIEWING AREA

793"

SURROUND OPTIONS

N/A

LINEAR OPTIONS

**BLACK WAVE,
SAND WAVE, STONE
BRIDGE STUCCO**

LOG OPTIONS

**OLD HICKORY,
TOPSAIL DRIFTWOOD,
COLORADO BIRCH**

MEDIA OPTIONS

**PORTLAND RIVER ROCK,
BLACK ICE GLASS, GLACIER ICE
GLASS, SUNLIT SAP GLASS, URBAN
RAIN GLASS**



BH3024

Direct Vent
Gas Fireplace

PRODUCT HEIGHT

33"

PRODUCT WIDTH

35.5"

PRODUCT DEPTH W/BLOWER

15.88"

CATEGORY

GAS

VIEWING AREA

720"

SURROUND OPTIONS

N/A

LINEAR OPTIONS

**AGED RED BRICK, BLACK
TIE, BAKER STREET,
FRISCO LEDGESTONE**

LOG OPTIONS

**RIVERSIDE,
RIDGEWOOD TIMBER**



BH2818I

Direct Vent
Gas Insert

PRODUCT HEIGHT

24.63"

PRODUCT WIDTH

32.5"

PRODUCT DEPTH W/BLOWER

17"

CATEGORY

GAS INSERT

VIEWING AREA

504"

SURROUND OPTIONS

**BH2818SSM (29 X 40) OR
BH2818SLG (32 X 44)**

LINEAR OPTIONS

**AGED RED BRICK, BLACK
TIE, BAKER STREET,
FRISCO LEDGESTONE**

LOG OPTIONS

**RIVERSIDE,
RIDGEWOOD TIMBER**



BH2613I

Direct Vent
Gas Insert

PRODUCT HEIGHT

19.63"

PRODUCT WIDTH

30.5"

PRODUCT DEPTH W/BLOWER

17"

CATEGORY

GAS INSERT

VIEWING AREA

504"

SURROUND OPTIONS

**BH2613SSM (27 X 40) OR
BH2613SLG (30 X 44)**

LINEAR OPTIONS

**AGED RED BRICK, BLACK
TIE, BAKER STREET,
FRISCO LEDGESTONE**

LOG OPTIONS

**RIVERSIDE,
RIDGEWOOD TIMBER**

BH23 Direct Vent Cast Iron Freestanding Gas Stove



FEATURES

180 sq. in viewing area

Up to 23,500 BTUS

130 CFM blower

Logs and faux brick liner included

Remote control standard

The Breckwell BH23 combines the beauty and durability of a cast iron wood stove with the flexible installation and convenience of gas. The solid cast iron fireplace on sturdy but graceful legs features a remote control standard and a large glass viewing area to maximize enjoyment. Proflame 2 Remote System included; Easily adjust your flame height, accent lighting and blower speed with the included remote control. Add beautiful warmth to any room in your home with this classic addition.

BH32VF Vent Free Cast Iron Freestanding Gas Stove



FEATURES

Classic cast iron styling makes this beautiful stove the perfect heating appliance for your living space. The BH32VF gas stove delivers 31,000 BTU's of heat. Because it does not require a vent, it is 99 percent efficient- so you get your money's worth every time you use this stove. Friends and family alike will be drawn to the classic design of this antique style stove and are guaranteed to enjoy the warmth it provides. The log set is included with this stove to give you a very realistic fire look. In addition, this stove does not need electricity to operate, meaning it is the perfect stove to own if the power is out. Standard operation is simple, just turn the switch on, select your heat output and enjoy the warmth. This stove can be hooked up to any standard millivolt thermostat allowing it to cycle on and off as needed.

180 sq in viewing area

Freestanding on legs

Up to 31,000 BTUS

Logs and included



BH23
Direct Vent Cast Iron
Freestanding Gas Stove

PRODUCT HEIGHT

28.75"

PRODUCT WIDTH

26.5"

OPTIONAL PRODUCT DEPTH

25.5"

CATEGORY

GAS

VIEWING AREA

180 SQ IN



BH32VF
Vent Free Cast Iron
Freestanding Gas Stove

PRODUCT HEIGHT

28.75"

PRODUCT WIDTH

26.5"

OPTIONAL PRODUCT DEPTH

25.5"

CATEGORY

GAS

VIEWING AREA

180 SQ IN

WOOD STOVES



SW1.2 Wood Stove



FEATURES

Up to 1,200 sq. ft.

68,000 BTU

17" Log Length

6" flue

Standard Thermostat Blower

1.7 g/hr

2020 Compliant

Mobile Home Approved US only

2020 Compliant US and Canada

The Breckwell SW1.2 is an air-tight plate steel wood burning stove with a black finish. This stove comes on a beautifully detailed pedestal and can heat up to 1,200 sq. ft. with 68,000 BTUs. This sturdy door features a framed view of the dancing flames that will optimize any hearth setting but offers a mirrored glass that prevents the inside of the firebox from being unsightly when out of use. How it works: the primary air inlet at the front of the stove ignites the wood upon start up. Once burning, the secondary air inlet at the rear of the firebox feeds air to the top of the stove through 3 ignition tubes directly above the wood. The result is that you have ignition, or fire, at the bottom and at the top of the wood stove which, in effect, consumes the wood. This is a very efficient method of getting the most energy possible out of the wood that you are burning. This stove meets the stringent requirements of the EPA "Step 2" 2020 certification guidelines.

SW1.8 Wood Stove



FEATURES

The Breckwell SW1.8 is an airtight fireplace insert that will greatly improve the efficiency of your fireplace. The SW1.8 fireplace insert meets the stringent requirements of the EPA “Step 2” 2020 Certification Guidelines. With a heavy cast iron door with a cool touch wood handle, and an air washed ceramic glass that allows a magnificent view of the burning fire, it will be a beautiful addition to your existing hearth. Also included is a thermostat controlled variable speed blower system.

Up to 1,800 sq. ft.

Up to 69,000 BTU’s

18” Log Length

6” Flue

Standard Thermostat Blower

1.8 g/hr

2020 Compliant

Mobile Home Approved US only

2020 Compliant US and Canada

SW2.0 Wood Stove



FEATURES

Up to 2,000 sq. ft.

Up to 89,000 BTU's

21" Log Length

6" Flue

Standard Thermostat Blower

1.0 g/hr

2020 Compliant

Mobile Home Approved US only

2020 Compliant US and Canada

Give your home warmth and comfort with the Breckwell SW2.0- a 2,000 sq. ft. wood stove. The SW2.0 has an efficient 89,000 BTUs, and accepts logs up to 21" long, which reduces the time spent refilling. This beautiful stove is approved for US mobile homes and Canada and sits atop a detailed pedestal base. The air-washed, mirrored glass door offers a view of the comforting fire inside. The SW2.0 meets the stringent requirements of the EPA "Step 2" 2020 Certification Guidelines.

SW2.5 Wood Stove



FEATURES

Breckwell wood stoves are the perfect option for keeping toasty overnight. Approved in the US and Canada, the SW2.5 takes logs up to 21" and has an output of up to 112,000 BTUs so you'll always be warm. And with only 0.88 gph emission, you'll feel relaxed, knowing you are being kind to the environment. No electricity, no problem. A wood-burning Stove provides heat and light, even without electricity. There's nothing like building a fire—real wood, the smell, the sound, the sight. With the air-washed, mirrored glass of the large SW2.5, you'll have a wonderful view of the crackling fire as you relax in the warmth. A thermostatic blower is an additional option for increasing the comforting heat.

Up to 2,500 sq. ft.

Up to 112,800 BTU's

21" Log Length

6" Flue

Standard Thermostat Blower

0.88 g/hr

2020 Compliant

Mobile Home Approved US only

2020 Compliant US and Canada



SW1.2
Wood Stove

PRODUCT HEIGHT

37"

PRODUCT WIDTH

23"

PRODUCT DEPTH W/BLOWER

24.3"

CATEGORY

WOOD

VIEWING AREA

149 SQ INCHES



SW1.8
Wood Stove

PRODUCT HEIGHT

22.33"

PRODUCT WIDTH

27.53"

PRODUCT DEPTH W/BLOWER

20.2"

CATEGORY

WOOD

VIEWING AREA

144 SQ INCHES

FLASHING REQUIRED

SA18SF 28"X45"
SA18LF 32" X48"



SW2.0
Wood Stove

PRODUCT HEIGHT

37.75"

PRODUCT WIDTH

27.5"

PRODUCT DEPTH W/BLOWER

25.75"

CATEGORY

WOOD

VIEWING AREA

144 SQ INCHES



SW2.5
Wood Stove

PRODUCT HEIGHT

37.75"

PRODUCT WIDTH

27.38"

PRODUCT DEPTH W/BLOWER

26.25"

CATEGORY

WOOD

VIEWING AREA

144 SQ INCHES



PELLET STOVES

SP1000 Pellet Stove **BIG E**



FEATURES

47,000 BTU's, 2,200 Sq. Ft., 1.5g/hr.

120 lb. Capacity, 120 CFM Blower

Digital Controls, Ash Drawer, 280 lbs.

2020 Compliant

Mobile Home and Canada Approved

*Available as a freestanding model only.

The Breckwell SP1000 was named the Big E for its ease of use and economical value. This powerhouse of a pellet stove remains a constant favorite year after dependable year. The Big E features the smoked mirrored glass and arched door with stay-cool wooden handle. The staggering 120 lb hopper can burn up to three days on a single load of fuel. This all-around favorite features a removable ash pan and 120 CFM blower, and a dependability with more features and less cost than many other comparable pellet stoves. Ask your local hearth shop for the Breckwell Big E today.

SPC4000 Pellet Stove



FEATURES

Classic Cast is a captivating combination of comfort and charm. You might not guess from its nostalgic country styling that this is such a powerful stove – providing both radiant and forced air heat for up to 50 hours on one load. This attractive unit has an optional brick kit that adds to the inner beauty, and easily accessible ash pan. The SPC4000 is 2020 EPA certified and mobile home approved. Four levels of heat in a digital control board help you control the warmth for up to 2,000 sq. ft.”

42,000 BTU's, 2,000 Sq. Ft., 1.4g/hr.

45 lb. Capacity, 120 CFM Blower

Digital Controls, Ash Pan Included, 315 lbs.

2020 Compliant

Mobile Home and Canada Approved

***Available as a freestanding model only.**

SP23L SONORA Pellet Stove



FEATURES

42,000 BTU's, 2,000 Sq. Ft., 1.4 g/hr.

55 lb. Capacity, 120 CFM Blower

Digital Controls, 185 lbs.

2020 Compliant

Mobile Home and Canada Approved

*Available as a freestanding model only.

The Breckwell SP23L Sonora is EPA 2020 certified and mobile home approved. It features graceful Queen Anne legs and mirrored glass, so you see the flames when it is burning, but hides the interior during off season. An optional brick kit adds style. The hopper holds 55 lbs of carbon-neutral pellets and heats 2,000 sq. ft. With its practical, stay-cool wooden handle and beautiful arched door, the Sonora is a combination of style and warmth you need to see to believe.

SP22 MAVERICK Pellet Stove



FEATURES

The super-efficient, clean-burning, EPA certified Breckwell Maverick is truly a pleasure to operate. With the easy-to-use digital control and automatic ignition, just set the temperature you want and the stove will do the rest. The SP22 features mirrored glass and a 45 lb. hopper capacity that can provide heat for up to 45 hours before needing reloading. The Maverick is voted a long-enduring favorite in the pellet stove market and is available on a pedestal or as an insert with the same great features. Shown as optional insert model with SA22IL large surround.

42,000 BTU's, 1,500 Sq. Ft., 1.4 g/hr.

45 lb. Capacity, 120 CFM Blower

Digital Controls, 165 lbs.

2020 Compliant

Mobile Home and Canada Approved

***Insert kit or pedestal kit
must be purchased to complete unit.**

SP24 BLAZER INSERT Pellet Stove



FEATURES

47,000 BTU's, 2,200 Sq. Ft., 1.4 g/hr.

60 lb. Capacity, 120 CFM Blower

Digital Controls, 210 lbs.

Shown with SA24SF Flashing

2020 Compliant

Mobile Home and Canada Approved

The Breckwell Blazer pellet stove is the perfect insert for your fireplace. It features side bay windows so you can enjoy the beauty of the flames from both sides as well as the oval front viewing door. It is 2020 EPA certified and mobile home approved. An optional brick kit adds style to the firebox. With the ease of a 60 lb. hopper, and two size surround options, the SP24i Blazer will bring warmth and beauty to your home, and comfort to your heart.



SP1000
Pellet Stove
BIG E

PRODUCT HEIGHT

33"

PRODUCT WIDTH

24"

PRODUCT DEPTH W/BLOWER

25.75"

CATEGORY

PELLET

VIEWING AREA

108 SQ IN.



SPC4000
Classic Cast
Pellet Stove

PRODUCT HEIGHT

29.5"

PRODUCT WIDTH

25.5"

PRODUCT DEPTH W/BLOWER

29.5"

CATEGORY

PELLET

VIEWING AREA

91 SQ. IN.



SP23L
Pellet Stove
SONORA

PRODUCT HEIGHT

29.25"

PRODUCT WIDTH

22.5"

PRODUCT DEPTH W/BLOWER

27"

CATEGORY

PELLET

VIEWING AREA

108 SQ IN.



SP22
Pellet Stove
MAVERICK

PRODUCT HEIGHT

28.5"

PRODUCT WIDTH

21.5"

PRODUCT DEPTH W/BLOWER

24.5"

CATEGORY

PELLET

VIEWING AREA

91 SQ IN.

SURROUND OPTIONS

SA22IM 39" X30"
SA22IL 42" X32"

PEDESTAL KIT OPTION

SA22P



SP24I
Pellet Stove
BLAZER INSERT

PRODUCT HEIGHT

21"

PRODUCT WIDTH

27.5"

PRODUCT DEPTH W/BLOWER

17.75"

CATEGORY

PELLET INSERT

VIEWING AREA

126 SQ IN.

SURROUND OPTIONS

SA24SF 28"X45"
SA24LF 32"X48"

ACCESSORIES

SP22

INSERT KIT

SA22IM, SA22IL

PEDESTAL KIT OPTION

SA22P

SP23L

BRICK KIT

SA23BK



SA23BK

SP24I

INSERT KIT

SA24SF, SA24LF



BRECKWELL

HEARTH

www.breckwell.com

