




RECTANGULAR DROP IN PAN & LINEAR BULLET BURNER MATCH LIT IGNITION



ISOMETRIC VIEW

TOP VIEW



RIGHT SIDE VIEW


FRONT SIDE VIEW

| Brass | Stainless Steel | A | B | C | INLET | BTU |
|-------------|-----------------|-----|----|-----|-------|---------|
| OPT-BP824RD | OPT-BP824RDSS | 24" | 8" | 18" | 1/2" | 40,000 |
| OPT-BP836RD | OPT-BP836RDSS | 36" | 8" | 24" | 1/2" | 50,000 |
| OPT-BP848RD | OPT-BP848RDSS | 48" | 8" | 36" | 1/2" | 75,000 |
| OPT-BP860RD | OPT-BP860RDSS | 60" | 8" | 48" | 1/2" | 100,000 |
| OPT-BP872RD | OPT-BP872RDSS | 72" | 8" | 60" | 3/4" | 120,000 |
| OPT-BP884RD | OPT-BP884RDSS | 84" | 8" | 72" | 3/4" | 145,000 |
| OPT-BP896RD | OPT-BP896RDSS | 96" | 8" | 84" | 3/4" | 170,000 |


Pan Material: Aluminum
 Burner Material: Brass / Stainless Steel
 Ignition Type: Match Lit

Includes: Pan, Burner, Electronic Valve.


RECTANGULAR DROP IN PAN & LINEAR BULLET BURNER 12V ELECTRONIC IGNITION




ISOMETRIC VIEW



TOP VIEW



RIGHT SIDE VIEW



FRONT SIDE VIEW


| Brass | Stainless Steel | A | B | C | INLET | BTU |
|----------------|------------------|-----|----|-----|-------|---------|
| OPT-BP824RDE12 | OPT-BP824RDSSE12 | 24" | 8" | 18" | 1/2" | 40,000 |
| OPT-BP836RDE12 | OPT-BP836RDSSE12 | 36" | 8" | 24" | 1/2" | 50,000 |
| OPT-BP848RDE12 | OPT-BP848RDSSE12 | 48" | 8" | 36" | 1/2" | 75,000 |
| OPT-BP860RDE12 | OPT-BP860RDSSE12 | 60" | 8" | 48" | 1/2" | 100,000 |
| OPT-BP872RDE12 | OPT-BP872RDSSE12 | 72" | 8" | 60" | 3/4" | 120,000 |
| OPT-BP884RDE12 | OPT-BP884RDSSE12 | 84" | 8" | 72" | 3/4" | 145,000 |
| OPT-BP896RDE12 | OPT-BP896RDSSE12 | 96" | 8" | 84" | 3/4" | 170,000 |

Pan Material: Aluminum
 Burner Material: Brass / Stainless Steel
 Ignition Type: 12V Electronic Ignition
 (12V Transformer Included)




Includes: Pan, Burner, Electronic Valve,
 Pilot Igniter, 12V Transformer.


RECTANGULAR DROP IN PAN & LINEAR BULLET BURNER 110V ELECTRONIC IGNITION




ISOMETRIC VIEW



TOP VIEW



RIGHT SIDE VIEW



FRONT SIDE VIEW

| Brass | Stainless Steel | A | B | C | INLET | BTU |
|-----------------|-------------------|-----|----|-----|-------|---------|
| OPT-BP824RDE110 | OPT-BP824RDSSE110 | 24" | 8" | 18" | 1/2" | 40,000 |
| OPT-BP836RDE110 | OPT-BP836RDSSE110 | 36" | 8" | 24" | 1/2" | 50,000 |
| OPT-BP848RDE110 | OPT-BP848RDSSE110 | 48" | 8" | 36" | 1/2" | 75,000 |
| OPT-BP860RDE110 | OPT-BP860RDSSE110 | 60" | 8" | 48" | 1/2" | 100,000 |
| OPT-BP872RDE110 | OPT-BP872RDSSE110 | 72" | 8" | 60" | 3/4" | 120,000 |
| OPT-BP884RDE110 | OPT-BP884RDSSE110 | 84" | 8" | 72" | 3/4" | 145,000 |
| OPT-BP896RDE110 | OPT-BP896RDSSE110 | 96" | 8" | 84" | 3/4" | 170,000 |

Pan Material: Aluminum
 Burner Material: Brass / Stainless Steel
 Ignition Type: 110V Electronic Ignition
 (110V Transformer Included)



110V ELECTRONIC IGNITION
 ANSI Z21.97-(2017) / CSA 2.41-(2017)

Includes: Pan, Burner, Electronic Valve,
 Pilot Igniter, 110V Transformer.