

**APPROVED**  
INDOOR/OUTDOOR USE



Landscape Pro™ Multi 56"

[modernflames.com](http://modernflames.com)

# LANDSCAPE PRO™ MULTI

The Most Versatile Electric Fireplace on the Market

- MULTI SIZES: 44" | 56" | 68" | 80" | 96" | 120"
- MULTI INSTALL DEPTHS: BUILT-IN CLEAN FACE - PARTIAL 2x4 RECESS - WALL MOUNT
- MULTI CONFIGURATIONS: SINGLE SIDED, LEFT CORNER, RIGHT CORNER & 3-SIDED (BAY)
- MULTI LIGHT CONTROL: FLAME COLOR, EMBER BED COLOR & DOWNLIGHTING COLOR
- MULTI LIGHT COLORS: FULL RGB COLOR SPECTRUM IN ALL LIGHTING FEATURES

*Up to 10 different install configurations\* included standard in the box!*

*\*Wall mount kits sold separately.*

*Choose a beautiful single sided installation or get creative and design the fireplace exactly how you want into the feature wall of your dreams.*



Landscape Pro™ Multi 44"



Landscape Pro™ Multi 44"

*New high intensity multi-color flame technology paired with matching up lighting and downlighting create the full customizable experience in the home.*

*Hundreds of different stunning color combinations to select from!*



## STANDARD FEATURES

### LIGHTING

- Higher Intensity Ember Bed Activity
- Improved Flames
- Higher Intensity Flame LEDs

### MEDIA

- Clear Acrylic Stone Media
- Black Smoke Acrylic Crystals
- Hand-Painted Canyon Driftwood
- New Log Design – Highly Detailed Realism

### HEAT

- Up To 10,000 BTU Heat Output
- High Efficiency PTC Ceramic Heater

### CONTROLS & FUNCTIONS

- Wi-Fi Connect to Fireplace (Alexa/Google home compatible)
- Basic Features Manual Controls
- Flame Speed (4 speed settings)
- Full Feature Remote Control
  - RGB Color Wheel
  - Brightness Slide Bar

## OPTIONAL UPGRADES

- Standard Single-Sided Trim included
- 5 Piece Trim Kit (sold separate)

### UPGRADED MEDIA

- ½" Reflective Fireglass – 10 lb. jars
  - 7 Color Options
- Wall Mount Cabinets

### OPTIONAL CONTROL

- Wireless Thermostat & Full Wall Control

# LIGHTING - INDEPENDENT COLOR CONTROL

Full Color Spectrum Lighting for Flames, Ember Bed & Downlighting



## MEDIA - **NEW** PREMIUM LOG DESIGN STANDARD



## HEAT - 5,000 - 10,000 BTU

120V & 240V High Efficiency Ceramic Heater - Indoor & Outdoor Approved



**FLAMES & LIGHTING**  
15 WATTS  
NO HEAT



**1500 WATT HEATER**  
120V 5,000 BTU  
UP TO 400 SQ FT



**3000 WATT HEATER**  
240V 10,000 BTU  
UP TO 800 SQ FT

## MODERN FLAMES

*Landscape Pro™ Multi Fireplaces are equipped with adjustable heaters controlled by remote or phone app. Wireless Wall Control has thermostat controls.*



## STANDARD CONTROLS

REMOTE CONTROL & MANUAL CONTROL



## MODERN FLAMES


FULL FEATURED  
Wi-Fi APP



## UPGRADE CONTROLS

WIRELESS WALL THERMOSTAT CONTROL

Sold separately.



PT# MF-PRO-V2-WTC




# MULTI INSTALLATIONS - MULTIPLE DIFFERENT CONFIGURATIONS

## MULTI INSTALL DEPTHS:

- BUILT-IN CLEAN FACE
- PARTIAL 2x6 RECESS
- WALL MOUNT\*

## MULTI CONFIGURATIONS:


- SINGLE SIDED
- LEFT CORNER
- RIGHT CORNER
- WALL MOUNT\*
- BUILT-IN RECESSED (2X4)
- FLOATING WALL CABINET
- 3-SIDED (BAY)
- FLOOR CABINET





\*Mantel & Accessories Sold Separately

| MODEL & CONFIGURATION |               | VIEWING AREA           |                       |                      | FIREBOX DIMENSIONS       |                     |                       |                        |                      |                      |
|-----------------------|---------------|------------------------|-----------------------|----------------------|--------------------------|---------------------|-----------------------|------------------------|----------------------|----------------------|
| MODEL #               | CONFIGURATION | A<br>FRONT GLASS WIDTH | B<br>SIDE GLASS WIDTH | C<br>GLASS HEIGHT    | D<br>OVERALL WIDTH       | E<br>OVERALL HEIGHT | F<br>OVERALL DEPTH    | G<br>BOTTOM TO VIEWING | H<br>TOP TO VIEWING  | I<br>BACK TO VIEWING |
| LPM-4416V2            | SINGLE SIDED  | 43.75"<br>(1111.25mm)  | -                     | 15.75"<br>(400.05mm) | 44.0625"<br>(1119.19mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 43.75"<br>(1111.25mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 44.0625"<br>(1119.19mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 43.75"<br>(1111.25mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 44.0625"<br>(1119.19mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
| LPM-5616V2            | SINGLE SIDED  | 55.75"<br>(1416.05mm)  | -                     | 15.75"<br>(400.05mm) | 56.0625"<br>(1423.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 55.75"<br>(1416.05mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 56.0625"<br>(1423.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 55.75"<br>(1416.05mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 56.0625"<br>(1423.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
| LPM-6816V2            | SINGLE SIDED  | 67.75"<br>(1720.85mm)  | -                     | 15.75"<br>(400.05mm) | 68.0625"<br>(1728.79mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 67.75"<br>(1720.85mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 68.0625"<br>(1728.79mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 67.75"<br>(1720.85mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 68.0625"<br>(1728.79mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
| LPM-8016V2            | SINGLE SIDED  | 79.75"<br>(2025.65mm)  | -                     | 15.75"<br>(400.05mm) | 80.0625"<br>(2031.59mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 79.75"<br>(2025.65mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 80.0625"<br>(2031.59mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 79.75"<br>(2025.65mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 80.0625"<br>(2031.59mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
| LPM-9616V2            | SINGLE SIDED  | 96.75"<br>(2457.45mm)  | -                     | 15.75"<br>(400.05mm) | 96.0625"<br>(2439.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 96.75"<br>(2457.45mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 96.0625"<br>(2439.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 96.75"<br>(2457.45mm)  | 5" (127mm)            | 15.75"<br>(400.05mm) | 96.0625"<br>(2439.99mm)  | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
| LPM-12016V2           | SINGLE SIDED  | 119.75"<br>(3041.65mm) | -                     | 15.75"<br>(400.05mm) | 120.0625"<br>(3049.59mm) | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | -                    |
|                       | CORNER (L/R)  | 119.75"<br>(3041.65mm) | 5" (127mm)            | 15.75"<br>(400.05mm) | 120.0625"<br>(3049.59mm) | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |
|                       | 3-SIDED (BAY) | 119.75"<br>(3041.65mm) | 5" (127mm)            | 15.75"<br>(400.05mm) | 120.0625"<br>(3049.59mm) | 25"<br>(635mm)      | 11.625"<br>(295.28mm) | 4.625"<br>(117.48mm)   | 4.625"<br>(117.48mm) | 4.125"<br>(104.78mm) |

Note Dimensions include screw heads on the exterior of the fireplace.



CORNER RIGHT/LEFT





 Hybrid-FX™  
FLAME TECHNOLOGY  
Landscape Pro 56"  
Install: Partially Recessed with mantels

# LANDSCAPE PRO™ MULTI STUDIO SUITES

Modern Flames Landscape Pro™ Multi Studio Suites are artfully crafted and American Made. These mantels are specifically designed for our Landscape Pro™ Multi for a wall mount application. Constructed with high detail woods the Studio Suites are available in a Driftwood Gray, Weathered Walnut, Coastal Sand or white paint grade ready for the DIY'er to finish it off themselves. For the wall mount applications simply attach the Landscape Pro™ Multi to the wall and then attach the Suites mounting brackets for the top and bottom pieces. The additional fireplace that is exposed from the wall will be finished off with the top and bottom and side wood furniture pieces. These Studio Suites are the perfect way to finish off this fully featured electric fireplace. *\*Mantels are sold separately from fireplace.*



Landscape Pro™ Multi 56"


# STUDIO SUITES - LANDSCAPE PRO™ MULTI

## Dimension Specs

### WALL MOUNT MANTEL DIMENSIONAL SPECS (Assembled)

| Part #              | Width | Height | Depth |
|---------------------|-------|--------|-------|
| WMC-44LPM-( #Color) | 58.5  | 28     | 14    |
| WMC-56LPM-( #Color) | 70.5  | 28     | 14    |
| WMC-68LPM-( #Color) | 82.5  | 28     | 14    |
| WMC-80LPM-( #Color) | 94.5  | 28     | 14    |

COLORS: COASTAL SAND (CS), WEATHERED WALNUT (WW), DRIFTWOOD GRAY (DG), READY TO PAINT (RTF)





 Hybrid-FX™  
FLAME TECHNOLOGY

Landscape Pro 56"  
Install: Partially Recessed  
with mantels