

TORCHES



THE OUTDOOR PLUS

USA MANUFACTURER OF FIRE & WATER PRODUCTS



FIRE TORCHES

All Torch Heads, TOP Torches and TopLite Torches are all hand made from stainless steel. They are compatible with either natural gas or liquid propane and operate at 20K BTU/hr. Torches are for outdoor use only and should not be used during rain. Available in match lit ignition options only.

2 Types of Bases & Mounting Options



TOP Torch Base


- » Mounts on 2½ hollow post
- » Built-in needle valve for precise flame adjustment.
- » 3/8" flared gas connection
- » 20K BTUs



TopLite Torch Base

- » Mounts on ½" NPT gas pipe
- » Speedy Installation
- » On/Off Valve
- » 20K BTUs

All of T.O.P's torches are made with 304 Stainless Steel. This protects them from the constant heating & cooling down which can break down other metals. Stainless Steel also prevents corrosion which can be caused by the natural elements.



Each torch has a brushed stainless steel finish

Torch Head Part Numbers

| STYLE | ORIGINAL TOP TORCHES | TOP-LITE TORCHES | DIAMETER | HEIGHT | STYLE | ORIGINAL TOP TORCHES | TOP-LITE TORCHES | DIAMETER | HEIGHT |
|----------|----------------------|------------------|----------|--------|-----------|----------------------|------------------|----------|--------|
| Ellipse | OPT-TT1M | OPT-TCH1SS | 3 ¾" | 14" | Honeycomb | OPT-TT14M | OPT-TCH14SS | 3 ¾" | 14" |
| Globe | OPT-TT2M | OPT-TCH2SS | 11" | 14" | Havana | OPT-TT15M | OPT-TCH15SS | 3 ¾" | 14" |
| Trojan | OPT-TT3M | OPT-TCH3SS | 8" | 14" | Woven | OPT-TT16M | OPT-TCH16SS | 3 ¾" | 14" |
| Vent | OPT-TT4M | OPT-TCH4SS | 3 ¾" | 14" | Coral | OPT-TT17M | OPT-TCH17SS | 3 ¾" | 14" |
| Hercules | OPT-TT5M | OPT-TCH5SS | 8" | 14" | Diamond | OPT-TT18M | OPT-TCH18SS | 3 ¾" | 14" |
| Lantern | OPT-TT6M | OPT-TCH6SS | 8" | 14" | Cubist | OPT-TT19M | OPT-TCH19SS | 3 ¾" | 14" |
| Roman | OPT-TT7M | OPT-TCH7SS | 8" | 14" | Hawi | OPT-TT20M | OPT-TCH20SS | 3 ¾" | 14" |
| Flower | OPT-TT8M | OPT-TCH8SS | 10" | 14" | Comet | OPT-TT21M | OPT-TCH21SS | 3 ¾" | 14" |
| Basket | OPT-TT9M | OPT-TCH9SS | 8" | 14" | Shotgun | OPT-TT22M | OPT-TCH22SS | 3 ¾" | 14" |
| Urn | OPT-TT10M | OPT-TCH10SS | 9" | 14" | Sunshine | OPT-TT23M | OPT-TCH23SS | 3 ¾" | 14" |
| Gothic | OPT-TT11M | OPT-TCH11SS | 9" | 14" | Cyclone | OPT-TT24M | OPT-TCH24SS | 3 ¾" | 14" |
| Spiral | OPT-TT12M | OPT-TCH12SS | 7" | 14" | Tiki | OPT-TT25M | OPT-TCH25SS | 3 ¾" | 14" |
| Tropical | OPT-TT13M | OPT-TCH13SS | 3 ¾" | 14" | | | | | |





Ellipse

Globe

Trojan

Vent

Hercules

Lantern



Roman

Flower

Basket

Urn

Gothic

Spiral



Tropical

Honeycomb

Havana

Woven

Coral

Diamond



Cubist

Hawi

Comet

Shotgun

Sunshine

Cyclone

Tiki

FIRE TORCH ACCESSORIES

TOP Torch & Post Complete Kit

The TOP Torch & Post Kit comes with all components needed to install and operate a single TOP Torch. With this kit, there is no need to order all components à la carte!

Liquid Propane Kits Include

- » Torch Head
- » In Ground Post
- » Anchoring Post
- » LP Regulator (8')
- » Deck Post

Natural Gas Kits Include

- » Torch Head
- » In Ground Post
- » Anchoring Post
- » SS Whistle Free Hose (1/2")
- » Deck Post



| STYLE | LIQUID PROPANE | NATURAL GAS |
|-----------|----------------|-------------|
| Ellipse | OPT-TPK1LP | OPT-TPK1NG |
| Globe | OPT-TPK2LP | OPT-TPK2NG |
| Trojan | OPT-TPK3LP | OPT-TPK3NG |
| Vent | OPT-TPK4LP | OPT-TPK4NG |
| Hercules | OPT-TPK5LP | OPT-TPK5NG |
| Lantern | OPT-TPK6LP | OPT-TPK6NG |
| Roman | OPT-TPK7LP | OPT-TPK7NG |
| Flower | OPT-TPK8LP | OPT-TPK8NG |
| Basket | OPT-TPK9LP | OPT-TPK9NG |
| Urn | OPT-TPK10LP | OPT-TPK10NG |
| Gothic | OPT-TPK11LP | OPT-TPK11NG |
| Spiral | OPT-TPK12LP | OPT-TPK12NG |
| Tropical | OPT-TPK13LP | OPT-TPK13NG |
| Honeycomb | OPT-TPK14LP | OPT-TPK14NG |
| Havana | OPT-TPK15LP | OPT-TPK15NG |
| Box Weave | OPT-TPK16LP | OPT-TPK16NG |
| Coral | OPT-TPK17LP | OPT-TPK17NG |
| Diamond | OPT-TPK18LP | OPT-TPK18NG |
| Cubist | OPT-TPK19LP | OPT-TPK19NG |
| Hawi | OPT-TPK20LP | OPT-TPK20NG |
| Comet | OPT-TPK21LP | OPT-TPK21NG |
| Shotgun | OPT-TPK22LP | OPT-TPK22NG |
| Sunshine | OPT-TPK23LP | OPT-TPK23NG |
| Cyclone | OPT-TPK24LP | OPT-TPK24NG |
| Tiki | OPT-TPK25LP | OPT-TPK25NG |

In-Ground Post

OPT-TTBP

- » **ONLY compatible with TOP Torches**
- » NOT compatible with TopLite Torches
- » Finish: Black Powder Coat
- » Diameter: 2 1/2"
- » Total Height: 80"
- » 16" Anchor Post
- » 68" Post



Access Hole

NG - Lets you install an in-line manual shut off valve

LP - Lets you run an LP regulator hose out and to the propane tank



Propane Tank Cover

OPT-LPCOVER

- » Black Canvas Cover.
- » For standard 20 lbs LP Tank



Deck Post Mount

OPT-TTDP

- » **Compatible with In-Ground Post only (Above)**
- » Designed to aid in mounting the post on any hard surface (wood, concrete, etc.)
- » Material: Steel
- » Finish: Black Powder Coat
- » Opening: 2 5/8"
- » Post sold separately



Top Torch Column Mount

OPT-TTCM

- » **ONLY compatible with TOP Torches**
- » NOT compatible with TopLite Torches
- » Material: Steel
- » Finish: Black Powder Coat
- » Length/Width: 8"
- » Height: 8"

Proudly Made In The USA



TopLite Torch Stand - Liquid Propane

OPT-TSTNDLP

- » Powder Coated Steel
- » Footprint: 18" x 18"
- » Torch to Torch Distance: 36"
- » Total Height: 78"
- » Gas Connection: 1/2"
- » Includes SS Whistle Free Hose

TopLite Torch Stand - Natural Gas

OPT-TSTNDNG

- » Powder Coated Steel
- » Footprint: 18" x 18"
- » Torch to Torch Distance: 36"
- » Total Height: 78"
- » Gas Connection: 1/2"
- » Includes LP Regulator