



PREMIUM TEAR-DOWN TABLE

(PTDT-1000)

HEAVY DUTY STEEL CONSTRUCTION

1,000 LBS. CAPACITY



INSTALLATION INSTRUCTIONS

CAUTION

BEFORE USE, PLEASE READ ALL SAFETY AND OPERATION INSTRUCTIONS TO PREVENT INJURY OR DAMAGES.

PRODUCT DESCRIPTION

The iDEAL PTDT-1000 is a Premium Tear-Down Table designed for a wide range of repair shop applications with a large 46.8" x 31.5" tabletop work area & max weight capacity of 1000 lbs. The Tear-Down Table also features an integrated Table Drain & Catch Basin along with a lockable Storage Drawer. The iDEAL Tear-Down Table is constructed with heavy duty 13 Gauge (.093+) Steel yet still easily maneuverable with 4" swivel poly casters, two being locking type to secure in place.

SPECIFICATIONS

Product Model	PTDT-1000
Support Capacity	1,000 lbs.
Overall Size	47+W x 32+L x 41+H
Work Top Area	46.8+W x 31.5+L
Storage Cabinet Size	19+W x 19+L x 5+H
Steel Thickness	2.38mm (.093+)
Fluid Basin Size	9"W x 15"L x 6"H
Fluid Basin Capacity	3 Gallons
Ship Weight	154 lbs. (3 pcs)

GENERAL SAFETY RULES



WARNING: The warnings, cautions, and instructions noted in this instruction manual cannot cover all possible conditions or situations that could occur. It must be understood by the operator that common sense and caution are factors which cannot be built into this product but must be supplied by the operator.

SAVE THESE INSTRUCTIONS

WORK AREA


- **Keep the work area clean**, free of clutter and well lit. Cluttered and dark work areas can cause accidents.
- **Keep children and bystanders** away while operating. Distractions can cause you to lose control or focus, thus visitors should remain at a safe distance from the work area.
- **Be aware of all power lines, electrical circuits**, water pipes and other mechanical hazards in your work area, particularly those hazards below the work surface hidden from the operator's view that may be unintentionally contacted and may cause personal harm or property damage.

PERSONAL SAFETY


- **Use safety apparel and equipment.** Use safety goggles or safety glasses with side shields to comply with current national standards, or when needed, a face shield. Use dust mask in dusty work conditions, which applies to all persons in the work area. Wear non-skid safety shoes, hardhat, gloves, dust collection systems and hearing protection when appropriate.
- **Do not overreach.** Always keep the proper footing and balance.
- **Secure your work** with clamps or vise instead of using your hands to hold work, when practical. (*This safety precaution allows for the proper tool operation using both hands.*)
- **Store idle tools.** When tools are not in use, store them in a dry, secure place out of the reach of children. Inspect your tools to ensure that they are in good working condition prior to storage and before re-use.
- **Use only accessories that are recommended** by the manufacturer for your model.
- **Keep guards in place** and in proper working order.
- **Use only on a flat, level surface.**

ASSEMBLY INSTRUCTIONS


1. Remove the **Fixed Mounts (A & B)** from the **Tabletop (2)**.




2. Remove the **Drawer** from the **Shell (4)**.




3. Attach the **Fixed Mounts (A & B)** to the **Drawer Shell (4)** with Bolts, and then carefully insert Drawer into the Shell.




4. Assemble the **Drawer (4)** with the **Fixed Mounts** to **Tabletop**.




5. Attach the **Two Leg Assemblies (1)** to the **Tabletop** & two **Terminals**. Then connect the **Support Rails (6 & 7)** with the bottom four holes on the legs, as shown below.



6. Carefully rotate the assembled **Table** with **Leg Assemblies (1)** and **Support Rails (6 & 7)** in the upright position.



EXPLODED VIEW



PARTS LIST

ITEM	TUX P/N	DESCRIPTION	QTY
1	PTDT-1000-001	SWIVEL CASTER	2
2	PTDT-1000-002	LEG ASSEMBLY	2
3	PTDT-1000-003	BOLT, M8 X 15MM	48
4	PTDT-1000-004	HEX NUT, M8	44
5	PTDT-1000-005	FLAT WASHER, M8	44
6	PTDT-1000-006	TDT PLATFORM TOP	1
7	PTDT-1000-007	STORAGE DRAWER FRAME	1
8	PTDT-1000-008	STORAGE DRAWER	1
9	PTDT-1000-009	PLASTIC CATCH BASIN	1
10	PTDT-1000-010	LOCKING, SWIVEL CASTER	2
11	PTDT-1000-011	(PTDT) PANEL BRACKETS	2
12	PTDT-1000-012	BOLT, M8 X 30MM	2
13	PTDT-1000-013	KEYS & LOCK SET	1

LIMITED WARRANTY

Structural Warranty:

The following parts and structural components carry a five-year warranty:

Columns	Arms	Uprights	Swivel Pins
Legs	Carriages	Overhead Beam	
Tracks	Cross Rails	Top Rail Beam	

Limited One-Year Warranty:

Tuxedo Distributors, LLC (iDEAL) offers a limited one-year warranty to the original purchaser of Lifts and Wheel Service equipment in the United States and Canada. Tuxedo will replace, without charge, any part found defective in materials or workmanship under normal use, for a period of one year after purchase. The purchaser is responsible for all shipping charges. This warranty does not apply to equipment that has been improperly installed or altered or that has not been operated or maintained according to specifications.

Other Limitations:

This warranty does not cover:

1. Parts needed for normal maintenance
2. Wear parts, including but not limited to cables, slider blocks, chains, rubber pads and pulleys
3. Replacement of lift and tire changer cylinders after the first 30 days. A seal kit and installation instructions will be sent for repairs thereafter.
4. On-site labor

Upon receipt, the customer must visually inspect the equipment for any potential freight damage before signing clear on the shipping receipt. Freight damage is not considered a warranty issue and therefore must be noted for any potential recovery with the shipping company.

The customer is required to notify Tuxedo of any missing parts within 72 hours. Timely notification must be received to be covered under warranty.

Tuxedo will replace any defective part under warranty at no charge as soon as such parts become available from the manufacturer. No guarantee is given as to the immediate availability of replacement parts.

Tuxedo reserves the right to make improvements and/or design changes to its lifts without any obligation to previously sold, assembled or fabricated equipment.

There is no other express warranty on the Tuxedo lifts and this warranty is exclusive of and in lieu of all other warranties, expressed or implied, including all warranties of merchantability and fitness for a particular purpose.

To the fullest extent allowed by law, Tuxedo shall not be liable for loss of use, cost of cover, lost profits, inconvenience, lost time, commercial loss or other incidental or consequential damages.

This Limited Warranty is granted to the original purchaser only and is not transferable or assignable.

Some states do not allow exclusion or limitation of consequential damages or how long an implied warranty lasts, so the above limitations and exclusions may not apply. This warranty gives you specific legal rights and you may have other rights, which may vary from state to state.

8320 E Hwy 67, Alvarado, TX 76009
Ph. 817-558-9337 / Fax 817-558-9740