

GYROFOCUS Bioethanol by IGNISIAL

Plunge into innovation with the Gyrofocus Bioethanol, a revolutionary suspended and rotating fireplace powered by a battery and controlled by a remote. Thanks to its electronic burner, this fireplace provides a smoke-free experience, eliminating the need for an external chimney, making it adaptable to various spaces.



Safety is a priority, with an electronic anti-overflow filling system, the impossibility of filling or reigniting when the fireplace is hot, and an integrated CO2 sensor.

The refined design replicates the aesthetics of a wood fire, with captivating flames, ceramic logs, and simulated embers.

The major advancement is the retrofit, allowing the conversion of older open wood Gyrofocus to bioethanol after a simple chimney sweep.

Made in France.

This document is the property of Atelier Dominique Imbert SAS. It is strictly reserved for the use of our partner-resellers to whom it is addressed. It contains privileged and confidential information. Any disclosure of this document to third parties is strictly prohibited without our prior written authorization, under penalty of damages and legal action for infringement.

- Characteristic


SPECIFICATIONS		
Use	Only indoor	
Recommended combustible	Bioethanol Aluflam (https://ignisial-paris.com/bio-ethanol-aluflam/) or Denatured Bioethanol with a concentration between 96% and 96.6%, free of colorants	
Tank capacity	10 liters	
Power	2 batteries 12V	
Battery autonomy	9 ignitions - 7 filling	
Remote control	2 buttons (ON - OFF)	
Decorative element	Ceramic logs	
Fireplace finition	Black/White	
Market	UE	
Guarantee	2 years (without accessories)	
Manufacturing	French	
SAFETY		
Ignition	Electronic	
Filling	Electronic Overflow Protection Pump	
CO2 sensor	Yes (Threshold of 1000 ppm)	
Refuelling and Ignition Not Possible when appliance is hot		
INSTALLATION		
	NOT CONNECTED	CONNECTED
Nominal heat output	7,5 kW	9,5 kW
Maximal autonomy	8h	6h30
Minimum room volume	150 m ³	N/A
Air renewal rate	1 air change per hour	N/A
Minimum ceiling height	2m50	N/A
PACKAGING		
Fireplace (L x l x h)	1380 x 1380 x 950 mm	
Fireplace Mass	180 kg	
Burner (L x l x h)	1200 x 1000 x 350 mm	
Burner mass	35 kg	

Find all installation information on your dedicated professional space by consulting the following link: <https://pro.focus-creation.com>


This document is the property of Atelier Dominique Imbert SAS. It is strictly reserved for the use of our partner-resellers to whom it is addressed. It contains privileged and confidential information. Any disclosure of this document to third parties is strictly prohibited without our prior written authorization, under penalty of damages and legal action for infringement.

- Installation configurations not connected to a chimney flue


- Ceiling height \leq 3000 mm :




- Ceiling height $>$ 3000 mm :





- Installation configurations connected to a chimney flue

 To ensure proper operation of the appliance and to benefit from the guarantee, it is **STRICTLY** forbidden to use position **0** as it could damage the burner. We recommend using only positions **1** and **2**. Position **3** may cause excessive draw, potentially disrupting the flame; therefore, we advise not using it.




- Retrofit: Convert an already installed open wood Gyrofocus into a Bioethanol Gyrofocus

 For fireplaces installed before May 2011, a feasibility study must first be validated by Focus' Technical Department.

 Before installing the burner in the fireplace, it is **IMPERATIVE** to:

- Sweep the chimney.
- Remove the fireplace grate.
- Remove the ashtray hatch.
- Replace the rotation device bearings with stainless steel bearings.

 To ensure proper operation of the appliance and to benefit from the guarantee, it is **STRICTLY** forbidden to use position **0** as it could damage the burner.

We recommend using only positions **1** and **2**.

Position **3** may cause excessive draw, potentially disrupting the flame; therefore, we advise not using it.

