

# Safety data sheet Tough PLA

Ultimaker

## 1. Identification of the substance/preparation and of the company

<b>1.1 Trade name</b>	Tough PLA
<b>1.2 Use of the product</b>	3D-printer filament
<b>1.3 Supplier</b>	Ultimaker B.V. Watermolenweg 2 4191 PN Geldermalsen The Netherlands
Emergency phone number	In case of toxicological emergency contact your doctor

## 2. Hazards identification according to regulation (EC) No 1272/2008 and GHS

<b>2.1 Classification of the substance or mixture</b>	No risk exists to the health of users if the product is handled and processed properly
<b>2.2 Label elements</b>	Not applicable
<b>2.3 Other hazards</b>	Not known

## 3. Composition/information on ingredients

<b>3.1 Composition</b>	Not applicable
<b>3.2 Mixture</b>	Polylactic acid Acrylic polymer

## 4. First aid measures

### 4.1 Description of first aid measures

General advice	If you feel unwell, seek medical advice (show the label where possible). Never give anything by mouth to an unconscious person
Inhalation	In case of inhalation of gases released from molten filament, move person into fresh air
Skin contact	Wash with soap and water. Seek medical attention if symptoms occur. If burned by contact with hot material, cool molten material adhering to skin as quickly as possible with water, do not try to peel it off. Seek for medical attention, if necessary, for removal and treatment of the burns
Eye contact	Any material that contacts the eye should be washed out immediately with water. If easy to do, remove contact lenses. Seek medical attention if symptoms persist. If molten material contacts the eye, immediately flush with plenty of water for at least 15 minutes. Seek medical attention immediately
Ingestion	Not probable. Seek medical advice in case ingestion occurs
Note to physician	Treat symptomatically
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	Burns should be treated as thermal burns. The material will come off as healing occurs; therefore immediate removal from skin is not necessary
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	No data available

## 5. Firefighting measures

<b>5.1 General advice</b>	Material can accumulate static charges which may cause an electrical spark (ignition source). Use proper bonding and/or grounding procedures
<b>5.2 Extinguishing media</b>	Foam, carbon dioxide (CO <sub>2</sub> ), water, dry chemical. Alcohol resistant foams are preferred  Unsuitable extinguishing media: not known
<b>5.3 Special hazards arising from the substance or mixture</b>	Burning produces obnoxious and toxic fumes: carbon oxides (CO <sub>x</sub> ) and aldehydes
<b>5.4 Advice for firefighters</b>	Use self-contained breathing apparatus and full protective clothing

## 6. Accidental release measures

<b>6.1 Personal precautions, protective equipment and emergency procedures</b>	Avoid breathing gases released from molten filament. Ensure adequate ventilation, especially in confined areas
<b>6.2 Environmental precautions</b>	No data available
<b>6.3 Methods and materials for containment and cleaning up</b>	Allow to solidify molten material. Dispose of waste and residue according to local regulations
<b>6.4 Reference to other sections</b>	-

## 7. Handling and storage

<b>7.1 Precautions for safe handling</b>	Avoid contact with molten material
<b>7.2 Conditions for safe storage, including any incompatibilities</b>	Product should be stored in a dry and cool place at temperatures between -20 to +30 °C. Avoid direct sunlight. Minimize moisture uptake by leaving it in a sealed package with desiccant
<b>7.3 Specific end use(s)</b>	Filament for 3D printing

## 8. Exposure controls/personal protection

<b>8.1 Control parameters</b>	None
DNEL:	No data available
PNEC:	No data available
<b>8.2 Exposure controls</b>	
Eye protection	Use safety glasses for prolonged staring at printing
Skin and body protection	Good practices suggest to minimize skin contact. When material is heated, wear gloves to protect against thermal burns
Respiratory protection	If engineering controls do not maintain airborne concentrations below recommended exposure limits (when applicable) or to an acceptable level (in countries where exposure limits have not been established) an approved respirator must be used. Respirator type: air-purifying respirator with an appropriate government approved (where applicable) air purifying filter, cartridge or canister. Contact a health and safety professional or manufacturer for specific information
Hand protection	Follow good industrial hygiene practices
Hygiene measures	Follow good industrial hygiene practices
Engineering measures	Good general ventilation (typically 3 air changes per hour) is recommended (standard office conditions). Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls that maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level

## 9. Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance	Filament
Color	Various
Odor	Odorless
Flash point	-
Ignition temperature	-
Thermal decomposition	-
Auto-ignition temperature	> 350 °C
Melting point/range	> 140 °C
Density	1.22 g/cm <sup>3</sup>
Water solubility	Negligible
Solubility in other solvents	-

### 9.2 Other information

-

## 10. Stability

Stable under recommended storage conditions

### 10.1 Reactivity

No data available

### 10.2 Chemical stability

Chemically stable

### 10.3 Possibility of hazardous reactions

No decomposition or hazardous reactions if stored and applied as directed

### 10.4 Conditions to avoid

Print temperatures above 230 °C (at standard printing speeds)

### 10.5 Incompatible materials

Oxidizing agents and strong bases

### 10.6 Hazardous decomposition products

See 5.2

## 11. Toxicological information

### **11.1 Information on toxicological effects**

Principal routes of exposure	Eye contact, skin contact, inhalation, ingestion
Acute toxicity	No data available
Skin corrosion/irritation	No data available
Serious eye damage/eye irritation	No data available
Respiratory or skin sensitization	No data available
Reproductive toxicity	No data available
Carcinogenicity	No data available

## 12. Ecological information

<b>12.1 Toxicity</b>	No data available
<b>12.2 Persistence and degradability</b>	No data available
<b>12.3 Bio accumulative potential</b>	The main resin is biodegradable
<b>12.4 Mobility in soil</b>	No data available
<b>12.5 Results of PBT and vPvB assessment</b>	No data available
<b>12.6 Other adverse effects</b>	No data available

## 13. Disposal considerations

<b>13.1 Waste treatment methods</b>	In accordance with local and national regulations
-------------------------------------	---

## 14. Transport information

ADR	No data available
RID	No data available
IATA	No data available
IMDG	No data available
Special precautions for user	-

## 15. Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### US Regulations:

Sara 313 title III	-
TSCA Inventory List	Listed
OSHA hazard category	-
CERCLA	-
WHMIS	-
State right-to-know requirements	-

#### Other Inventories:

Canada DSL Inventory List	-
REACH/EU EINECS	Listed. Not regulated as hazardous substances
EU/722/2012	Does not contain human/animal tissue
NEHAPS	-
Japan (ECL/MITI)	-
Australia (AICS)	-
Korean toxic substances control act (ECL)	-
Philippines inventory (PICCS)	-
Chinese chemical inventory (IECSC)	-
15.2 Chemical Safety Assessment	No data available

## 16. Other information

The information provided in this Safety Data Sheet (SDS) is based on current knowledge and experience. This information is provided without warranty. This information should help to make an independent determination of the methods to ensure proper and safe use and disposal of the filament

<b>Version</b>	Version 1.001
<b>Date</b>	15/05/2018