Boori

Universal

Sleigh 3 Tier Changer



IMPORTANT:

PLEASE READ THE INSTRUCTIONS CAREFULLY AND KEEP FOR FUTURE REFERENCE



IMPORTANT: THE ASSEMBLY OF THIS PRODUCT REQUIRES TWO PEOPLE READ ALL INSTRUCTIONS BEFORE ASSEMBLY AND USE OF THE PRODUCT.

Boori Australia Pty Ltd 18-20 Charles Street St. Marys Sydney NSW 2760 Australia Ph: 61 2 9833 3769 Fax: 61 2 9673 4240

www.boori.com.au

Boori (Europe) Ltd Unit 1, Transigo Gables Way Thatcham, Berkshire, RG19 4 JZ Ph: (44) 016 3529 5670

Fax: (44) 016 3587 7552

www.boori.co.uk

Halim & Boori Company 10F. Halim INT'L B/D, #1674-4, Seocho-Dong, Seocho-Gu, Seoul, Korea

Tel: +82-2-598-1470 Fax: +82-2-583-8885

E-mail: ted@boori.co.kr Postal code: 137-725.

ブーリジャパン(株)


〒541-0057

大阪府大阪市中央区北久宝寺町


4-2-10


Ph: 06-4963-3939 Fax: 06-4963-3900 E-mail: info@boori.co.jp


Instructions for Boori Universal Sleigh 3 Tier Changer (B-SLCH)




ASSEMBLY INSTRUCTIONS








ASSEMBLY INSTRUCTIONS



Note: RECOMMENDED CHANGING PAD SIZE 800mm X 480mm X 25mm. This Sleigh Changer has been manufactured for use with a pad which measures 480mm wide by 800mm long and a maximum thickness of 25mm.



Ver 2.0