





The MP3020 was developed out of the great FARO experience, a lamp with a very wide lighted field and with the same excellence characteristics that characterise all FARO TECH LED range lamps.

MP3020 is a powerful technology scialytic lamp with an **advanced LED technology**, designed specifically for different uses, in particular in the following sectors: **cosmetic, veterinary, medical, podological**.

#### FIELD UNIFORMITY

Thanks to the exclusive **reflected light optical project**, through the 258 small reflecting facets of the two parables, the MP3020 **avoids direct vision of the 2 LED from the light source**.

The lamp, at a distance of 1 meter, achieves a uniform lighted field of  $300 \times 200$  mm.









## TECHNOLOGY AND DESIGN

### THE LED TECHNOLOGY

(LIGHT EMITTING DIODE)

LED technology is present and future lighting, low maintenance cost, high energy efficiency up to 50.000 hours of use.

LUX	From 3.000 to 35.000
SCIALYTIC EFFECT	Ellipse of only 9x6 mm

# PROGRESSIVE ADJUSTMENT OF LIGHTING

The new **electronic lighting control**, activated via joystick or sensor, **adjusts the light** from maximum to minimum power continuously, **maintaining constant colour temperature**.

### **3D ROTATION**

Perfect balancing, combined with the exclusive 3D rotation system of the head on its optical axis, ensures optimal precision for light beam orientation, reducing the risk of glare to a minimum.

### **INSTALLATION**

Thanks to a wide range of accessories MP3020 is available for WALL, CEILING and FLOOR applications.



LED TECH TECHNOLOGY



THE PROGRESSIVE
ILLUMINANCE
ADJUSTING



HANDLES
REMOVABLE AND
AUTOCLAVABLE



**3D ROTATION** 



### TECHNICAL FEATURES

TECHNICAL SPECIFICATIONS*	MP3020
POWER SUPPLY	24 Vac - 50/60Hz - 24Vdc
ABSORBED POWER	Max 9 VA
LUX	From 3.000 to 35.000 (from the distance of 1 m)
LIGHT SPOT DIMENSION	300 x 200 mm (at 1 m of distance)
COOLING SYSTEM	Static heat sink (no fan required)

Medical Device - class 1

Limited Warranty. Check the general conditions of sale and user manual.

\*(The above specifications are typical values subject to tolerance)





INFO LINE:



FARO S.p.A.

Via Faro, 15 - 20876 Ornago (MB) Italy Tel. +39 039.68781 www.faro.it export@faro.it **FARO FRANCE** 

Avenue de l'Europe - 71 210 ECUISSES France Tel. +33 385.779680 www.farofrance.com farofrance@farofrance.com FARO DEUTSCHLAND GMBH

Gewerbepark Heideckhof Heideckstr. 179 D-47805 Krefeld - Germany Tel. +49 2151.936921 www.farodeutschland.de info@farodeutschland.de