PHYTOVISTA LABORATORIES

Stubbs Lane, Beckington, Frome, BA11 6TE, UK Tel: +441373470418 Email: info@phytovistalabs.com Web: www.phytovistalabs.com

CERTIFICATE OF ANALYSIS

Reported Date: 30/12/2021 No. C-AR02672-36-1

Sample Information Description: Bath Bomb Orange 10mg	Sample Condition: CONFORMS				
PV ID: AR02672-36	Test method: PVSOP-47	Received date: 16-Dec-2021			
Batch no: 32721/2	Storage Condition: AMBIENT	Test started date: 16-Dec-2021			
Customer Information Name: The Believe Club Address: 19 Lombard Street, Porthmadog, LL49 9AP					
Method Information Cannabinoid Content by HPLC-DAD					

Results apply to sample as received

Analyte	Units	Result	Limit Of Quantification (LOQ)
Cannabidivarinic Acid (CBDVA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabidivarin (CBDV)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabidiolic Acid (CBDA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabigerolic Acid (CBGA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabigerol (CBG)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabidiol (CBD)	mg/kg	692.9	10.0
Tetrahydrocannabivarin (THCV)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Tetrahydrocannabivarinic Acid (THCVA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabinol (CBN)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Δ9-Tetrahydrocannabinol (Δ9-THC)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Δ8-Tetrahydrocannabinol (Δ8-THC)	mg/kg	<loq< th=""><th>14.3</th></loq<>	14.3
Cannabicyclol (CBL)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabichromene (CBC)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Tetrahydrocannabinolic Acid (THCA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0
Cannabichromenic Acid (CBCA)	mg/kg	<loq< th=""><th>10.0</th></loq<>	10.0

Additional Information:

Reviewed By:

 \frown Nick Clarkson Chief Scientific Officer

Opinions and interpretations are outside of the scope of any accreditation. By placing the order for services with PhytoVista Laboratories, terms and conditions are deemed to be accepted by the submitter. Report shall not be reproduced, except in full, without the approval of the testing laboratory.