Page 1 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

### Section 1. Identification of the substance or the mixture and of the supplier

#### 1.1 Product Identifier

Product identifier: PURE SANDALWOOD FRAGRANCE (Contains:4-TERT-BUTYLCYCLOHEXYL

ACETATE, CITRONELLOL, GERANIOL, TETRAMETHYL

ACETYLOCTAHYDRONAPHTHALENES)

Other identifiers: None

### 1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

### 1.3 Details of the supplier of the safety data sheet

Company name: Craftastik Limited

Company address: Unit 11

Swift Business Park

Creek Way Rainham

Contact: RM13 8LE - United Kingdom

E-Mail address: info@craftastik.co.uk +44 (0) 203 305 6486

### 1.4 Emergency telephone number

**Emergency phone:** Outside Office Hours: +44 (0) 203 305 6486

### Section 2. Hazards identification

### 2.1 Classification of the substance or mixture

### Classification under Regulation (EC) No 1272/2008

**Class and category of** Skin Corrosion / Irritation Category 2 danger: Eye Damage / Irritation Category 1

Sensitization - Skin Category 1

Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H315, Causes skin irritation.

H317, May cause an allergic skin reaction. H318, Causes serious eye damage.

H411, Toxic to aquatic life with long lasting effects.

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

#### 2.2 Label elements

Classification under Regulation (EC) No 1272/2008

Signal word: Danger

Hazard statements: H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains ALPHA-ISOMETHYL IONONE, COUMARIN, EUGENOL, GERANYL ACETATE, LIMONENE, LINALOOL, LINALYL ACETATE, NEROL, NERYL ACETATE. May

produce an allergic reaction.

Precautionary statements:

P261, Avoid breathing vapour or dust.

P264, Wash hands and other contacted skin thoroughly after handling.

P272, Contaminated work clothing should not be allowed out of the workplace.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection. P302/352, IF ON SKIN: Wash with plenty of soap and water.

P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P310, İmmediately call a POISON CENTER or doctor/physician.

P333/313, If skin irritation or rash occurs: Get medical advice/attention.

P362, Take off contaminated clothing and wash before reuse.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.





### 2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

ALPHA-ISOMETHYL IONONE, COUMARIN, EUGENOL, GERANYL ACETATE, LIMONENE, LINALOOL, LINALYL

ACETATE, NEROL, NERYL ACETATE

Hydrocarbon Concentration %: 2.240%

Page 3 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

PURE SANDALWOOD FRAGRANCE **Product:** 

11 Version:

### Section 3. Composition / information on ingredients

### 3.2 Mixtures

### **Contains:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
4-TERT- BUTYLCYCLOHEXYL ACETATE	32210-23-4	250-954-9	01-2119976286-24-xxxx	20-<50%	SS 1B;H317,-	oral: ATE = 3370 mg/kg bw
ETHYL TRIMETHYLCYCLOPE NTENE BUTENOL	106185-75-5, 28219-61-6	701-122-3, 248-908-8	01-2119529224-45-xxxx	10-<20%	EDI 2-EH C2;H319- H411,-	
TETRAMETHYL ACETYLOCTAHYDRON APHTHALENES	54464-57-2, 54464-59-4, 68155-66-8, 68155-67-9	259-174-3, 259-175-9, 268-978-3, 268-979-9, 915-730-3	01-2119489989-04-xxxx	5-<10%	SCI 2-SS 1B-EH C2; H315-H317-H411,-	
CITRONELLOL	106-22-9, 1117-61-9, 26489-01-0, 6812-78-8, 141-25-3, 7540-51-4	203-375-0, 214-250-5, 247-737-6, 229-887-4, 205-473-9, 231-415-7	01-2119453995-23-xxxx	5-<10%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	dermal: ATE = 2650 mg/kg bw-oral: ATE = 3450 mg/kg bw
BENZYL BENZOATE	120-51-4	204-402-9		1-<5%	ATO 4-EH A1-EH C2; H302-H400-H411,-	oral: ATE = 1160 mg/kg bw
ALPHA-ISOMETHYL IONONE	127-51-5	204-846-3		1-<5%	SS 1B-EH C2;H317- H411,-	
GERANIOL	106-24-1	203-377-1	01-2119552430-49-xxxx	1-<5%	SCI 2-EDI 1-SS 1; H315-H317-H318,-	oral: ATE = 3600 mg/kg bw
EUGENOL	97-53-0	202-589-1		1-<5%	EDI 2-SS 1B;H317- H319,-	oral: ATE = 2500 mg/kg bw
METHYL BETA- NAPHTHYL ETHER	93-04-9	202-213-6		1-<5%	EH C2;H411,-	
LINALOOL	78-70-6	201-134-4	01-2119474016-42-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 2790 mg/kg bw
LINALYL ACETATE	115-95-7	204-116-4	01-2119454789-19-xxxx	1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	
COUMARIN	91-64-5	202-086-7		1-<5%	ATO 4-SS 1B-EH C3; H302-H317-H412,-	oral: ATE = 500 mg/kg bw
NEROL	106-25-2	203-378-7		1-<5%	SCI 2-EDI 2-SS 1B; H315-H317-H319,-	oral: ATE = 4500 mg/kg bw
1,3,4,6,7,8- HEXAHYDRO- 4,6,6,7,8,8- HEXAMETHYLINDENO [5,6-C]PYRAN	1222-05-5	214-946-9	01-2119488227-29-xxxx	1-<5%	EH A1-EH C1;H410,-	
DIHYDROCITRONELLO L	106-21-8	203-374-5	01-2119955073-40-xxxx	1-<5%	SCI 2-EDI 2-EH C2; H315-H319-H411,-	dermal: ATE = 2400 mg/kg bw
METHYL ALPHA- IONONE ISOMERS	1335-46-2	215-635-0		1-<5%	SCI 2-EH C2;H315- H411,-	
LIMONENE	5989-27-5	227-813-5		0.1-<1%	FL 3-SCI 2-SS 1B-AH 1-EH A1-EH C3;H226- H304-H315-H317- H400-H412,-	
GERANYL ACETATE	105-87-3	203-341-5	01-2119973480-35-xxxx	0.1-<1%	SCI 2-SS 1B-EH C3; H315-H317-H412,-	
2-METHYL-4-(2,2,3- TRIMETHYLCYCLOPE NT-3-EN-1-YL)PENT-4- EN-1-OL	104864-90-6	435-750-1		0.1-<1%	SCI 2-EDI 1-EH A1-EH C1;H315-H318-H410,-	

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

TETRAHYDRO-4- METHYL-2-(2- METHYLPROP-1- ENYL)PYRAN	16409-43-1	240-457-5	10 1-<1%	,	oral: ATE = 4300 mg/kg bw
NERYL ACETATE	141-12-8	205-459-2	0.1-<1%	SS 1B;H317,-	
ALPHA-CEDRENE	469-61-4	207-418-4	<0.1%	SCI 2-AH 1-EH A1-EH C1;H304-H315-H410,-	M = 10-M = 10

### **Substances with Community workplace exposure limits:**

Name	CAS	EC	REACH Registration No.	%	Classification for (CLP) 1272/2008	Specific Conc. Limits, M-factors and ATEs
DIETHYL PHTHALATE	84-66-2	201-550-6	01-2119486682-27-xxxx	0.1-<1%	-;-,-	

Substances that are endocrine disruptors according to Regulation (EU) 2017/2100 or Regulation (EU) 2018/605, greater than 0.1%:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

### 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

Eye exposure: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** IF ON SKIN: Wash with plenty of soap and water. **Ingestion:** Rinse mouth with water and obtain medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

Causes skin irritation.

May cause an allergic skin reaction.

Causes serious eye damage.

### 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

### **Section 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

Page 5 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

### 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

#### 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.

#### Section 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

#### 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

#### Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Keep away from heat, sparks, open flames and hot surfaces. - No smoking. Use personal protective equipment as required. Use in accordance with good manufacturing and industrial hygiene practices. Use in areas with adequate ventilation Do not eat, drink or smoke when using this product.

### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

#### 8.1 Control parameters

Workplace exposure limits:

Page 6 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### SAFETY DATA SHEET

In accordance with REACH Regulation EC No.1907/2006

PURE SANDALWOOD FRAGRANCE **Product:** 

11 Version:

Ingredient	CAS	EC	Description	Value
DIETHYL PHTHALATE	84-66-2		UK Long-term exposure limit (8-hour TWA) (mg/m3)	5 mg/m³
DIEINIL FRIRALATE	04-00-2		UK Short-term exposure limit (15-minute) (mg/m3)	10 mg/m³

#### 8.2 Exposure Controls

#### **Eye / Skin Protection**

Wear protective gloves/eye protection/face protection

### **Respiratory Protection**

Ensure adequate and ongoing ventilation is maintained in order to prevent build up of excessive vapour and to ensure occupational exposure limits are adhered to. If appropriate, and depending on your patterns and volumes of use, the following engineering controls may be required as additional protective measures: a) Isolate mixing rooms and other areas where this material is used or openly handled. Maintain these areas under negative air pressure relative to the rest of the plant. b) Employ the use of Personal protective equipment - an approved, properly fitted respirator with organic vapour cartridges or canisters and particulate filters. c) Use local exhaust ventilation around open tanks and other open sources of potential exposures in order to avoid excessive inhalation, including places where this material is openly weighed or measured. In addition, use general dilution ventilation of the work area to eliminate or reduce possible worker exposures. d) Use closed systems for transferring and processing this material.

Also refer to Sections 2 and 7.

### Section 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

**Physical State/Colour:** Clear pale yellow to yellow liquid

Odour: Not determined Odour threshold: Not determined Melting point / freezing point: Not determined Boiling point or initial boiling point and boiling Not determined

range:

Flammability: Not determined Lower and upper explosion limit: Not determined

> 100 °C Flash point:

**Auto-ignition temperature:** Not determined **Decomposition temperature:** Not relevant pH: Not determined Kinematic viscosity: Not determined Solubility: Not determined Partition coefficient: n-octanol/water (log Not determined

value):

Vapour pressure:

0.03215762 mmHg

Density and/or relative density: 0.9470

Page 7 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

Relative vapour density: Not determined Particle characteristics: Not determined

**9.2 Other information:** None available

### Section 10. Stability and reactivity

#### 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

### 10.2 Chemical stability:

Good stability under normal storage conditions.

#### 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

#### 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.

### 10.6 Hazardous decomposition products:

Not expected.

### Section 11. Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in Regulation (EC) No 1272/2008 (CLP).

**Acute Toxicity:**Based on available data the classification criteria are not met.

Acute Toxicity Oral 4581
Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

Skin corrosion/irritation:Skin Corrosion / Irritation Category 2Serious eye damage/irritation:Eye Damage / Irritation Category 1Respiratory or skin sensitisation:Sensitization - Skin Category 1

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Reproductive toxicity:

Based on available data the classification criteria are not met.

STOT-single exposure:

Based on available data the classification criteria are not met.

STOT-repeated exposure:

Based on available data the classification criteria are not met.

Aspiration hazard:

Based on available data the classification criteria are not met.

### Information about hazardous ingredients in the mixture

Page 8 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
BENZYL BENZOATE	120-51-4	204-402-9	1160	Not available	INot available	Not available
COUMARIN	91-64-5	202-086-7	500	Not available	INIOT AVAIIANIA	Not available

Refer to Sections 2 and 3 for additional information.

### 11.2 Information on other hazards

Not Applicable

### Section 12. Ecological information

#### 12.1 Toxicity:

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of REACH, annex XIII.

**12.6 Endocrine disrupting properties:** Not Applicable **12.7 Other adverse effects:** Not available

### Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

### **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, ETHYL TRIMETHYLCYCLOPENTENE BUTENOL)	9	-	III

Page 9 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

### **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, ETHYL TRIMETHYLCYCLOPENTENE BUTENOL) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, ETHYL TRIMETHYLCYCLOPENTENE BUTENOL)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (1,3,4,6,7,8-HEXAHYDRO-4,6,6,7,8,8- HEXAMETHYLINDENO[5,6-C]PYRAN, ETHYL TRIMETHYLCYCLOPENTENE BUTENOL)	9	-	III

**14.5 Environmental hazards:** This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

### Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

### **Section 16. Other information**

**Concentration % Limits:** SCI 2=37.36% EDI 1=95.13% EDI 2=15.25% SS 1=3.19% EH C2=43.05%

EH C3=4.29% EH C4=59.11% EDI 2A=14.89%

**Total Fractional Values:** SCI 2=2.68 EDI 1=1.05 EDI 2=6.56 SS 1=31.30 EH C2=2.32 EH C3=23.31

EH C4=1.69 EDI 2A=6.71

Key to revisions:

SECTION 3: Composition/information on ingredients

### Key to abbreviations:

Abbreviation	Meaning
AH 1	Aspiration Hazard Category 1
ATO 4	Acute Toxicity - Oral Category 4
EDI 1	Eye Damage / Irritation Category 1

Issue date: 30/01/2024

Version: 11 (06/08/2023)

# **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

Product: PURE SANDALWOOD FRAGRANCE

Version: 11

EDI 2	Eye Damage / Irritation Category 2
EH A1	Hazardous to the Aquatic Environment - Acute Hazard Category 1
EH C1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1
EH C2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2
EH C3	Hazardous to the Aquatic Environment - Long-term Hazard Category 3
FL 3	Flammable Liquid, Hazard Category 3
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
P202	Do not handle until all safety precautions have been read and understood.
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.
P233	Keep container tightly closed.
P240	Ground/bond container and receiving equipment.
P241	Use explosion-proof electrical, ventilating and lighting equipment.
P242	Use only non-sparking tools.
P243	Take precautionary measures against static discharge.
P261	Avoid breathing vapour or dust.
P264	Wash hands and other contacted skin thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/eye protection/face protection.
P301/310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.
P302/352	IF ON SKIN: Wash with plenty of soap and water.
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308/313	IF exposed or concerned: Get medical advice/attention.
P310	Immediately call a POISON CENTER or doctor/physician.
P330	Rinse mouth.
P331	Do not induce vomiting.
P332/313	If skin irritation occurs: Get medical advice/attention.

Page 11 (11)

Issue date: 30/01/2024

Version: 11 (06/08/2023)

## **SAFETY DATA SHEET**

In accordance with REACH Regulation EC No.1907/2006

**Product:** PURE SANDALWOOD FRAGRANCE 11

Version:

P333/313	If skin irritation or rash occurs: Get medical advice/attention.
P337/313	If eye irritation persists: Get medical advice/attention.
P362	Take off contaminated clothing and wash before reuse.
P363	Wash contaminated clothing before reuse.
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.
P391	Collect spillage.
P403/235	Store in a well-ventilated place. Keep cool.
P405	Store locked up.
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.
REP 2	Toxic to Reproduction Category 2
SCI 2	Skin Corrosion / Irritation Category 2
SS 1	Sensitization - Skin Category 1
SS 1B	Sensitization - Skin Category 1B

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.