Revision Date 15.09.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

- Trade name AUGEO CLEAN MULTI

- CAS-No. 100-79-8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Uses of the Substance/Mixture

- Cleaning agent
- Waxes
- Stain removers and waxes removers
- Glass cleaner
- diluent and vehicle for fragrances

1.3 Details of the supplier of the safety data sheet

Company

Rhodia Poliamida e Especialidades Ltda Av. Maria Coelho Aguiar, 215 Bloco B, 1° Andar - São Paulo - SP CEP: 058404-902

Tel: (+55 11) 3741 - 7505

E-mail address

manager.sds@solvay.com

1.4 Emergency telephone number

Mercosul: (+55 19) 3874 9333, . +44(0)1235 239 670 [CareChem 24] (+55 19) 3874 7733

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (Regulation (EC) No 1272/2008)

Eye irritation, Category 2

H319: Causes serious eye irritation.

2.2 Label elements

Regulation (EC) No 1272/2008

Hazardous products which must be listed on the label

• CAS-No. 100-79-8

2,2-dimethyl-1,3-dioxolan-4-ylmethanol

Pictogram



Signal word

- Warning

Hazard statements

- H319

Causes serious eye irritation.

Precautionary statements

<u>Prevention</u>

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

- P264 Wash skin thoroughly after handling.

- P280 Wear protective gloves/ eye protection/ face protection.

Response

- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

- P337 + P313 If eye irritation persists: Get medical advice/ attention.

2.3 Other hazards which do not result in classification

None known.

SECTION 3: Composition/information on ingredients

3.1 Substance

Information on Components and Impurities

Chemical Name	Identification number	Classification Regulation (EC) No 1272/2008	Concentration [%]
2,2-dimethyl-1,3-dioxolan-4-ylmethanol	CAS-No. : 100-79-8	Eye irritation, Category 2; H319	>= 99 - <= 100
	EINECS-No. : 202-888-7		
	Registration number: 01-2120066005-66-0000		
	self classification		

For the full text of the H-Statements mentioned in this Section, see Section 16.

3.2 Mixture

- Not applicable, this product is a substance.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

- Show this safety data sheet to the doctor in attendance.
- First aider needs to protect himself.
- Place affected clothing in a sealed bag for subsequent decontamination.

In case of inhalation

- Move to fresh air.
- Keep at rest.
- Consult a physician if necessary.

In case of skin contact

- Take off contaminated clothing and shoes immediately.
- Wash off with soap and plenty of water.
- If skin irritation occurs, seek medical advice/attention.

In case of eye contact

- Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If eye irritation persists, consult a physician

In case of ingestion

- Do NOT induce vomiting.

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

- Rinse mouth with water.
- Do not give anything to drink.
- Consult a physician if necessary.

4.2 Most important symptoms and effects, both acute and delayed

Effects

 Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician

- Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

- Foam
- Dry powder
- Water mist
- Carbon dioxide (CO2)
- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable extinguishing media

- High volume water jet

5.2 Special hazards arising from the substance or mixture

- Combustible liquid.
- Heating increases the inner pressure of the bottle, risk of explosion.

5.3 Advice for firefighters

Special protective equipment for firefighters

- Personal protective equipment comprising: suitable protective gloves, safety goggles and protective clothing
- Wear self-contained breathing apparatus for firefighting if necessary.

Further information

- Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
- Cool containers/tanks with water spray.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- Keep away from flames and sparks.
- Store away from heat.
- Evacuate personnel to safe areas.
- Avoid contact with the skin and the eyes.
- Use personal protective equipment.
- For personal protection see section 8.
- Stop the leak. Turn leaking containers leak-side up to prevent the escape of liquid.
- Remove all incompatible materials as quickly as possible
- Mark the contaminated area with signs and prevent access to unauthorized personnel.

6.2 Environmental precautions

- Dam up.

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

- Prevent product from entering sewage system.
- Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Recovery

- Collect spillage.
- Pick up and transfer to properly labelled containers.
- Keep in suitable, closed containers for disposal.

Neutralization

- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Decontamination/cleaning

- Pick up contaminated soil.
- Clean contaminated floors and objects thoroughly while observing environmental regulations.
- Pick up and transfer to properly labelled containers.
- Keep in suitable, closed containers for disposal.
- Contain spillage, soak up with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and transfer to a container for disposal according to local / national regulations (see section 13).

Disposal

- Dispose of contents/ container to an approved waste disposal plant.
- The product should not be allowed to enter drains, water courses or the soil.
- Dispose of in accordance with local regulations.

Additional advice

Remove all incompatible materials as quickly as possible

6.4 Reference to other sections

- no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Provide adequate ventilation.
- Handle in accordance with good industrial hygiene and safety practice.
- Wear personal protective equipment.
- Avoid inhalation, ingestion and contact with skin and eyes.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures/Storage conditions

- The floor of the depot should be impermeable and designed to form a water-tight basin.
- Keep only in the original container.
- Keep away from heat and sources of ignition.
- Keep in a dry, cool and well-ventilated place.

Packaging material

Suitable material

- Unlined steel

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

- Plastic container of HDPE

Requirements for storage rooms and vessels

- Protect from frost, heat and sunlight.

7.3 Specific end use(s)

- no data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

- Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Individual protection measures

Respiratory protection

- Use a respirator with an approved filter if a risk assessment indicates this is necessary.

Hand protection

- Where there is a risk of contact with hands, use appropriate gloves
- Gloves must be inspected prior to use.
- Gloves should be discarded and replaced if there is any indication of degradation or chemical breakthrough.

Eye protection

- Tightly fitting safety goggles

Skin and body protection

- Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Remove and wash contaminated clothing.

Hygiene measures

- Ensure that eyewash stations and safety showers are close to the workstation location.
- Use clean, well-maintained personal protection equipment.
- Wash hands before breaks and at the end of workday.
- When using do not eat, drink or smoke.

Protective measures

- Selection of appropriate personal protective equipment should be based on an evaluation of the performance characteristics of the protective equipment relative to the task(s) to be performed, conditions present, duration of use, and the potential hazards and/or risks that may occur during use.
- The protective equipment must be selected in accordance with current local standards and in cooperation with the supplier of the protective equipment.

Environmental exposure controls

- Dam up.
- Prevent product from entering sewage system.
- Try to prevent the material from entering drains or water courses.
- Local authorities should be advised if significant spillages cannot be contained.

PRCO90063327

Version: 6.00 / GB (EN)

SOLVAY

Revision Date 15.09.2015

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

<u>Appearance</u> <u>Form</u>: liquid

<u>Physical state:</u> liquid <u>Colour</u>: colourless

<u>Odour</u> slight

Odour Threshold no data available

pH Not applicable

Freezing point -70 °C

Boiling point/boiling range 191 °C (1,013.25 hPa)

Flash point 91 °C closed cup

100 °C open cup

Evaporation rate (Butylacetate = 1) 0.03

Flammability (solid, gas) no data available

Flammability (liquids) no data available

Flammability/Explosive limit no data available

<u>Auto-ignition temperature</u> no data available

Vapour pressure 0.05 hPa (20 °C)

Vapour density 2.6

<u>Density</u>: 1.069 (20 °C)

<u>Solubility</u> Water solubility:

(20 °C)

completely soluble

Solubility in other solvents:

Alcohol : miscible

Esters : miscible

Ether : miscible

Aromatic hydrocarbons : miscible

petroleum ether. : miscible

petrol: miscible

<u>Partition coefficient: n-octanol/water</u> no data available

Thermal decomposition no data available

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

<u>Viscosity, dynamic</u>: 11 mPa.s (20 °C)

Explosive properties no data available

Oxidizing properties no data available

9.2 Other information

Surface tension 33.5 mN/m (20 °C)

Molecular weight 132.16 g/mol

SECTION 10: Stability and reactivity

10.1 Reactivity

- Not classified as a reactivity hazard.

10.2 Chemical stability

- Stable at room temperature.
- Stable under normal conditions.

10.3 Possibility of hazardous reactions

- Vapours may form explosive mixture with air.

10.4 Conditions to avoid

- Heat, flames and sparks.

10.5 Incompatible materials

- Strong oxidizing agents
- Strong acids

10.6 Hazardous decomposition products

- On combustion or on thermal decomposition (pyrolysis) releases:
- (Carbon oxides (CO + CO2)).
- Acetic acid
- Ethanol

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Acute oral toxicity LD50: 7,000 mg/kg - Rat

Acute inhalation toxicity no data available

Acute dermal toxicity

 $\hbox{2,2-dimethyl-1,3-dioxolan-4-ylmethanol} \quad \hbox{LD50}: \hbox{2,000 mg/kg} \ \hbox{-Rat} \, , \, \hbox{male and female}$

Method: OECD Test Guideline 402

Not classified as hazardous for acute dermal toxicity according to GHS.

Unpublished internal reports

Acute toxicity (other routes of

administration)

LD50: 3,000 mg/kg - Rat

Intraperitoneal route

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

Skin corrosion/irritation No skin irritation

Method: OECD Test Guideline 404 Unpublished internal reports

<u>Serious eye damage/eye irritation</u> Irritating to eyes.

Method: OECD Test Guideline 405 Unpublished internal reports

Respiratory or skin sensitisation Did not cause sensitization on laboratory animals.

Method: OECD Test Guideline 406 Unpublished internal reports

Mutagenicity

Genotoxicity in vitro Mutagenicity (Salmonella typhimurium - reverse mutation assay)

negative

Unpublished internal reports

Genotoxicity in vivo Mutagenicity (micronucleus test)negative

Unpublished internal reports

<u>Carcinogenicity</u> no data available

Toxicity for reproduction and development

Toxicity to reproduction/Fertility

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Reproduction/developmental toxicity screening test - Rat , male and female

Oral

NOAEL parent: 1,000 mg/kg Method: OECD Test Guideline 422

The product is not considered to affect fertility.

Unpublished internal reports

Developmental Toxicity/Teratogenicity no data available

STOT

STOT - single exposure

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Exposure routes: Ingestion, Skin contact

The substance or mixture is not classified as specific target organ toxicant, single

exposure according to GHS criteria.

internal evaluation

STOT - repeated exposure

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Exposure routes: Ingestion

The substance or mixture is not classified as specific target organ toxicant,

repeated exposure according to GHS criteria.

internal evaluation

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Oral - Rat , male and female

NOAEL: 1000 mg/kg

Method: OECD Test Guideline 422

Not considered to cause serious damage to health on repeated exposure

Gavage

Unpublished internal reports

PRCO90063327

Version: 6.00 / GB (EN)





Revision Date 15.09.2015

Aspiration toxicity

no data available

SECTION 12: Ecological information

12.1 Toxicity

Aquatic Compartment

Acute toxicity to fish LC50 - 96 h: 16,700 mg/l - Pimephales promelas (fathead minnow)

Acute toxicity to daphnia and other

aquatic invertebrates.

LC50 - 24 h: > 1,000 mg/l - Daphnia similis (water flea)

LC50 - 48 h: > 1,000 mg/l - Daphnia similis (water flea)

Toxicity to aquatic plants

2,2-dimethyl-1,3-dioxolan-4-ylmethanol ErC50 - 72 h : > 92 mg/l - Pseudokirchneriella subcapitata (green algae)

static test

Analytical monitoring: yes

Method: OECD Test Guideline 201 Not harmful to algae (EC50 > 100 mg/L)

Unpublished internal reports

NOEC - 72 h : 92 mg/l - Pseudokirchneriella subcapitata (green algae)

static test

Analytical monitoring: yes

Method: OECD Test Guideline 201

No adverse chronic effect observed up to and including the threshold of 1 mg/L.

Unpublished internal reports

Toxicity to microorganisms

2,2-dimethyl-1,3-dioxolan-4-ylmethanol EC50 - 3 h: > 1,000 mg/l - activated sludge

static test

Analytical monitoring: no

Method: OECD Test Guideline 209 Unpublished internal reports

12.2 Persistence and degradability

Abiotic degradation

Stability in water

2,2-dimethyl-1,3-dioxolan-4-ylmethanol pH: 4.0

Temperature of hydrolysis: 25 °C Degree of hydrolysis: 50 % Hydrolysis time: 0.959 Days Method: OECD Test Guideline 111 Unpublished internal reports,

Biodegradation

Biodegradability Zahn-Wellens Test

Inherently biodegradable.

Degradability assessment

2,2-dimethyl-1,3-dioxolan-4-ylmethanol The product is not considered to be rapidly degradable in the environment

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

12.3 Bioaccumulative potential

Partition coefficient: n-octanol/water Not potentially bioaccumulable

Bioconcentration factor (BCF)Bioconcentration factor (BCF): 1.3

12.4 Mobility in soil

Adsorption potential (Koc)

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Adsorption/Soil Log Koc: < 1.25

Method: OECD Test Guideline 121 Unpublished internal reports

12.5 Results of PBT and vPvB assessment

2,2-dimethyl-1,3-dioxolan-4-ylmethanol This substance is not considered to be persistent, bioaccumulating and toxic

(PBT)

This substance is not considered to be very persistent and very bioaccumulating

(vPvB).

12.6 Other adverse effects no data available

Ecotoxicity assessment

Acute aquatic toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Not harmful to aquatic life (LC/EC50 > 100 mg/L)

Chronic aquatic toxicity

2,2-dimethyl-1,3-dioxolan-4-ylmethanol Does not have any known long-term adverse effects on the aquatic organisms

tested

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Disposal

- Do not dispose of with domestic refuse.
- Dispose of in accordance with local regulations.
- The product should not be allowed to enter drains, water courses or the soil.
- Dispose of contents/ container to an approved waste disposal plant.
- Send to a licensed waste management company.

Advice on cleaning and disposal of packaging

- Do not re-use empty containers.
- Clean container with water.
- Dispose of contents/ container to an approved incineration plant.
- Dispose of in accordance with local regulations.

SECTION 14: Transport information

<u>ADR</u>

not regulated

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

RID

no data available

IMDG

not regulated

<u>IAT</u>A

not regulated

ADN/NADNR

no data available

Note: The above regulatory prescriptions are those valid on the date of publication of this sheet. Given the possible evolution of transport regulations for hazardous materials, it would be advisable to check their validity with your sales office.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Notification status

Inventory Information	Status
United States TSCA Inventory	- On TSCA Inventory
Canadian Domestic Substances List (DSL)	All components of this product are on the Canadian DSL
Australia Inventory of Chemical Substances (AICS)	On the inventory, or in compliance with the inventory
Japan. CSCL - Inventory of Existing and New Chemical Substances	On the inventory, or in compliance with the inventory
Korea. Korean Existing Chemicals Inventory (KECI)	On the inventory, or in compliance with the inventory
China. Inventory of Existing Chemical Substances in China (IECSC)	On the inventory, or in compliance with the inventory

15.2 Chemical Safety Assessment

- no data available

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

- H319 Causes serious eye irritation.

Further information

- This sheet was updated (refer to the date at the top of this page). Subheadings and text which have been modified since the previous version are indicated with two vertical bars.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. Such information is only given as a guidance to help the user handle, use, process, store, transport, dispose and release the product in satisfactory safety conditions and is not to be considered as a warranty or quality specification. It should be used in conjunction with technical sheets but do not replace them. Thus, the information only relates to the designated specific product and may not be applicable if such product is used in combination with other materials or in any

PRCO90063327

Version: 6.00 / GB (EN)



Revision Date 15.09.2015

other manufacturing process, unless otherwise specifically indicated. It does not release the user from ensuring he is in conformity with all regulations linked to its activity.

