Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 8/31/2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : Berry Pudding

UFI : SCQR-93A0-400C-8D2X

Product code

Type of product : Perfumes, fragrances
Product group : Finished Good

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, fragrances Function or use category : Colouring agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Craftastik Limited Unit F, 22-23 Danes Road Industrial Estate Romford, RM7 0HL T: 0203 305 6486

info@craftastik.co.uk

1.4. Emergency telephone number

Emergency number

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302
Skin sensitisation, Category 1 H317
Hazardous to the aquatic environment — Chronic Hazard, Category 2 H411

Full text of H statements : see section 16

Adverse physicochemical, human health and environmental effects

Harmful if swallowed. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07

GHS09

Signal word (CLP) : Warning

Hazardous ingredients : acetyl propionyl; Aldehyde C-16; Benzyl benzoate; Cinnamic aldehyde; Furaneol; Triplal

(Vertocitral)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P264 - Wash hands, forearms and face thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 - IF SWALLOWED: Call a POISON CENTRE or doctor if you feel unwell.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl benzoate	(CAS-No.) 120-51-4 (EC-No.) 204-402-9 (EC Index-No.) 607-085-00-9 (REACH-no) 01-2119976371-33	11.725 – 23.45	Acute Tox. 4 (Oral), H302 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Aldehyde C-16	(CAS-No.) 77-83-8 (EC-No.) 201-061-8 (REACH-no) 01-2119967770-28	1.5 – 3	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Oxypheylon (Raspberry ketone) crystals	(CAS-No.) 5471-51-2 (EC-No.) 226-806-4	1.35 – 2.7	Acute Tox. 4 (Oral), H302
Aldehyde C-14	(CAS-No.) 104-67-6 (EC-No.) 203-225-4 (REACH-no) 01-2119959333-34	1.25 – 2.5	Aquatic Chronic 3, H412
Cinnamic aldehyde	(CAS-No.) 104-55-2 (EC-No.) 203-213-9 (REACH-no) 01-2119935242-45	1.2 – 2.4	Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Ethyl vanillin crystals	(CAS-No.) 121-32-4 (EC-No.) 204-464-7 (REACH-no) 01-211958961-24	0.95 – 1.9	Eye Irrit. 2, H319
Veltol plus crystals	(CAS-No.) 4940-11-8 (EC-No.) 225-582-5	0.8 – 1.6	Acute Tox. 4 (Oral), H302
acetyl propionyl	(CAS-No.) 600-14-6 (EC-No.) 209-984-8	0.15 – 0.3	Flam. Liq. 2, H225 Eye Dam. 1, H318 Skin Sens. 1B, H317 STOT RE 2, H373
Triplal (Vertocitral)	(CAS-No.) 68039-49-6 (EC-No.) 268-264-1	0.15 – 0.3	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Propionic acid substance with a Community workplace exposure limit	(CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0	0.075 – 0.15	Flam. Liq. 3, H226 Skin Corr. 1B, H314 STOT SE 3, H335

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
Propionic acid	(CAS-No.) 79-09-4 (EC-No.) 201-176-3 (EC Index-No.) 607-089-00-0	(10 ≤C < 100) STOT SE 3, H335 (10 ≤C < 25) Eye Irrit. 2, H319 (10 ≤C < 25) Skin Irrit. 2, H315 (25 ≤C < 100) Skin Corr. 1B, H314

Full text of H-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Call a poison center or a doctor if you feel unwell.

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Rinse mouth. Call a poison center or a doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapours/spray.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

8/31/2020 EN (English) 3/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Other information : Dispose of materials or solid residues at an authorized site.

6.4. Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

acetyl propionyl (600-14-6)		
Germany - Occupational Exposure Limits (TRGS 900)		
Occupational exposure limit value (mg/m³)	0.083 mg/m³	
Occupational exposure limit value (ppm)	0.02 ppm	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	0.083 mg/m³	
OEL TWA (ppm)	0.02 ppm	
OEL STEL (mg/m³)	0.083 mg/m³	
OEL STEL (ppm)	0.02 ppm	
OEL chemical category (SI)	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	0.08 mg/m³	
MAK (ppm)	0.02 ppm	
KZGW (mg/m³)	0.16 mg/m³	
KZGW (ppm)	0.04 ppm	
OEL chemical category (CH)	Sensitizer, Skin notation	

Propionic acid (79-09-4)	
EU - Occupational Exposure Limits	
IOELV TWA (mg/m³)	31 mg/m³

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)	
IOELV TWA (ppm)	10 ppm
IOELV STEL (mg/m³)	62 mg/m³
IOELV STEL (ppm)	20 ppm
Austria - Occupational Exposure Limits	
MAK (mg/m³)	31 mg/m³
MAK (ppm)	10 ppm
MAK Short time value (mg/m³)	62 mg/m³
MAK Short time value (ppm)	20 ppm
Belgium - Occupational Exposure Limits	
Limit value (mg/m³)	31 mg/m³
Limit value (ppm)	10 ppm
Short time value (mg/m³)	62 mg/m³
Short time value (ppm)	20 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA (mg/m³)	31 mg/m³
OEL TWA (ppm)	10 ppm
OEL STEL (mg/m³)	62 mg/m³
OEL STEL (ppm)	20 ppm
Croatia - Occupational Exposure Limits	
GVI (granična vrijednost izloženosti) (mg/m³)	31 mg/m³
GVI (granična vrijednost izloženosti) (ppm)	10 ppm
KGVI (kratkotrajna granična vrijednost izloženosti) (mg/m³)	62 mg/m³
KGVI (kratkotrajna granična vrijednost izloženosti) (ppm)	20 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA (mg/m³)	31 mg/m³
OEL TWA (ppm)	10 ppm
OEL STEL (mg/m³)	62 mg/m³
OEL STEL (ppm)	20 ppm
Czech Republic - Occupational Exposure Limits	
Expoziční limity (PEL) (mg/m³)	30 mg/m³
Denmark - Occupational Exposure Limits	
Grænsevædi (8 timer) (mg/m³)	31 mg/m³
Grænsevædi (8 timer) (ppm)	10 ppm
Estonia - Occupational Exposure Limits	
OEL TWA (mg/m³)	30 mg/m³
OEL TWA (ppm)	10 ppm
OEL STEL (mg/m³)	62 mg/m³
OEL STEL (ppm)	20 ppm

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)		
Finland - Occupational Exposure Limits		
HTP-arvo (8h) (mg/m³)	31 mg/m³	
HTP-arvo (8h) (ppm)	10 ppm	
HTP-arvo (15 min)	61 mg/m³	
HTP-arvo (15 min) (ppm)	20 ppm	
France - Occupational Exposure Limits		
VME (mg/m³)	31 mg/m³ (indicative limit)	
VME (ppm)	10 ppm (indicative limit)	
VLE (mg/m³)	62 mg/m³ (indicative limit)	
VLE (ppm)	20 ppm (indicative limit)	
Germany - Occupational Exposure Limits (TRGS 90	00)	
Occupational exposure limit value (mg/m³)	31 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Occupational exposure limit value (ppm)	10 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Gibraltar - Occupational Exposure Limits		
Eight hours mg/m3	31 mg/m³	
Eight hours ppm	10 ppm	
Short-term mg/m3	62 mg/m³	
Short-term ppm	20 ppm	
Greece - Occupational Exposure Limits		
OEL TWA (mg/m³)	30 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	60 mg/m³	
OEL STEL (ppm)	20 ppm	
Hungary - Occupational Exposure Limits		
AK-érték	31 mg/m³	
CK-érték	62 mg/m³	
Ireland - Occupational Exposure Limits		
OEL (8 hours ref) (mg/m³)	31 mg/m³	
OEL (8 hours ref) (ppm)	10 ppm	
OEL (15 min ref) (mg/m3)	62 mg/m³	
OEL (15 min ref) (ppm)	20 ppm	
Italy - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
	•	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)		
Lithuania - Occupational Exposure Limits		
IPRV (mg/m³)	31 mg/m³	
IPRV (ppm)	10 ppm	
TPRV (mg/m³)	62 mg/m³	
TPRV (ppm)	20 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	
Malta - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	
Netherlands - Occupational Exposure Limits		
Grenswaarde TGG 8H (mg/m³)	31 mg/m³	
Grenswaarde TGG 15MIN (mg/m³)	62 mg/m³	
Poland - Occupational Exposure Limits		
NDS (mg/m³)	30 mg/m³	
NDSCh (mg/m³)	45 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³ (indicative limit value)	
OEL TWA (ppm)	10 ppm (indicative limit value)	
OEL STEL (mg/m³)	62 mg/m³ (indicative limit value)	
OEL STEL (ppm)	20 ppm (indicative limit value)	
Romania - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (priemerná) (mg/m³)	31 mg/m³	
NPHV (priemerná) (ppm)	10 ppm	
NPHV (Hraničná) (mg/m³)	62 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Propionic acid (79-09-4)		
Spain - Occupational Exposure Limits		
VLA-ED (mg/m³)	31 mg/m³ (indicative limit value)	
VLA-ED (ppm)	10 ppm (indicative limit value)	
VLA-EC (mg/m³)	62 mg/m³	
VLA-EC (ppm)	20 ppm	
Sweden - Occupational Exposure Limits		
nivågränsvärde (NVG) (mg/m³)	30 mg/m ³	
nivågränsvärde (NVG) (ppm)	10 ppm	
kortidsvärde (KTV) (mg/m³)	62 mg/m³	
kortidsvärde (KTV) (ppm)	20 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (mg/m³)	31 mg/m³	
WEL TWA (ppm)	10 ppm	
WEL STEL (mg/m³)	46 mg/m³	
WEL STEL (ppm)	15 ppm	
Norway - Occupational Exposure Limits		
Grenseverdier (AN) (mg/m³)	30 mg/m³	
Grenseverdier (AN) (ppm)	10 ppm	
Grenseverdier (Korttidsverdi) (mg/m3)	45 mg/m³ (value calculated)	
Grenseverdier (Korttidsverdi) (ppm)	15 ppm (value calculated)	
Switzerland - Occupational Exposure Limits		
MAK (mg/m³)	30 mg/m³	
MAK (ppm)	10 ppm	
KZGW (mg/m³)	60 mg/m³	
KZGW (ppm)	20 ppm	
Turkey - Occupational Exposure Limits		
OEL TWA (mg/m³)	31 mg/m³	
OEL TWA (ppm)	10 ppm	
OEL STEL (mg/m³)	62 mg/m³	
OEL STEL (ppm)	20 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH TWA (ppm)	10 ppm	

8.2. Exposure controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:	
Protective gloves	

Eye protection:	
Safety glasses	

8/31/2020 8/16 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

Personal protective equipment symbol(s):



Environmental exposure controls:

Avoid release to the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

: light yellow. amber. Colour Odour : characteristic. : No data available Odour threshold рΗ : No data available Relative evaporation rate (butylacetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : 90 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapour pressure : No data available
Relative vapour density at 20 °C : No data available

Relative density : ≈ 0.995

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidising properties : No data available
Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Berry Pudding #EU42145F ATE CLP (oral) 1986.62 mg/kg bodyweight

Benzyl benzoate (120-51-4)	
LD50 oral rat	500 mg/kg
LD50 oral	1500 mg/kg bodyweight
LD50 dermal rabbit	4000 mg/kg
LD50 dermal	4000 mg/kg bodyweight

Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg

Oxypheylon (Raspberry ketone) crystals (5471-51-2)	
LD50 oral rat	1320 mg/kg

Aldehyde C-14 (104-67-6)	
LD50 oral rat	18500 mg/kg

Cinnamic aldehyde (104-55-2)	
LD50 oral rat	2220 mg/kg
LD50 oral	2500 mg/kg bodyweight
LD50 dermal rabbit	1260 mg/kg
LD50 dermal	1100 mg/kg bodyweight

Ethyl vanillin crystals (121-32-4)	
LD50 oral rat	1590 mg/kg
LD50 oral	3000 mg/kg bodyweight

Veltol plus crystals (4940-11-8)	
LD50 oral rat	1150 mg/kg
LD50 oral	1200 mg/kg bodyweight

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight

acetyl propionyl (600-14-6)	
LD50 oral rat	3 g/kg
LD50 oral	3000 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight

Propionic acid (79-09-4)	
LD50 oral rat	351 mg/kg
LD50 oral	3455 mg/kg bodyweight
LD50 dermal rabbit	496 mg/kg
LD50 dermal	3235 mg/kg bodyweight
LC50 inhalation rat (ppm)	4650 ppm (Exposure time: 8 h)

Skin corrosion/irritation : Not classified Serious eye damage/irritation : Not classified

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Not classified

STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Aspiration hazard : Not classified

SECTION 12: Ecological information

12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term

(acute)

: Not classified

: Toxic to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term (chronic)

Benzyl benzoate (120-51-4)	
LC50 fish 1	2.32 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
NOEC (chronic)	0.168 mg/l

Aldehyde C-16 (77-83-8)	
LC50 fish 1	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])

Aldehyde C-14 (104-67-6)	
LC50 fish 1	569 mg/l 96 h
EC50 Daphnia 1	5.85 mg/l 48 h
EC50 other aquatic organisms 1	5.94 mg/l 72 h

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Ethyl vanillin crystals (121-32-4)	
LC50 fish 1	81.4 – 94.3 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])

Veltol plus crystals (4940-11-8)	
LC50 fish 1	> 85 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)

Propionic acid (79-09-4)		
LC50 fish 1	> 1 mg/l (Exposure time: 96 h - Species: Pimephales promelas [static])	
LC50 fish 2	73 – 99.7 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])	
EC50 72h algae (1)	45.8 mg/l (Species: Desmodesmus subspicatus)	
EC50 96h algae (1)	43 mg/l (Species: Desmodesmus subspicatus)	

12.2. Persistence and degradability

Benzyl benzoate (120-51-4)	
Persistence and degradability	May cause long-term adverse effects in the environment.

12.3. Bioaccumulative potential

Benzyl benzoate (120-51-4)	
Partition coefficient n-octanol/water (Log Pow)	4
Bioaccumulative potential	Not established.

Cinnamic aldehyde (104-55-2)	
Partition coefficient n-octanol/water (Log Pow)	2.22 (at 18 °C)

Propionic acid (79-09-4)	
Partition coefficient n-octanol/water (Log Pow)	0.25 - 0.33

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

12.6. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

In accordance with ADR / RID / IMDG / IATA / ADN

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.1. UN number

 UN-No. (ADR)
 : UN 3082

 UN-No. (IMDG)
 : UN 3082

 UN-No. (IATA)
 : UN 3082

 UN-No. (ADN)
 : UN 3082

 UN-No. (RID)
 : Not applicable

14.2. UN proper shipping name

Proper Shipping Name (ADR) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (IATA) : Environmentally hazardous substance, liquid, n.o.s.

Proper Shipping Name (ADN) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Proper Shipping Name (RID) : Not applicable

Transport document description (ADR) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (Benzyl Benzoate), 9, III

Transport document description (ADN) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl

Benzoate), 9, III

14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : 9
Danger labels (ADR) : 9



IMDG

Transport hazard class(es) (IMDG) : 9
Danger labels (IMDG) : 9



IATA

Transport hazard class(es) (IATA) : 9
Danger labels (IATA) : 9



ADN

Transport hazard class(es) (ADN) : 9
Danger labels (ADN) : 9



RID

Transport hazard class(es) (RID) : Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not applicable

14.5. Environmental hazards

Dangerous for the environment : Yes
Marine pollutant : Yes

Other information : No supplementary information available

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC code : •3Z

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 Packing instructions (IMDG) : LP01, P001 Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 : T4 Tank instructions (IMDG) Tank special provisions (IMDG) : TP2, TP29 : F-A EmS-No. (Fire) : S-F EmS-No. (Spillage) Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

8/31/2020 EN (English) 14/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Special provisions (ADN) : 274, 335, 375, 601

Limited quantities (ADN) : 5 L

Excepted quantities (ADN) : E1

Carriage permitted (ADN) : T

Equipment required (ADN) : PP

Number of blue cones/lights (ADN) : 0

Rail transport Not applicable

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the REACH Regulation (EC) No 1907/2006:		
Reference code	Applicable on	
3(a)	acetyl propionyl ; Propionic acid	
3(b)	Berry Pudding #EU42145F; acetyl propionyl; Aldehyde C-16; Benzyl benzoate; Cinnamic aldehyde; Propionic acid; Triplal (Vertocitral)	
3(c)	Berry Pudding #EU42145F ; Aldehyde C-14 ; Aldehyde C-16 ; Benzyl benzoate ; Triplal (Vertocitral)	
40.	acetyl propionyl ; Propionic acid	

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

15.1.2. National regulations

Germany

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArhSchG)

Water hazard class (WGK) : WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1)

: Triplal (Vertocitral) is listed

Triplal (Vertocitral) is listed

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed

None of the components are listed

: None of the components are listed

Denmark

Class for fire hazard : Class III-1
Store unit : 50 liter

Classification remarks : Flammable according to the Danish Ministry of Justice; Emergency management guidelines

for the storage of flammable liquids must be followed

Danish National Regulations : Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

8/31/2020 EN (English) 15/16

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

SECTION 16: Other information

Full text of H- and EUH-statements:	
Acute Tox. 4 (Dermal)	Acute toxicity (dermal), Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment — Acute Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment — Chronic Hazard, Category 3
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 2	Flammable liquids, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1
Skin Sens. 1B	Skin sensitisation, category 1B
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
STOT SE 3	Specific target organ toxicity — Single exposure, Category 3, Respiratory tract irritation
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL - COMMISSION REGULATION (EU) No 344/2013 - COMMISSION REGULATION (EU) No 483/2013

Issue date(DD/MM/YEAR): 31/08/2020 Revision date: : Version:

DECLARATION OF COMPLIANCE FOR PERFUME COMPOUNDS (DCP)

The adoption of the 7th amendement of the European Cosmetic Directive 76/768/EEC requires any cosmetic product containing any of 26 raw materials identified by the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers as likely to cause a contact allergy when present above certain trigger levels to be declared on the package label.

ALLERGENS		
Name of common ingredients glossary	CAS-No.	Allergen % in product
Benzyl benzoate	120-51-4	23.45
Cinnamic aldehyde; Cinnamal	104-55-2	2.4

CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

Craftastik Limited Unit F, 22-23 Danes Road Industrial Estate Romford, RM7 0HL T: 0203 305 6486 info@craftastik.co.uk

CERTIFICATE DELIVERED TO:

SCOPE OF THE CERTIFICATE:

Product: Berry Pudding

Compulsory information:

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 49th Amendment to the IFRA Code of Practice (published January, 2020) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 10 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	0.58333333 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	0.875 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation

		Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	10.41666667 %	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types, etc.) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	2.66666667 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	0.89552239 %	Facial toner Facial moisturizers and creams
Category 5C	2.66666667 %	Hand cream Nail care products including cuticle creams, etc. Hand sanitizers
Category 5D	0.29850746 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	1.74840085 %	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	1.74840085 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave- on conditioners) Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer
Category 8	0.29850746 %	Intimate wipes Tampons Baby wipes Toilet paper (wet)
Category 9	8.10234542 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

		added to bathwater Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	8.10234542 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers, furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Dry cleaning kits Toilet seat wipes Fabric softeners of all types including fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water)
Category 10B	37.03703704 %	Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	0.29850746 %	Feminine hygiene conventional pads,liners, interlabial pads Diapers (baby and adult) Adult incontinence pant, pad Toilet paper (dry)
Category 11B	0.29850746 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medicaldevice Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods) Automated air fresheners and fragrancing of all types

(concentrated aerosol with metered doses (range 0.05-0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals)

Air delivery systems

Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders)

Fuels

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays

Joss sticks or incense sticks

Dishwash detergent and deodorizers - for machine wash

Olfactive board games

Paints

Plastic articles (excluding toys)

Scratch and sniff

Scent pack

Scent delivery system (using dry air technology)

Shoe polishes

Rim blocks (Toilet)

For other kinds of application or use at higher concentration levels, a new evaluation may be needed; please contact: Craftastik Limited.

Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (Berry Pudding) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendat ion from IFRA Standard:	Concentration (%) in fragance mixture or finished product	Comment
Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)	27939-60-2	Restricted	0.3	
	35145-02-9			
	36635-35-5			
	67801-65-4			
	68039-48-5			
	68039-49-6			
	68084-52-6			
	68737-61-1			
Benzaldehyde	100-52-7	Restricted	0.3	
Cinnamic aldehyde	104-55-2	Restricted	2.4	
Benzyl benzoate	120-51-4	Restricted	23.45	
4-Hydroxy-2,5-dimethyl-3(2H)-furanone	3658-77-3	Restricted	0.06	
4-(4-Hydroxyphenyl)butan-2-one	5471-51-2	Restricted	2.7	

Issue date:31/08/2020

^{*}Actual use level or maximum use level

<u>Disclaimer</u> : This Certificate provides restrictions for use of the specified product based only on those materials restricted by IF toxicity endpoint(s) described in each Standard. This Certificate does not provide certification of a comprehensive safety asse constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by II	RA Standards for the ssment of all product
constituents. This certificate is the responsibility of the fragrance supplier issuing it. It has not been prepared or endorsed by II 31/08/2020 EN (English)	FRA in anyway. 5/5



BERRY PUDDING AT 10%

EUH208 - Contains Aldehyde C-16, Cinnamic aldehyde. May produce an allergic reaction, EUH210 - Safety data sheet available on request.



BERRY PUDDING AT 25%

H412 - Harmful to aquatic life with long lasting effects.

EUH208 - Contains Aldehyde C-16, Cinnamic aldehyde, 3(2H)Furanone, 4-hydroxy-2,5-dimethyl-. May produce an allergic reaction. .