# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 2/24/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture
Product name : Cocoa Butter

UFI : MWC3-R300-200E-XN46

Product code

Type of product : Perfumes, Fragrances
Product group : Finished Good

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Industrial use,Professional use Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances

Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Craftastik Ltd

Unit 11 Swift Business Park Creek Way, Rainham, RM13 8LE

T: 0203 305 6486 info@craftastik.co.uk

### 1.4. Emergency telephone number

Emergency number : 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731;

Brazil: +0-800-591-6042; India: +000-800-100-4086

### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]Mixtures/Substances: SDS EU > 2015: According to Regulation (EU) 2015/830, 2020/878 (REACH Annex II)

Skin sensitization, Category 1 H317
Hazardous to the aquatic environment - Chronic Hazard Category 2 H411

Full text of H statements : see section 16

### Adverse physicochemical, human health and environmental effects

Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

### 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)





GHS07 : Warning

GHS09

Signal word (CLP)

Contains : Cyclamal; d-Limonene; Coumarin crystals; Hexyl cini

Cyclamal; d-Limonene; Coumarin crystals; Hexyl cinnamic aldehyde; Geraniol; Hydroxy; Heliotropine crystals; Linalool; Tangerine oil; Triplal (Vertocitral); Thyme oil, white

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Hazard statements (CLP) : H317 - May cause an allergic skin reaction.

H411 - Toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P272 - Contaminated work clothing should not be allowed out of the workplace.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

### 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

# 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	1.05 – 2.1	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Benzyl acetate	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.95 – 1.9	Aquatic Chronic 3, H412
Aldehyde C-14	CAS-No.: 104-67-6 EC-No.: 203-225-4 REACH-no: 01-2119959333- 34	0.825 – 1.65	Aquatic Chronic 3, H412
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7 REACH-no: 01-2119493353- 35	0.825 – 1.65	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarin crystals	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.825 – 1.65	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Verdox	CAS-No.: 88-41-5 EC-No.: 201-828-7 REACH-no: 01-2119970713- 33	0.825 – 1.65	Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.725 – 1.45	Skin Sens. 1, H317 Aquatic Chronic 2, H411
2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	CAS-No.: 63500-71-0 EC-No.: 405-040-6 EC Index-No.: 603-101-00-3 REACH-no: 01-000015458-64	0.4125 – 1.374945	Eye Irrit. 2, H319

# Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.45 – 0.9	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.425 – 0.85	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
HEXAMETHYLINDANOPYRAN	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-	0.41 – 0.82	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.325 – 0.65	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.25 – 0.5	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.2 – 0.4	Eye Irrit. 2, H319 Skin Sens. 1B, H317
Heliotropine crystals	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.2 – 0.4	Skin Sens. 1B, H317
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.175 – 0.35	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Tangerine oil	CAS-No.: 8016-85-1 EC-No.: 297-672-2	0.125 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.125 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Allyl amyl glycolate	CAS-No.: 67634-00-8 EC-No.: 266-803-5	0.075 – 0.15	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Acute Tox. 2 (Inhalation), H330

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Isoamyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.075 – 0.15	Flam. Liq. 3, H226
Thyme oil, white	CAS-No.: 8007-46-3 EC-No.: 284-535-7;616-910-1	0.05 – 0.1	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411

Full text of H- and EUH-statements: see section 16

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after skin contact : May cause an allergic skin reaction.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Avoid contact with skin and eyes. Avoid breathing

dust/fume/gas/mist/vapors/spray.

### 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment. Avoid

contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapors/spray.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product. Contaminated work clothing should not be allowed out of the workplace. Wash

contaminated clothing before reuse.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 25 °C

Storage area : Store in a well-ventilated place. Store away from heat.

Special rules on packaging : Store in a closed container.

Packaging materials : Do not store in corrodable metal.

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

# 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	14 mg/m³	
IOEL STEL [ppm]	2 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³	
MAK (OEL TWA) [ppm]	1 ppm	
MAK (OEL STEL)	14 mg/m³	
MAK (OEL STEL) [ppm]	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)	
OEL TWA [ppm]	1 ppm (vapor)	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
OEL STEL	14 mg/m³ (vapor)	
OEL STEL [ppm]	2 ppm (vapor)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	7 mg/m³	
GVI (OEL TWA) [2]	1 ppm	
KGVI (OEL STEL)	14 mg/m³	
KGVI (OEL STEL) [ppm]	2 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Czech Republic - Occupational Exposure Limits		
PEL (OEL TWA)	5 mg/m³	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	7 mg/m³	
OEL TWA [2]	1 ppm	
Estonia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	7 mg/m³	
HTP (OEL TWA) [2]	1 ppm	
HTP (OEL STEL)	14 mg/m³	
HTP (OEL STEL) [ppm]	2 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	7 mg/m³	
VME (OEL TWA) [ppm]	1 ppm	
Chemical category	Risk of cutaneous absorption	
Germany - Occupational Exposure Limits (TRGS 900)		
AGW (OEL TWA) [1]	7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	

# Safety Data Sheet

Diphenyl oxide (101-84-8)			
AGW (OEL TWA) [2]	1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)		
Gibraltar - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	200 ppm		
Greece - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Hungary - Occupational Exposure Limits			
AK (OEL TWA)	7 mg/m³		
CK (OEL STEL)	14 mg/m³		
Ireland - Occupational Exposure Limits			
OEL TWA [1]	7 mg/m³ (vapour)		
OEL TWA [2]	1 ppm (vapour)		
OEL STEL	14 mg/m³ (vapour)		
OEL STEL [ppm]	2 ppm (vapour)		
Italy - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	7 mg/m³		
IPRV (OEL TWA) [ppm]	1 ppm		
TPRV (OEL STEL)	14 mg/m³		
TPRV (OEL STEL) [ppm]	2 ppm		
Luxembourg - Occupational Exposure Limits			
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		
OEL STEL	14 mg/m³		
OEL STEL [ppm]	2 ppm		
Malta - Occupational Exposure Limits	Malta - Occupational Exposure Limits		
OEL TWA	7 mg/m³		
OEL TWA [ppm]	1 ppm		

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Netherlands - Occupational Exposure Limits		
MAC-TGG (OEL TWA)	7 mg/m³	
MAC-15 (OEL STEL)	14 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL TWA [ppm]	0.7 ppm	
OEL STEL	10 mg/m³	
OEL STEL [ppm]	1.4 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	7 mg/m³	
NPHV (OEL TWA) [2]	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	7.1 mg/m³ (vapor)	
VLA-ED (OEL TWA) [2]	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	
NGV (OEL TWA) [ppm]	1 ppm	
KTV (OEL STEL)	14 mg/m³	
KTV (OEL STEL) [ppm]	2 ppm	
United Kingdom - Occupational Exposure Limits	United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	7.1 mg/m³ (vapour)	

# Safety Data Sheet

Diphenyl oxide (101-84-8)  WEL TWA (OEL TWA) [2] 1 ppm (vapour)  WEL STEL (OEL STEL) 21.3 mg/m³ (calculated-vapour)  WEL STEL (OEL STEL) [ppm] 3 ppm (calculated-vapour)  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 7 mg/m³  Grenseverdi (OEL TWA) [2] 1 ppm  Korttidsverdi (OEL STEL) 14 mg/m³ (value from the regulation)  Korttidsverdi (OEL STEL) [ppm] 2 ppm (value from the regulation)		
WEL STEL (OEL STEL)  21.3 mg/m³ (calculated-vapour)  WEL STEL (OEL STEL) [ppm]  3 ppm (calculated-vapour)  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1]  7 mg/m³  Grenseverdi (OEL TWA) [2]  1 ppm  Korttidsverdi (OEL STEL)  14 mg/m³ (value from the regulation)		
WEL STEL (OEL STEL) [ppm] 3 ppm (calculated-vapour)  Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 7 mg/m³  Grenseverdi (OEL TWA) [2] 1 ppm  Korttidsverdi (OEL STEL) 14 mg/m³ (value from the regulation)		
Norway - Occupational Exposure Limits  Grenseverdi (OEL TWA) [1] 7 mg/m³  Grenseverdi (OEL TWA) [2] 1 ppm  Korttidsverdi (OEL STEL) 14 mg/m³ (value from the regulation)		
Grenseverdi (OEL TWA) [1] 7 mg/m³  Grenseverdi (OEL TWA) [2] 1 ppm  Korttidsverdi (OEL STEL) 14 mg/m³ (value from the regulation)		
Grenseverdi (OEL TWA) [2] 1 ppm  Korttidsverdi (OEL STEL) 14 mg/m³ (value from the regulation)		
Korttidsverdi (OEL STEL)  14 mg/m³ (value from the regulation)		
Kortuosverdi (OEL STEL) [pprii] 2 pprii (value from the regulation)		
Switzerland Occupational Evacuum Limite		
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1] 7 mg/m³ (aerosol, vapour)		
MAK (OEL TWA) [2] 1 ppm (aerosol, vapour)		
KZGW (OEL STEL)  14 mg/m³ (aerosol, vapour)		
KZGW (OEL STEL) [ppm] 2 ppm (aerosol, vapour)		
Chemical category 2 developmental toxin, Category 2 reproductive toxin		
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm] 1 ppm (vapor)		
ACGIH OEL STEL [ppm] 2 ppm (vapor fraction)		
Benzyl acetate (140-11-4)		
Belgium - Occupational Exposure Limits		
OEL TWA 62 mg/m³		
OEL TWA [ppm] 10 ppm		
Denmark - Occupational Exposure Limits		
OEL TWA [1] 61 mg/m³		
OEL TWA [2] 10 ppm		
Ireland - Occupational Exposure Limits		
OEL TWA [2] 10 ppm		
OEL STEL [ppm] 30 ppm (calculated)		
Latvia - Occupational Exposure Limits		
OEL TWA 5 mg/m³		
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA) 5 mg/m³		
Portugal - Occupational Exposure Limits		
OEL TWA [ppm] 10 ppm		
Chemical category A4 - Not Classifiable as a Human Carcinogen		
Romania - Occupational Exposure Limits		
OEL TWA 50 mg/m³		
OEL TWA [ppm] 8 ppm		
OEL STEL 80 mg/m³		
OEL STEL [ppm] 13 ppm		

# Safety Data Sheet

Benzyl acetate (140-11-4)		
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	62 mg/m³	
VLA-ED (OEL TWA) [2]	10 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	10 ppm	
ACGIH chemical category	Not Classifiable as a Human Carcinogen	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	00)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
Chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
Chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	
Chemical category	Sensitizing substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	

# Safety Data Sheet

d-Limonene (5989-27-5)		
Chemical category	Sensitizer	
Isoamyl acetate (123-92-2)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	270 mg/m³	
IOEL TWA [ppm]	50 ppm	
IOEL STEL	540 mg/m³	
IOEL STEL [ppm]	100 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))	
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))	
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)	
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)	
Belgium - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	270 mg/m³	
GVI (OEL TWA) [2]	50 ppm	
KGVI (OEL STEL)	540 mg/m³	
KGVI (OEL STEL) [ppm]	100 ppm	
Cyprus - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	271 mg/m³ (Amyl acetate, all isomers)	
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)	
Estonia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	

# Safety Data Sheet

Isoamyl acetate (123-92-2)		
OEL STEL [ppm]	100 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	270 mg/m³ (Pentyl acetate)	
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)	
HTP (OEL STEL)	540 mg/m³	
HTP (OEL STEL) [ppm]	100 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	270 mg/m³ (restrictive limit)	
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)	
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)	
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	270 mg/m³	
AGW (OEL TWA) [2]	50 ppm	
Gibraltar - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	530 mg/m³	
OEL TWA [ppm]	100 ppm	
OEL STEL	800 mg/m³	
OEL STEL [ppm]	150 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	270 mg/m³	
CK (OEL STEL)	540 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	260 mg/m³	
OEL TWA [2]	50 ppm	
OEL STEL	520 mg/m³	
OEL STEL [ppm]	100 ppm	
Italy - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	

# Safety Data Sheet

Isoamyl acetate (123-92-2)		
OEL TWA [ppm]	50 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	270 mg/m³	
IPRV (OEL TWA) [ppm]	50 ppm	
TPRV (OEL STEL)	540 mg/m³	
TPRV (OEL STEL) [ppm]	100 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Netherlands - Occupational Exposure Limits		
MAC-15 (OEL STEL)	530 mg/m³	
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	250 mg/m³	
NDSCh (OEL STEL)	500 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	270 mg/m³ (indicative limit value)	
OEL TWA [ppm]	50 ppm (indicative limit value)	
OEL STEL	540 mg/m³ (indicative limit value)	
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)	
Romania - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
OEL STEL [ppm]	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
VLA-EC (OEL STEL) [ppm]	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)	
KTV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	260 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
Turkey - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)	

### 8.1.2. Recommended monitoring procedures

No additional information available

### 8.1.3. Air contaminants formed

No additional information available

# 8.1.4. DNEL and PNEC

No additional information available

### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

# 8.2.1. Appropriate engineering controls

# Appropriate engineering controls:

Ensure good ventilation of the work station.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 8.2.2. Personal protection equipment

#### Personal protective equipment symbol(s):



#### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

# 8.2.2.2. Skin protection

### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

# 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber. Odor characteristic. Odor threshold : No data available : No data available рΗ Relative evaporation rate (butyl acetate=1) : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 93.3 °C (closed cup) ASTM D7094

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : Not applicable
Vapor pressure : No data available
Relative vapor density at 20 °C : No data available

Relative density : ≈ 0.94

Solubility : No data available
Partition coefficient n-octanol/water (Log Pow) : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

### 9.2. Other information

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

# 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

tite toxicity (initialation) . Not classified			
Aldehyde C-14 (104-67-6)			
LD50 oral rat	18500 mg/kg		
LD50 dermal rat	> 2000 mg/kg		
Allyl caproate (123-68-2)			
LD50 oral	300 mg/kg body weight		
LD50 dermal rabbit	820 mg/kg		
LD50 dermal	300 mg/kg body weight		
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h		
Allyl heptanoate (142-19-8)			
LD50 oral rat	500 mg/kg		
LD50 oral	218 mg/kg body weight		
LD50 dermal rabbit	810 mg/kg		
LD50 dermal	810 mg/kg body weight		
Allyl amyl glycolate (67634-00-8)			
LD50 oral	500 mg/kg body weight		
LD50 dermal rat	> 2000 mg/kg		
LC50 Inhalation - Rat	0.43 mg/l/4h		
LC50 Inhalation - Rat (Dust/Mist)	0.5 mg/l/4h		

# Safety Data Sheet

Diphenyl oxide (101-84-8)			
LD50 oral rat	2450 mg/kg		
LD50 oral	2830 mg/kg body weight		
LD50 dermal rabbit	> 7940 mg/kg		
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h		
Cyclamal (103-95-7)			
LD50 oral rat	3810 mg/kg		
LD50 oral	3810 mg/kg body weight		
LD50 dermal rat	> 5000 mg/kg		
Benzyl acetate (140-11-4)			
LD50 oral rat	2490 mg/kg		
LD50 oral	2490 mg/kg body weight		
LD50 dermal rabbit	> 5000 mg/kg		
d-Limonene (5989-27-5)			
LD50 oral rat	4400 mg/kg		
LD50 dermal rabbit	> 5 g/kg		
Coumarin crystals (91-64-5)			
LD50 oral rat	> 5000 mg/kg		
LD50 oral	500 mg/kg body weight		
LD50 dermal rat	293 mg/kg		
Hexyl cinnamic aldehyde (101-86-0)			
LD50 oral rat	3100 mg/kg		
LD50 oral	3100 mg/kg body weight		
LD50 dermal rabbit	> 3000 mg/kg		
LC50 Inhalation - Rat	> 5 mg/l/4h		
Geraniol (106-24-1)			
LD50 oral rat	3600 mg/kg		
LD50 oral	3600 mg/kg body weight		
LD50 dermal rabbit	> 5 g/kg		
Hydroxy (107-75-5)			
LD50 oral rat	> 5 g/kg		
LD50 dermal rabbit	> 2000 mg/kg		
Heliotropine crystals (120-57-0)			
LD50 oral rat	2700 mg/kg		
LD50 oral	2700 mg/kg body weight		
LD50 dermal rat	> 5000 mg/kg		
Linalool (78-70-6)			
LD50 oral	2790 mg/kg body weight		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

HEXAMETHYLINDANOPYRAN (1222-05-5)		
LD50 oral rat	> 3250 mg/kg	
LD50 dermal rabbit	> 3250 mg/kg	
Verdox (88-41-5)		
LD50 oral rat	4600 mg/kg	
LD50 oral	4600 mg/kg body weight	
Triplal (Vertocitral) (68039-49-6)		
LD50 oral	3900 mg/kg body weight	
Thyme oil, white (8007-46-3)		
LD50 oral rat	2840 mg/kg	
LD50 oral	1800 mg/kg body weight	
2-IsobutyI-4-methyltetrahydro-2H-pyran-4-ol (6	63500-71-0)	
LD50 dermal rabbit	> 2000 mg/kg	
Serious eye damage/irritation : Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified Not classified May cause an allergic skin reaction. Not classified Not classified	
Benzyl acetate (140-11-4)		
IARC group	3 - Not classifiable	
d-Limonene (5989-27-5)		
IARC group	3 - Not classifiable	
Coumarin crystals (91-64-5)		
IARC group	3 - Not classifiable	
	Not classified Not classified	
STOT-repeated exposure :	Not classified  Not classified  Not classified	

# **SECTION 12: Ecological information**

# 12.1. Toxicity

: Toxic to aquatic life with long lasting effects. Ecology - general

Hazardous to the aquatic environment, short-term : Not classified

Hazardous to the aquatic environment, long-term : Toxic to aquatic life with long lasting effects.

(chronic)		
Aldehyde C-14 (104-67-6)		
LC50 - Fish [1] 569 mg/l 96 h		
EC50 - Crustacea [1] 5.85 mg/l 48 h		
EC50 - Other aquatic organisms [1] 5.94 mg/l 72 h		
Allyl caproate (123-68-2)		
LC50 - Fish [1] 0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)			
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])		
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)		
Geraniol (106-24-1)			
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])		
Heliotropine crystals (120-57-0)			
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])		
Linalool (78-70-6)			
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)		
HEXAMETHYLINDANOPYRAN (1222-05-5)			
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682		
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas		
EC50 - Crustacea [2]	260 μg/l REACH Dossier		
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier		

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

Diphenyl oxide (101-84-8)		
BCF - Fish [1] 470		
Partition coefficient n-octanol/water (Log Pow) 4.2		
Benzyl acetate (140-11-4)		
Partition coefficient n-octanol/water (Log Pow) 1.96		

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

# 14.1. UN number

UN-No. (ADR) : UN 3082

2/24/2021 (Issue date) EN (English US) 19/24

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

UN-No. (IMDG) : UN 3082 UN-No. (IATA) : UN 3082 UN-No. (ADN) : UN 3082 UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (ADR) ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (IMDG)

Proper Shipping Name (IATA) Environmentally hazardous substance, liquid, n.o.s.

: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. Proper Shipping Name (ADN)

Proper Shipping Name (RID) : Not applicable

UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-Transport document description (ADR)

Limonene), 9, III, (-)

Transport document description (IMDG) : UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III, MARINE POLLUTANT

Transport document description (IATA) : UN 3082 Environmentally hazardous substance, liquid, n.o.s. (d-Limonene), 9, III Transport document description (ADN)

: UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (d-

Limonene), 9, III

### 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : 9 Hazard labels (ADR) 9



### **IMDG**

Transport hazard class(es) (IMDG) 9 9 Hazard labels (IMDG)



#### IATA

Transport hazard class(es) (IATA) : 9 Hazard labels (IATA) 9



# ADN

Transport hazard class(es) (ADN) 9 Hazard labels (ADN) 9



# RID

Transport hazard class(es) (RID) : Not applicable

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 14.4. Packing group

Packing group (ADR) : III
Packing group (IMDG) : III
Packing group (IATA) : III
Packing group (ADN) : III

Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : Yes Marine pollutant : Yes

Other information : No supplementary information available

#### 14.6. Special precautions for user

#### **Overland transport**

Classification code (ADR) : M6

Special provision (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

90 3082

Tunnel restriction code (ADR) : EAC : •3Z

### Transport by sea

Special provision (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L
Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : LP01, P001
Packing provisions (IMDG) : PP1
IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T4
Tank special provisions (IMDG) : TP2, TP29
EmS-No. (Fire) : F-A
EmS No. (Spillage) : S.E.

Emo-No. (Fire) : F-A
Emo-No. (Spillage) : S-F
Stowage category (IMDG) : A

### Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provision (IATA) : A97, A158, A197

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

ERG code (IATA) : 9L

Inland waterway transport

Classification code (ADN) : M6

: 274, 335, 375, 601 Special provision (ADN)

Limited quantities (ADN) : 5 L Excepted quantities (ADN) : E1 Carriage permitted (ADN) : T : PP Equipment required (ADN) : 0 Number of blue cones/lights (ADN)

#### Rail transport

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
3(a)	d-Limonene ; Isoamyl acetate ; Tangerine oil	
3(b)	Cocoa Butter #EU34802F; Allyl caproate; Allyl heptanoate; Cyclamal; d-Limonene; Geraniol; Hexyl cinnamic aldehyde; Hydroxy; Linalool; Tangerine oil; Triplal (Vertocitral); 2-Isobutyl-4-methyltetrahydro-2H-pyran-4-ol	
3(c)	Cocoa Butter #EU34802F; Aldehyde C-14; Allyl caproate; Allyl heptanoate; Benzyl acetate; Cyclamal; d-Limonene; Hexyl cinnamic aldehyde; HEXAMETHYLINDANOPYRAN; Tangerine oil; Triplal (Vertocitral); Verdox	
40.	d-Limonene ; Isoamyl acetate ; Tangerine oil	

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

### 15.1.2. National regulations

Germany

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BImSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

**Netherlands** 

SZW-lijst van kankerverwekkende stoffen : Allyl amyl glycolate, Tangerine oil, Triplal (Vertocitral), Thyme oil, white are listed : Allyl amyl glycolate, Triplal (Vertocitral), Thyme oil, white are listed

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed

Denmark

Classification remarks

**Danish National Regulations** 

: Emergency management guidelines for the storage of flammable liquids must be followed

: Young people below the age of 18 years are not allowed to use the product

Pregnant/breastfeeding women working with the product must not be in direct contact with the product

2/24/2021 (Issue date) EN (English US) 22/24

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acr	onyms
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BLV	Biological limit value
BOD	Biochemical oxygen demand (BOD)
COD	Chemical oxygen demand (COD)
DMEL	Derived Minimal Effect level
DNEL	Derived-No Effect Level
EC-No.	European Community number
EC50	Median effective concentration
EN	European Standard
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IMDG	International Maritime Dangerous Goods
LC50	Median lethal concentration
LD50	Median lethal dose
LOAEL	Lowest Observed Adverse Effect Level
NOAEC	No-Observed Adverse Effect Concentration
NOAEL	No-Observed Adverse Effect Level
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OEL	Occupational Exposure Limit
PBT	Persistent Bioaccumulative Toxic
PNEC	Predicted No-Effect Concentration
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail
SDS	Safety Data Sheet
STP	Sewage treatment plant
ThOD	Theoretical oxygen demand (ThOD)
TLM	Median Tolerance Limit
VOC	Volatile Organic Compounds
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Acute Tox. 3 (Dermal) Acute toxicity (dermal), Category 3 Acute Tox. 3 (Inhalation) Acute toxicity (inhalation) Category 3 Acute Tox. 3 (Oral) Acute toxicity (oral) Category 3 Acute Tox. 4 (Oral) Acute toxicity (oral) Category 4 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Serious eye damage/eye irritation Category 1 Eye Dam. 1 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 1 BH226 Flammable liquid and vapor. H301 Toxic if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin.	Full text of H- and EUF	Full text of H- and EUH-phrases		
Acute Tox. 3 (Inhalation) Acute toxicity (inhalation) Category 3 Acute Tox. 4 (Oral) Acute toxicity (oral) Category 3 Acute Tox. 4 (Oral) Acute 1 Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage(eye irritation Category 1 Eye Intt. 2 Serious eye damage(eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Intt. 2 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 BH226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye damage. H330 Fatal if Inhaled. H330 Very toxic to aquatic life with long lasting effects.	Acute Tox. 2 (Inhalation)	Acute toxicity (inhalation) Category 2		
Acute Tox. 3 (Oral) Acute Tox. 4 (Oral) Acute tox (Oral) Acute Tox. 4 (Oral) Acute tox (Ora	Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 4 (Oral) Acute 1 Aquatic Acute 1 Aquatic Acute 1 Aquatic Acute 1 Aquatic Chronic 1 Aquatic Chronic 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage/eye irritation Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Toxic if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes severe skin burns and eye damage. H316 Causes serious eye damage. H317 May cause an allergic skin reaction. H318 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic ir inhaled. H331 Toxic ir inhaled. H400 Very toxic to aquatic life with long lasting effects.	Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3		
Aquatic Acute 1 Hazardous to the aquatic environment - Acute Hazard Category 1 Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage/eye irritation Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens.	Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3		
Aquatic Chronic 1 Hazardous to the aquatic environment - Chronic Hazard Category 1 Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage/eye irritation Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Toxic if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H316 Causes serious eye damage. H319 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life with long lasting effects. H410 Very toxic to aquatic life with long lasting effects.	Acute Tox. 4 (Oral)	Acute toxicity (oral) Category 4		
Aquatic Chronic 2 Hazardous to the aquatic environment - Chronic Hazard Category 2 Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage/eye irritation Category 1 Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1B H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye damage. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1		
Aquatic Chronic 3 Hazardous to the aquatic environment - Chronic Hazard Category 3 Asp. Tox. 1 Aspiration hazard Category 1 Eye Dam. 1 Serious eye damage/eye irritation Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization, Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Toxic if swallowed. H301 Toxic if swallowed. H302 Harmful if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1		
Asp. Tox. 1 Aspiration hazard Category 1  Eye Dam. 1 Serious eye damage/eye irritation Category 2  Flam. Liq. 3 Flammable liquids Category 3  Skin Corr. 1 Skin corrosion/irritation Category 1  Skin Irrit. 2 Skin corrosion/irritation Category 2  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 2  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 2  Skin Sens. 1 Skin sensitization, Category 2  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 2  Skin Sens. 1 Skin sensitization, Category 2  Skin Sens. 1 Skin sensitization, Category 1  S	Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2		
Eye Dam. 1 Serious eye damage/eye irritation Category 1  Eye Irrit. 2 Serious eye damage/eye irritation, Category 2  Flam. Liq. 3 Flammable liquids Category 3  Skin Corr. 1 Skin corrosion/irritation Category 1  Skin Irrit. 2 Skin corrosion/irritation Category 2  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1 Skin sensitization, Category 1B  H226 Flammable liquid and vapor.  H301 Toxic if swallowed.  H302 Harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H311 Toxic in contact with skin.  H314 Causes severe skin burns and eye damage.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H330 Fatal if Inhaled.  H331 Toxic if inhaled.  H331 Toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3		
Eye Irrit. 2 Serious eye damage/eye irritation, Category 2 Flam. Liq. 3 Flammable liquids Category 3 Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1B Skin sensitization, Category 1B H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects.	Asp. Tox. 1	Aspiration hazard Category 1		
Flam. Liq. 3 Flammable liquids Category 3  Skin Corr. 1 Skin corrosion/irritation Category 1  Skin Irrit. 2 Skin corrosion/irritation Category 2  Skin Sens. 1 Skin sensitization, Category 1  Skin Sens. 1B Skin sensitization, Category 1B  H226 Flammable liquid and vapor.  H301 Toxic if swallowed.  H302 Harmful if swallowed.  H304 May be fatal if swallowed and enters airways.  H311 Toxic in contact with skin.  H314 Causes severe skin burns and eye damage.  H315 Causes skin irritation.  H317 May cause an allergic skin reaction.  H318 Causes serious eye damage.  H319 Causes serious eye irritation.  H330 Fatal if inhaled.  H331 Toxic if inhaled.  H400 Very toxic to aquatic life with long lasting effects.	Eye Dam. 1	Serious eye damage/eye irritation Category 1		
Skin Corr. 1 Skin corrosion/irritation Category 1 Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1 Skin sensitization, Category 1B H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H340 Very toxic to aquatic life. H440 Very toxic to aquatic life with long lasting effects.	Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Skin Irrit. 2 Skin corrosion/irritation Category 2 Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1B Skin sensitization, Category 1B H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H330 Fatal if inhaled. H400 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Flam. Liq. 3	Flammable liquids Category 3		
Skin Sens. 1 Skin sensitization, Category 1 Skin Sens. 1B Skin sensitization, Category 1B H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Skin Corr. 1	Skin corrosion/irritation Category 1		
Skin Sens. 1B  Skin sensitization, Category 1B  H226  Flammable liquid and vapor.  H301  Toxic if swallowed.  H302  Harmful if swallowed.  H304  May be fatal if swallowed and enters airways.  H311  Toxic in contact with skin.  H314  Causes severe skin burns and eye damage.  H315  Causes skin irritation.  H317  May cause an allergic skin reaction.  H318  Causes serious eye damage.  H319  Causes serious eye irritation.  H330  Fatal if inhaled.  H331  Toxic if inhaled.  H400  Very toxic to aquatic life.  H410  Very toxic to aquatic life with long lasting effects.  H411  Toxic to aquatic life with long lasting effects.	Skin Irrit. 2	Skin corrosion/irritation Category 2		
H226 Flammable liquid and vapor. H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Toxic if inhaled. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Skin Sens. 1	Skin sensitization, Category 1		
H301 Toxic if swallowed. H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H319 Toxic if inhaled. H330 Fatal if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	Skin Sens. 1B	Skin sensitization, Category 1B		
H302 Harmful if swallowed. H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H226	Flammable liquid and vapor.		
H304 May be fatal if swallowed and enters airways. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H301	Toxic if swallowed.		
H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H440 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H302	Harmful if swallowed.		
H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H304	May be fatal if swallowed and enters airways.		
H315 Causes skin irritation. H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H311	Toxic in contact with skin.		
H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H314	Causes severe skin burns and eye damage.		
H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.	H315	Causes skin irritation.		
H319 Causes serious eye irritation.  H330 Fatal if inhaled.  H331 Toxic if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H317	May cause an allergic skin reaction.		
H330 Fatal if inhaled.  H331 Toxic if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H318	Causes serious eye damage.		
H331 Toxic if inhaled.  H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H319	Causes serious eye irritation.		
H400 Very toxic to aquatic life.  H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H330	Fatal if inhaled.		
H410 Very toxic to aquatic life with long lasting effects.  H411 Toxic to aquatic life with long lasting effects.	H331	Toxic if inhaled.		
H411 Toxic to aquatic life with long lasting effects.	H400	Very toxic to aquatic life.		
	H410	Very toxic to aquatic life with long lasting effects.		
H412 Harmful to aquatic life with long lasting effects.	H411	Toxic to aquatic life with long lasting effects.		
	H412	Harmful to aquatic life with long lasting effects.		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

# CERTIFICATE OF CONFORMITY OF FRAGRANCE MIXTURES WITH IFRA STANDARDS

This certificate assesses the conformity of the fragrance mixture with IFRA Standards and provides restrictions for use as necessary. It is based only on those materials subject to IFRA Standards for the toxicity endpoint(s) described in each Standard.

This Certificate does therefore not replace a comprehensive safety assessment of the fragrance mixture.

# **CERTIFYING PARTY:**

Craftastik Ltd Unit 11 Swift Business Park Creek Way, Rainham, RM13 8LE

### **CERTIFICATE DELIVERED TO:**

### **SCOPE OF THE CERTIFICATE:**

**Product: Cocoa Butter** 

### **Compulsory information:**

We certify that the above mixture is in compliance with the Standards of the INTERNATIONAL FRAGRANCE ASSOCIATION (IFRA), up to and including the 49th Amendment to the IFRA Code of Practice (published January, 2020) provided it is used in the following class(es) at a maximum concentration level of:

IFRA Category(ies) [see Table 10 in Guidance for the use of IFRA Standards for details]	Level of use (%)*	Product application
Category 1	0 %	Lip Products of all types (solid and liquid lipsticks, balms, clear or colored, etc.) Children's toys
Category 2	4.84848485 %	Deodorant and antiperspirant products of all types including any product with intended or reasonably foreseeable use on the axillae or labelled as such (spray, stick, roll-on, under-arm, deocologne, etc.) Body sprays (including body mist)
Category 3	1.80952381 %	Eye products of all types (eye shadow, mascara, eyeliner, eye make-up, eye masks, eye pillows, etc.) including eye care and moisturizer Facial make up and foundation

		Make-up remover for face and eyes Nose pore strips Wipes or refreshing tissues for face, neck, hands, body Body and face paint (for children and adults) Facial masks for face and around the eyes
Category 4	45.23809524 %	Hydroalcoholic and non-hydroalcoholic fine fragrance of all types (Eau de Toilette, Parfum, Cologne, solid perfume, fragrancing cream, aftershaves of all types, etc.) Fragranced bracelets Ingredients of perfume kits and fragrance mixtures for cosmetic kits Scent pads, foil packs Scent strips for hydroalcoholic products
Category 5A	21.42857143 %	Body creams, oils, lotions of all types Foot care products (creams and powders) Insect repellent (intended to be applied to the skin) All powders and talc (excluding baby powders and talc)
Category 5B	3.61904762 %	Facial toner Facial moisturizers and creams
Category 5C	3.61904762 %	Hand cream Nail care products including cuticle creams, etc. Hand sanitizers
Category 5D	1.19047619 %	Baby cream/lotion, baby oil, baby powders and talc
Category 6	0 %	Toothpaste Mouthwash, including breath sprays Toothpowder, strips, mouthwash tablets
Category 7A	3.61904762 %	Hair permanent or other hair chemical treatments (rinse-off) (e.g. relaxers), including rinse-off hair dyes
Category 7B	3.61904762 %	Hair sprays of all types (pumps, aerosol sprays, etc.) Hair styling aids non sprays (mousse, gels, leave- on conditioners) Hair permanent or other hair chemical treatments (leave-on) (e.g. relaxers), including leave-on hair dyes Shampoo - Dry (waterless shampoo) Hair deodorizer
Category 8	1.19047619 %	Intimate wipes Tampons Baby wipes Toilet paper (wet)
Category 9	10.95238095 %	Bar soap Shampoo of all type Cleanser for face (rinse-off) Conditioner (rinse-off) Liquid soap Body washes and shower gels of all types Baby wash, bath, shampoo Bath gels, foams, mousses, salts, oils and other products

		added to bathwater Foot care products (feet are placed in a bath for soaking) Shaving creams of all types (stick, gels, foams, etc.) All depilatories (including facial) and waxes for mechanical hair removal Shampoos for pets
Category 10A	10.95238095 %	Hand wash laundry detergent (including concentrates) Laundry pre-treatment of all types (e.g.paste, sprays, sticks) Hand dishwashing detergent (including concentrates) Hard surface cleaners of all types (bathroom and kitchen cleansers,furniture polish, etc.) Machine laundry detergents with skin contact (e.g. liquids, powders) including concentrates Dry cleaning kits Toilet seat wipes Fabric softeners of all types including fabric softener sheets Household cleaning products, other types including fabric cleaners, soft surface cleaners, carpet cleaners, furniture polishes sprays and wipes, leather cleaning wipes, stain removers, fabric enhancing sprays, treatment products for textiles (e.g. starch sprays, fabric treated with fragrances after wash, deodorizers for textiles or fabrics) Floor wax Fragranced oil for lamp ring, reed diffusers, pot-pourri, liquid refills for air fresheners (non-cartridge systems), etc. Ironing water (Odorized distilled water)
Category 10B	34.28571429 %	Animal sprays – sprays applied to animals of all types Air freshener sprays, manual, including aerosol and pump Aerosol/spray insecticides
Category 11A	1.19047619 %	Feminine hygiene conventional pads,liners, interlabial pads Diapers (baby and adult) Adult incontinence pant, pad Toilet paper (dry)
Category 11B	1.19047619 %	Tights with moisturizers Scented socks, gloves Facial tissues (dry tissues) Napkins Paper towels Wheat bags Facial masks (paper/protective) e.g.surgical masks not used as medicaldevice Fertilizers, solid (pellet or powder)
Category 12	100 %	Candles of all types (including encased) Laundry detergents for machine wash with minimal skin contact (e.g. Liquid tabs, pods) Automated air fresheners and fragrancing of all types (concentrated aerosol with metered doses (range 0.05-

0.5mL/spray), plug-ins, closed systems, solid substrate, membrane delivery, electrical, powders, fragrancing sachets, incense, liquid refills (cartridge), air freshening crystals)

Air delivery systems

Cat litter

Cell phone cases

Deodorizers/maskers not intended for skin contact (e.g. fabric drying machine deodorizers, carpet powders) **Fuels** 

Insecticides (e.g. mosquito coil, paper, electrical, for clothing) excluding aerosols/sprays

Joss sticks or incense sticks

Dishwash detergent and deodorizers - for machine wash

Olfactive board games

**Paints** 

Plastic articles (excluding toys)

Scratch and sniff

Scent pack

Scent delivery system (using dry air technology)

Shoe polishes

Rim blocks (Toilet)

For other kinds of application or use at higher concentration levels, a new evaluation may be needed; please contact:

Information about presence and concentration of fragrance ingredients subject to IFRA Standards in the fragrance mixture (Cocoa Butter) is as follows:

Materials under the scope of IFRA Standards	CAS-No.	Recommendat ion from IFRA Standard:	Concentration (%) in fragrance mixture or finished product	Comment
Dimethylcyclohex-3-ene-1-carbaldehyde (mixed isomers)	27939-60-2 35145-02-9 36635-35-5 67801-65-4 68039-48-5 68039-49-6 68084-52-6 68737-61-1	Restricted	0.25	
cis,trans-4-(Isopropyl)cyclohexanemethanol	5502-75-0 13828-37-0 13674-19-6	Restricted	0.007095	
Benzaldehyde	100-52-7	Restricted	0.25	
alpha-Hexyl cinnamic aldehyde	101-86-0	Restricted	1.45	
Geraniol	106-24-1	Restricted	0.85	
Hydroxycitronellal	107-75-5	Restricted	0.4	
Hexyl salicylate	6259-76-3	Restricted	0.055275	
Coumarin	91-64-5	Restricted	1.65	

<sup>\*</sup>Actual use level or maximum use level

Cyclamen aldehyde	103-95-7	Restricted	2.1
Limonene	138-86-3	Specification	1.881
	7705-14-8		
	5989-27-5		
	5989-54-8		
Linalool	126-90-9	Specification	0.90475
	126-91-0		
	78-70-6		

Issue date:26/05/2021

REGULATION (EC) No 1223/2009 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL - COMMISSION REGULATION (EU) No 344/2013 - COMMISSION REGULATION (EU) No 483/2013

Issue date(DD/MM/YEAR): 24/02/2021 Revision date: : Version:

# **DECLARATION OF COMPLIANCE FOR PERFUME COMPOUNDS (DCP)**

The adoption of the 7th amendement of the European Cosmetic Directive 76/768/EEC requires any cosmetic product containing any of 26 raw materials identified by the Scientific Committee on Cosmetic Products and Non-Food Products intended for Consumers as likely to cause a contact allergy when present above certain trigger levels to be declared on the package label.

ALLERGENS				
Name of common ingredients glossary	CAS-No.	Allergen % in product		
Linalool	78-70-6	0.90475		
d-Limonene	5989-27-5	1.881		
.alphaHexyl cinnamic aldehyde	101-86-0	1.45		
Coumarin	91-64-5	1.65		
Hydroxycitronellal	107-75-5	0.4		
Geraniol	106-24-1	0.85		

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Issue date: 7/2/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

Product form : Mixture

Product name : Cocoa Butter at 5%

Product code

Type of product : Perfumes, Fragrances
Product group : Trade product

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

No additional information available

### 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

### 2.2. Label elements

### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

EUH phrases : EUH208 - Contains Cyclamal. May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

# 2.3. Other hazards

No additional information available

### **SECTION 3: Composition/Information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

### 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

### 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

### 6.4. Reference to other sections

For further information refer to section 13.

### **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

### 7.3. Specific end use(s)

No additional information available

### **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### 8.1.1. National occupational exposure and biological limit values

No additional information available

### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

### Appropriate engineering controls:

Ensure good ventilation of the work station.

# 8.2.2. Personal protection equipment

# Personal protective equipment symbol(s):



### 8.2.2.1. Eye and face protection

### Eye protection:

Safety glasses

### 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

### Hand protection:

Protective gloves

### 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

### 8.2.2.4. Thermal hazards

No additional information available

### 8.2.3. Environmental exposure controls

### Environmental exposure controls:

Avoid release to the environment.

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color light yellow. amber. Odor characteristic. Odor threshold No data available No data available рΗ Relative evaporation rate (butyl acetate=1) No data available Melting point Not applicable Freezing point : No data available Boiling point : No data available : > 93.3 °C

Flash point : > 93.3 °C

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability (solid, gas)

Vapor pressure

Relative vapor density at 20 °C

Relative density

Solubility

Relative density

Viscosity, kinematic : No data available
Viscosity, dynamic : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosion limits : No data available

: No data available

#### 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

Partition coefficient n-octanol/water (Log Pow)

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

### 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not of

(chronic)

: Not classified

Not classified

### 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

### 14.1. UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

### 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

**RID** 

Transport hazard class(es) (RID) : Not applicable

### 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

### 14.6. Special precautions for user

### **Overland transport**

Not applicable

### Transport by sea

Not applicable

### Air transport

Not applicable

#### Inland waterway transport

Not applicable

### Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

### **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK)

: WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen : None of the components are listed

SZW-lijst van mutagene stoffen None of the components are listed

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed giftige stoffen - Ontwikkeling

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	

EN (English US) 7/2/2021 (Issue date) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms		
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-phrases	
EUH208	Contains Cyclamal. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 7/2/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name Cocoa Butter at 10%:

Product code

Type of product : Perfumes, Fragrances Product group Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

No additional information available

## 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

## 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

## Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

## 2.2. Label elements

# Labeling according to Regulation (EC) No. 1272/2008 [CLP]

**EUH** phrases : EUH208 - Contains Hexyl cinnamic aldehyde, Cyclamal, d-Limonene, Coumarin crystals.

May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

# 2.3. Other hazards

No additional information available

# **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

This mixture does not contain any substances to be mentioned according to the criteria of section 3.2 of REACH Annex II

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

#### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

## 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

## 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

7/2/2021 (Issue date) EN (English US) 2/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional information available

## **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

No additional information available

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

## Appropriate engineering controls:

Ensure good ventilation of the work station.

# 8.2.2. Personal protection equipment

# Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

#### Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

# Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Protective gloves

## 8.2.2.3. Respiratory protection

## Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

No additional information available

## 8.2.3. Environmental exposure controls

## Environmental exposure controls:

Avoid release to the environment.

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

No data available

: No data available

## **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color light yellow. amber. Odor characteristic. Odor threshold No data available No data available рΗ Relative evaporation rate (butyl acetate=1) No data available Melting point Not applicable Freezing point : No data available Boiling point : No data available

Flash point : > 93.3 °C

: Not applicable Flammability (solid, gas) Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available Explosive properties : No data available Oxidizing properties : No data available **Explosion limits** : No data available

#### 9.2. Other information

Auto-ignition temperature

Decomposition temperature

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

## 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Skin corrosion/irritation : Not classified : Not classified Serious eye damage/irritation Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified : Not classified Carcinogenicity Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : The product is not considered harmful to aquatic organisms or to cause long-term adverse

effects in the environment.

Not classified

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term : Not classified

(chronic)

## 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

No additional information available

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

## 14.1. UN number

UN-No. (ADR) : Not applicable UN-No. (IMDG) : Not applicable UN-No. (IATA) : Not applicable UN-No. (ADN) : Not applicable UN-No. (RID) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

ADR

Transport hazard class(es) (ADR) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

**RID** 

Transport hazard class(es) (RID) : Not applicable

## 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

## 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

## Air transport

Not applicable

#### Inland waterway transport

Not applicable

## Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

# 15.1.2. National regulations

#### Germany

**Employment restrictions** : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according Act on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK)

: WGK 1, slightly hazardous to water (Classification according to AwSV, Annex 1) Hazardous Incident Ordinance (12. BlmSchV)

: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Borstvoeding

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Vruchtbaarheid

NIET-limitatieve lijst van voor de voortplanting

giftige stoffen - Ontwikkeling

: None of the components are listed : None of the components are listed

: None of the components are listed

None of the components are listed

: None of the components are listed

Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

**Danish National Regulations** Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

## 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	

EN (English US) 7/2/2021 (Issue date) 7/8

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms		
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	
CAS-No.	Chemical Abstract Service number	
N.O.S.	Not Otherwise Specified	
vPvB	Very Persistent and Very Bioaccumulative	
ED	Endocrine disrupting properties	

Full text of H- and EUH-phrases	
EUH208	Contains Hexyl cinnamic aldehyde, Cyclamal, d-Limonene, Coumarin crystals. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Issue date: 7/2/2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1. Product identifier

Product form : Mixture

Product name : Cocoa Butter at 25%

Product code

Type of product : Perfumes, Fragrances
Product group : Trade product

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec : For professional use only

Industrial

Use of the substance/mixture : Perfumes, Fragrances Function or use category : Odour agents

#### 1.2.2. Uses advised against

No additional information available

## 1.3. Details of the supplier of the safety data sheet

No additional information available

## 1.4. Emergency telephone number

No additional information available

# **SECTION 2: Hazards identification**

# 2.1. Classification of the substance or mixture

## Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment - Chronic Hazard Category 3 H412

Full text of H statements : see section 16

## Adverse physicochemical, human health and environmental effects

Harmful to aquatic life with long lasting effects.

## 2.2. Label elements

#### Labeling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP) : -

Hazard statements (CLP) : H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) : P273 - Avoid release to the environment.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH208 - Contains Hexyl cinnamic aldehyde, Cyclamal, Geraniol, Hydroxy,

EUH phrases : EUH208 - Contains Hexyl cinnamic aldehyde, Cyclamal, Geraniol, Hydroxy,

HELIOTROPINE, d-Limonene, Coumarin crystals, Linalool. May produce an allergic

reaction.

# 2.3. Other hazards

No additional information available

## **SECTION 3: Composition/Information on ingredients**

## 3.1. Substances

Not applicable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.2625 – 0.525	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
d-Limonene	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00-7 REACH-no: 01-2119493353- 35	0.20625 – 0.4125	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Coumarin crystals	CAS-No.: 91-64-5 EC-No.: 202-086-7 REACH-no: 01-2119943756- 26	0.20625 – 0.4125	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.18125 – 0.3625	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Linalool	CAS-No.: 78-70-6 EC-No.: 201-134-4 EC Index-No.: 603-235-00-2 REACH-no: 01-2119474016-	0.1125 – 0.225	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430-	0.10625 – 0.2125	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
HEXAMETHYLINDANOPYRAN	CAS-No.: 1222-05-5 EC-No.: 214-946-9 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227- 29	0.1025 – 0.205	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Allyl heptanoate	CAS-No.: 142-19-8 EC-No.: 205-527-1 REACH-no: 01-2119488961- 23	0.08125 – 0.1625	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Allyl caproate	CAS-No.: 123-68-2 EC-No.: 204-642-4 REACH-no: 01-2119983573- 26	0.0625 – 0.125	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Hydroxy	CAS-No.: 107-75-5 EC-No.: 203-518-7 REACH-no: 01-2119973482- 31	0.05 – 0.1	Eye Irrit. 2, H319 Skin Sens. 1B, H317

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Heliotropine crystals	CAS-No.: 120-57-0 EC-No.: 204-409-7 REACH-no: 01-2119983608- 21	0.05 – 0.1	Skin Sens. 1B, H317
Diphenyl oxide substance with a Community workplace exposure limit	CAS-No.: 101-84-8 EC-No.: 202-981-2 REACH-no: 01-2119472545- 33	0.04375 – 0.0875	Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Isoamyl acetate substance with a Community workplace exposure limit	CAS-No.: 123-92-2 EC-No.: 204-662-3 EC Index-No.: 607-130-00-2 REACH-no: 01-2119548408- 32	0.01875 – 0.0375	Flam. Liq. 3, H226

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.
First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

## 4.2. Most important symptoms and effects, both acute and delayed

No additional information available

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

# **SECTION 5: Firefighting measures**

# 5.1. Extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

## 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire : Toxic fumes may be released.

# 5.3. Advice for firefighters

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained

breathing apparatus. Complete protective clothing.

# **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area.

## 6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information

refer to section 8: "Exposure controls/personal protection".

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Take up liquid spill into absorbent material.

Other information : Dispose of materials or solid residues at an authorized site.

## 6.4. Reference to other sections

For further information refer to section 13.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Precautions for safe handling : Ensure good ventilation of the work station. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the

product.

## 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in a well-ventilated place. Keep cool.

## 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values

Diphenyl oxide (101-84-8)		
EU - Indicative Occupational Exposure Limit (IOEL)		
IOEL TWA	7 mg/m³	
IOEL TWA [ppm]	1 ppm	
IOEL STEL	14 mg/m³	
IOEL STEL [ppm]	2 ppm	
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	7 mg/m³	
MAK (OEL TWA) [ppm]	1 ppm	
MAK (OEL STEL)	14 mg/m³	
MAK (OEL STEL) [ppm]	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	7 mg/m³ (vapor)	
OEL TWA [ppm]	1 ppm (vapor)	
OEL STEL	14 mg/m³ (vapor)	
OEL STEL [ppm]	2 ppm (vapor)	
Bulgaria - Occupational Exposure Limits		
OEL TWA	7 mg/m³	

# Safety Data Sheet

OEL TWA (ppm)         1 ppm           OEL STEL (ppm)         2 mg/m²           CEL STEL (ppm)         2 mg/m²           CPGEL STEL (ppm)         7 mg/m²           CVI (OEL TWA) (T)         7 mg/m²           GWI (OEL TWA) (Z)         1 ppm           KGWI (OEL STEL) (ppm)         2 ppm           CVEXIV (CEL STEL) (ppm)         2 ppm           CYprus - Occupational Exposure Limits         7 mg/m²           OEL TWA (ppm)         1 dmg/m²           OEL TWA (ppm)         1 dmg/m²           OEL STEL (ppm)         2 ppm           OEL STEL (ppm)         2 ppm           OEL STEL (ppm)         2 ppm           OEL TWA (ppm)         1 mg/m²           OEL TWA (ppm)         7 mg/m²           OEL TWA (2)         1 ppm           OEL TWA (3)         7 mg/m²           OEL TWA (4)         1 ppm           OEL STEL (ppm)         2 ppm           OEL TWA (2)         4 mg/m²           OEL STEL (ppm)         2 mg/m²           OEL STEL (ppm)         2 mg/m²           OEL STEL (ppm)         2 mg/m²     <	Diphenyl oxide (101-84-8)			
OC IS STEL (ppm)         2 ppm           Crostin - Occupational Exposure Limits         7 mg/m²           GVI (OEL TWA) [1]         7 mg/m²           KGVI (OEL STEL) [ppm]         2 ppm           KGVI (OEL STEL) [ppm]         2 ppm           Cyprus - Occupational Exposure Limits         7 mg/m²           CEL TWA [ppm]         1 ppm           OEL TWA [ppm]         2 ppm           OEL STEL [ppm]         2 ppm           OEL TWA [ppm]         1 mg/m²           OEL OCCUpational Exposure Limits         Demmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           OEL TWA [2]         1 ppm           OEL TWA [2]         1 ppm           OEL STEL [ppm]         2 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         1 ppm           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           HTP (OEL STEL) [ppm]         2 mg/m²           VME (CEL TWA) [2]         1 ppm <td>OEL TWA [ppm]</td> <td>1 ppm</td>	OEL TWA [ppm]	1 ppm		
Creatia - Occupational Exposure Limits         Tomp/m³           GVI (OEL TWA) [1]         7 mg/m³           GVI (OEL TWA) [2]         1 ppm           GVI (OEL STEL) [ppm]         2 ppm           CVPTUS - OCCUPATIONAL EXPOSURE LIMITS           CVELT WA [2]           P mg/m³           OEL TWA [2]           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           CZech Republic - Occupational Exposure Limits           OEL TWA [2]         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           DEL TWA [2]         1 ppm           DEL TWA [2]         1 ppm           DEL STEL [ppm]         2 ppm           DEL STEL [ppm]         2 ppm           DEL STEL [ppm]         7 mg/m³           DEL STEL [ppm]         1 ppm           DEL STEL [ppm]         7 mg/m³           HTP (OEL STEL) [ppm]         7 mg/m³           HTP (OEL STEL) [ppm]         7 mg/m³           P mace - Occupati	OEL STEL	14 mg/m³		
Strict   Transport   Transpo	OEL STEL [ppm]	2 ppm		
GVI (OEL TWA) [2]         1 ppm           KGVI (OEL STEL) (ppm)         2 ppm           Cyprus - Occupational Exposure Limits           Cyprus - Occupational Exposure Limits           OEL TWA (ppm)         1 ppm           OEL STEL (ppm)         2 ppm           Czeck Republic - Occupational Exposure Limits           Czeck Republic - Occupational Exposure Limits           Del TWA [1]         5 mg/m²           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           Del TWA [2]         1 ppm           Storia - Occupational Exposure Limits           DEL TWA [2]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           DEL TWA [2]         1 ppm           Printard - Occupational Exposure Limits           HTP (OEL TWA) [2]         1 ppm           HTP (OEL TWA) [2]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [2]         7 mg/m²           VME (OEL TWA) [2]         7 mg/m²           AGW (OEL TWA) [2]	Croatia - Occupational Exposure Limits			
KGVI (OEL STEL) [ppm]         2 ppm           Cyprus-Occupational Exposure Limits           OEL TWA [ppm]         7 mg/m²           OEL TWA [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           Czech Ropublic - Occupational Exposure Limits           Czech Ropublic - Occupational Exposure Limits           Denmark - Occupational Exposure Limits           Denmark - Occupational Exposure Limits           DEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           DEL TWA [2]         1 ppm           DEL TWA [2]         1 ppm           DEL STEL [ppm]         2 ppm           DEL STEL [ppm]         1 ppm           DEL STEL [ppm]         2 ppm           Printind - Occupational Exposure Limits           HTP (OEL TWA) [1]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           Printing - Occupational Exposure Limits           France - Occupational Exposure Limits           France - Occupational Exposure Limits           OCCUpational Exposure Limits           OCCUpational Exposure Limits (TWGS)	GVI (OEL TWA) [1]	7 mg/m³		
KGVI (OEL STEL) (ppm]         2 ppm           Cyprus - Occupational Exposure Limits           OEL TWA         7 mg/m²           OEL TWA (ppm)         1 ppm           OEL STEL         4 mg/m²           OEL STEL (ppm]         2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m²           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           Stebnia - Occupational Exposure Limits           Teleping         1 ppm           OEL TWA [2]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         7 mg/m²           HTP (OEL TWA) [1]         7 mg/m²           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [2]         1 ppm           Chemical category         Risk of cutaneous absorption           Chemical category         Risk of cutaneous absorption           Chemical category         Risk	GVI (OEL TWA) [2]	1 ppm		
Cyprus - Occupational Exposure Limits           OEL TWA         7 mg/m²           OEL TWA (ppm)         1 ppm           OEL STEL         14 mg/m²           OEL STEL (ppm)         2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)           Demark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m²           OEL TWA [2]         1 ppm           OEL STEL (ppm)         2 ppm           Finitand - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m²           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) (ppm)         2 ppm           Finitand - Occupational Exposure Limits           VME (OEL TWA) [2]         1 ppm           HTP (OEL STEL) (ppm)         2 ppm           Finitand - Occupational Exposure Limits           VME (OEL TWA) [2]         1 ppm           VME (OEL TWA) [2]         7 mg/m²           VME (OEL TWA) [2]	KGVI (OEL STEL)	14 mg/m³		
OEL TWA         7 mg/m²           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m²           OEL STEL [ppm]         2 ppm           Czeck Republic - Occupational Exposure Limits           Very Compational Exposure Limits           PEL (OEL TWA)         5 mg/m²           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA [2]         1 ppm           OEL TWA [2]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         7 mg/m²           HTP (OEL TWA) [1]         7 mg/m²           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [ppm]         7 mg/m²           VME (OEL TWA) [ppm]         1 ppm           Occupational Exposure Limits (TRGS)           VME (OEL TWA) [1]         7.1 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Germany - Occupational Exposure Limits (TRGS)	KGVI (OEL STEL) [ppm]	2 ppm		
OEL TWA [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m²           Donmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           OEL TWA [2]         7 mg/m²           OEL TWA [2]         1 ppm           OEL TWA [2]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m²           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits         VME (OEL STEL) [ppm]           VME (OEL TWA) [2]         1 ppm           VME (OEL TWA) [ppm]         1 ppm           Chenical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRCS 90%)           VME (OEL TWA) [1]         7 t mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Germany - Occupational Exposure Limits (TRCS 90%) <td colspa<="" td=""><td>Cyprus - Occupational Exposure Limits</td><td></td></td>	<td>Cyprus - Occupational Exposure Limits</td> <td></td>	Cyprus - Occupational Exposure Limits		
OEL STEL         14 mg/m²           OEL STEL [ppm]         2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m²           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m²           OEL TWA [2]         1 ppm           Storia - Occupational Exposure Limits           OEL TWA [2]         1 ppm           OEL TWA [2]         1 ppm           OEL STEL [ppm]         2 ppm           Finitiand - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m²           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           HTP (OEL STEL) [ppm]         1 ppm           HTP (OEL STEL) [ppm]         7 mg/m²           WME (OEL TWA) [2]         1 ppm           VME (OEL TWA) [ppm]         1 ppm           Chemical Category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS)           WME (OEL TWA) [1]         7 t mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Germany - O	OEL TWA	7 mg/m³		
OEL STEL (ppm]         2 ppm           Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA (ppm]         1 ppm           OEL STEL (ppm]         1 ppm           OEL STEL (ppm]         7 mg/m³           OEL STEL (ppm]         7 mg/m³           HTP (OEL TWA) [1]         7 mg/m³           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) (ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) (ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900**)           AGW (OEL TWA) [1]         7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           GEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	OEL TWA [ppm]	1 ppm		
Czech Republic - Occupational Exposure Limits           PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA [ppm]         1 ppm           OEL STEL [ppm]         1 ppm           OEL STEL [ppm]         2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m³           N mg/m³           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900*)           AGW (OEL TWA) [1]         Z¹ mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Gibraltar - Occupational Exposure Limits           Cocupational Exposure Limits (TRGS 900*)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	OEL STEL	14 mg/m³		
PEL (OEL TWA)         5 mg/m³           Denmark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m³           OEL STEL [ppm]         2 ppm           Finiand - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m³           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits         VME (OEL TWA) [2] ppm]           VME (OEL TWA) [ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS source Limits (TRGS source))           AGW (OEL TWA) [1]         7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Gibratar - Occupational Exposure Limits         Tmg/m³	OEL STEL [ppm]	2 ppm		
Demark - Occupational Exposure Limits           OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m³           OEL STEL [ppm]         2 ppm           Finland - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m³           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL)         14 mg/m³           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS)           AGW (OEL TWA) [1]         7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	Czech Republic - Occupational Exposure Limits			
OEL TWA [1]         7 mg/m³           OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits         7 mg/m³           OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m³           OEL STEL [ppm]         2 ppm           Finiand - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m³           HTP (OEL STEL)         14 mg/m³           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           WE (OEL TWA) [ppm]         7 mg/m³           VME (OEL TWA) [ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 90/Values are observed-vapor)           AGW (OEL TWA) [1]         1 npm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Gibraltar - Occupational Exposure Limits         T ng/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	PEL (OEL TWA)	5 mg/m³		
OEL TWA [2]         1 ppm           Estonia - Occupational Exposure Limits           OEL TWA         7 mg/m³           OEL TWA [ppm]         1 ppm           OEL STEL         14 mg/m³           OEL STEL [ppm]         2 ppm           Fintand - Occupational Exposure Limits           HTP (OEL TWA) [1]         7 mg/m³           HTP (OEL TWA) [2]         1 ppm           HTP (OEL STEL) [ppm]         2 ppm           France - Occupational Exposure Limits           VME (OEL TWA) [2]         7 mg/m³           VME (OEL TWA) [ppm]         1 ppm           Chemical category         Risk of cutaneous absorption           Germany - Occupational Exposure Limits (TRGS 900)           AGW (OEL TWA) [1]         7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           AGW (OEL TWA) [2]         1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)           Gibraltar - Occupational Exposure Limits           COCCUpational Exposure Limits	Denmark - Occupational Exposure Limits			
Estonia - Occupational Exposure Limits  OEL TWA OEL TWA [ppm] 1 ppm OEL STEL 14 mg/m³ OEL STEL [ppm] 2 ppm Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 1 ppm HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) 15 ppm HTP (OEL STEL) 16 mg/m³ HTP (OEL STEL) 17 mg/m³ HTP (OEL STEL) HTP (OEL	OEL TWA [1]	7 mg/m³		
OEL TWA [ppm] 1 ppm OEL STEL OEL STEL OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 7 mg/m² HTP (OEL STEL) 14 mg/m² HTP (OEL STEL) 15 ppm] 2 ppm  France - Occupational Exposure Limits  WME (OEL TWA) [2] 7 mg/m³  VME (OEL TWA) [3] 7 mg/m³  VME (OEL TWA) [4 mg/m²  T mg/m³  VME (OEL TWA) [5 mg/m²  VME (OEL TWA) [7 mg/m³  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 9000)  Germany - Occupational Exposure Limits (TRGS 9000)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  T mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [3] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)	OEL TWA [2]	1 ppm		
OEL TWA [ppm] 1 ppm OEL STEL OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) [ppm] 2 ppm  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [2] 1 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [2] 1 ppm  Chemical category 7 mg/m³  Chemical category 8 kisk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS)  AGW (OEL TWA) [1] 7,1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  Gibraltar - Occupational Exposure Limits  T mg/m³	Estonia - Occupational Exposure Limits			
OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 90W)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  T mg/m³	OEL TWA	7 mg/m³		
OEL STEL [ppm] 2 ppm  Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m²  HTP (OEL STEL) 1 ppm  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m²  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Cermany - Occupational Exposure Limits (TRGS 9000)  AGW (OEL TWA) [1] 7.1 mg/m² (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  T mg/m²  T mg/m²	OEL TWA [ppm]	1 ppm		
Finland - Occupational Exposure Limits  HTP (OEL TWA) [1] 7 mg/m³  HTP (OEL TWA) [2] 1 ppm  HTP (OEL STEL) 14 mg/m³  HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  T mg/m³  T ng/m³	OEL STEL	14 mg/m³		
HTP (OEL TWA) [1] 7 mg/m³ HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) [7 mg/m³  VME (OEL TWA) [7 mg/m³  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 90W values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  Gibraltar - Occupational Exposure Limits  7 mg/m³  7 mg/m³  7 mg/m³  7 mg/m³  7 mg/m³	OEL STEL [ppm]	2 ppm		
HTP (OEL TWA) [2] 1 ppm HTP (OEL STEL) 14 mg/m³ HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	Finland - Occupational Exposure Limits			
HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	HTP (OEL TWA) [1]	7 mg/m³		
HTP (OEL STEL) [ppm] 2 ppm  France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	HTP (OEL TWA) [2]	1 ppm		
France - Occupational Exposure Limits  VME (OEL TWA) 7 mg/m³  VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	HTP (OEL STEL)	14 mg/m³		
VME (OEL TWA) [ppm] 1 ppm Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	HTP (OEL STEL) [ppm]	2 ppm		
VME (OEL TWA) [ppm] 1 ppm  Chemical category Risk of cutaneous absorption  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1] 7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	France - Occupational Exposure Limits			
Chemical category  Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³	VME (OEL TWA)	7 mg/m³		
Germany - Occupational Exposure Limits (TRGS 900)  AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³	VME (OEL TWA) [ppm]	1 ppm		
AGW (OEL TWA) [1]  7.1 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  AGW (OEL TWA) [2]  1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA  7 mg/m³	Chemical category	Risk of cutaneous absorption		
BGW values are observed-vapor)  AGW (OEL TWA) [2] 1 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	Germany - Occupational Exposure Limits (TRGS 900)			
values are observed-vapor)  Gibraltar - Occupational Exposure Limits  OEL TWA 7 mg/m³	AGW (OEL TWA) [1]			
OEL TWA 7 mg/m³	AGW (OEL TWA) [2]			
	Gibraltar - Occupational Exposure Limits			
OEL TWA [ppm] 1 ppm	OEL TWA	7 mg/m³		
	OEL TWA [ppm]	1 ppm		

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
OEL STEL	14 mg/m³	
OEL STEL [ppm]	200 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Hungary - Occupational Exposure Limits		
AK (OEL TWA)	7 mg/m³	
CK (OEL STEL)	14 mg/m³	
Ireland - Occupational Exposure Limits		
OEL TWA [1]	7 mg/m³ (vapour)	
OEL TWA [2]	1 ppm (vapour)	
OEL STEL	14 mg/m³ (vapour)	
OEL STEL [ppm]	2 ppm (vapour)	
Italy - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
Latvia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
Lithuania - Occupational Exposure Limits		
IPRV (OEL TWA)	7 mg/m³	
IPRV (OEL TWA) [ppm]	1 ppm	
TPRV (OEL STEL)	14 mg/m³	
TPRV (OEL STEL) [ppm]	2 ppm	
Luxembourg - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Malta - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Netherlands - Occupational Exposure Limits		
MAC-TGG (OEL TWA)	7 mg/m³	
MAC-15 (OEL STEL)	14 mg/m³	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	7 mg/m³	
NDSCh (OEL STEL)	14 mg/m³	
Portugal - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm (vapor)	
OEL STEL	14 mg/m³ (indicative limit value)	
OEL STEL [ppm]	2 ppm (indicative limit value-vapor)	
Romania - Occupational Exposure Limits		
OEL TWA	5 mg/m³	
OEL TWA [ppm]	0.7 ppm	
OEL STEL	10 mg/m³	
OEL STEL [ppm]	1.4 ppm	
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	7 mg/m³	
NPHV (OEL TWA) [2]	1 ppm	
NPHV (OEL C)	7.1 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	7 mg/m³	
OEL TWA [ppm]	1 ppm	
OEL STEL	14 mg/m³	
OEL STEL [ppm]	2 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	7.1 mg/m³ (vapor)	
VLA-ED (OEL TWA) [2]	1 ppm (vapor)	
VLA-EC (OEL STEL)	14.2 mg/m³ (vapor)	
VLA-EC (OEL STEL) [ppm]	2 ppm (vapor)	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	7 mg/m³	
NGV (OEL TWA) [ppm]	1 ppm	
KTV (OEL STEL)	14 mg/m³	
KTV (OEL STEL) [ppm]	2 ppm	
United Kingdom - Occupational Exposure Limits		
WEL TWA (OEL TWA) [1]	7.1 mg/m³ (vapour)	
WEL TWA (OEL TWA) [2]	1 ppm (vapour)	
WEL STEL (OEL STEL)	21.3 mg/m³ (calculated-vapour)	
WEL STEL (OEL STEL) [ppm]	3 ppm (calculated-vapour)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	7 mg/m³	

# Safety Data Sheet

Diphenyl oxide (101-84-8)		
Grenseverdi (OEL TWA) [2]	1 ppm	
Korttidsverdi (OEL STEL)	14 mg/m³ (value from the regulation)	
Korttidsverdi (OEL STEL) [ppm]	2 ppm (value from the regulation)	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	7 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	1 ppm (aerosol, vapour)	
KZGW (OEL STEL)	14 mg/m³ (aerosol, vapour)	
KZGW (OEL STEL) [ppm]	2 ppm (aerosol, vapour)	
Chemical category	Category 2 developmental toxin, Category 2 reproductive toxin	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	1 ppm (vapor)	
ACGIH OEL STEL [ppm]	2 ppm (vapor fraction)	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits		
OEL TWA	28 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
Chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
Chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m³	
C II (OFI TIMA) FOI	25 ppm	
Grenseverdi (OEL TWA) [2]		
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	

# Safety Data Sheet

d-Limonene (5989-27-5)	
Chemical category	Sensitizing substance
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	40 mg/m³
MAK (OEL TWA) [2]	7 ppm
KZGW (OEL STEL)	80 mg/m³
KZGW (OEL STEL) [ppm]	14 ppm
Chemical category	Sensitizer
Isoamyl acetate (123-92-2)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	270 mg/m³
IOEL TWA [ppm]	50 ppm
IOEL STEL	540 mg/m³
IOEL STEL [ppm]	100 ppm
Austria - Occupational Exposure Limits	
MAK (OEL TWA)	270 mg/m³ (Pentyl acetate (all isomers))
MAK (OEL TWA) [ppm]	50 ppm (Pentyl acetate (all isomers))
MAK (OEL STEL)	540 mg/m³ (Pentylacetate)
MAK (OEL STEL) [ppm]	100 ppm (Pentylacetate)
Belgium - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Bulgaria - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Croatia - Occupational Exposure Limits	
GVI (OEL TWA) [1]	270 mg/m³
GVI (OEL TWA) [2]	50 ppm
KGVI (OEL STEL)	540 mg/m³
KGVI (OEL STEL) [ppm]	100 ppm
Cyprus - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm

# Safety Data Sheet

Isoamyl acetate (123-92-2)	
Denmark - Occupational Exposure Limits	
OEL TWA [1]	271 mg/m³ (Amyl acetate, all isomers)
OEL TWA [2]	50 ppm (Amyl acetate, all isomers)
Estonia - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	270 mg/m³ (Pentyl acetate)
HTP (OEL TWA) [2]	50 ppm (Pentyl acetate)
HTP (OEL STEL)	540 mg/m³
HTP (OEL STEL) [ppm]	100 ppm
France - Occupational Exposure Limits	
VME (OEL TWA)	270 mg/m³ (restrictive limit)
VME (OEL TWA) [ppm]	50 ppm (restrictive limit)
VLE (OEL C/STEL)	540 mg/m³ (restrictive limit)
VLE (OEL C/STEL) [ppm]	100 ppm (restrictive limit)
Germany - Occupational Exposure Limits (TRGS 90	
AGW (OEL TWA) [1]	270 mg/m³
AGW (OEL TWA) [2]	50 ppm
Gibraltar - Occupational Exposure Limits	
OEL TWA	270 mg/m³
OEL TWA [ppm]	50 ppm
OEL STEL	540 mg/m³
OEL STEL [ppm]	100 ppm
Greece - Occupational Exposure Limits	
OEL TWA	530 mg/m³
OEL TWA [ppm]	100 ppm
OEL STEL	800 mg/m³
OEL STEL [ppm]	150 ppm
Hungary - Occupational Exposure Limits	
AK (OEL TWA)	270 mg/m³
CK (OEL STEL)	540 mg/m³
Ireland - Occupational Exposure Limits	
OEL TWA [1]	260 mg/m³
OEL TWA [2]	50 ppm
OEL STEL	520 mg/m³
OEL STEL [ppm]	100 ppm

# Safety Data Sheet

Isoamyl acetate (123-92-2)	Isoamyl acetate (123-92-2)		
Italy - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Latvia - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
Lithuania - Occupational Exposure Limits			
IPRV (OEL TWA)	270 mg/m³		
IPRV (OEL TWA) [ppm]	50 ppm		
TPRV (OEL STEL)	540 mg/m³		
TPRV (OEL STEL) [ppm]	100 ppm		
Luxembourg - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Malta - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		
Netherlands - Occupational Exposure Limits			
MAC-15 (OEL STEL)	530 mg/m³		
Poland - Occupational Exposure Limits			
NDS (OEL TWA)	250 mg/m³		
NDSCh (OEL STEL)	500 mg/m³		
Portugal - Occupational Exposure Limits			
OEL TWA	270 mg/m³ (indicative limit value)		
OEL TWA [ppm]	50 ppm (indicative limit value)		
OEL STEL	540 mg/m³ (indicative limit value)		
OEL STEL [ppm]	100 ppm (indicative limit value, regulated under Pentyl acetate, all isomers)		
Romania - Occupational Exposure Limits			
OEL TWA	270 mg/m³		
OEL TWA [ppm]	50 ppm		
OEL STEL	540 mg/m³		
OEL STEL [ppm]	100 ppm		

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Isoamyl acetate (123-92-2)		
Slovakia - Occupational Exposure Limits		
NPHV (OEL TWA) [1]	270 mg/m³	
NPHV (OEL TWA) [2]	50 ppm	
NPHV (OEL C)	540 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	270 mg/m³ (indicative limit value)	
VLA-ED (OEL TWA) [2]	50 ppm (indicative limit value)	
VLA-EC (OEL STEL)	540 mg/m³	
VLA-EC (OEL STEL) [ppm]	100 ppm	
Sweden - Occupational Exposure Limits		
NGV (OEL TWA)	270 mg/m³ (Pentyl acetates)	
NGV (OEL TWA) [ppm]	50 ppm (Pentyl acetates)	
KTV (OEL STEL)	540 mg/m³ (Pentyl acetates)	
KTV (OEL STEL) [ppm]	100 ppm (Pentyl acetates)	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	260 mg/m³	
Grenseverdi (OEL TWA) [2]	50 ppm	
Korttidsverdi (OEL STEL)	325 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	75 ppm (value calculated)	
Turkey - Occupational Exposure Limits		
OEL TWA	270 mg/m³	
OEL TWA [ppm]	50 ppm	
OEL STEL	540 mg/m³	
OEL STEL [ppm]	100 ppm	
USA - ACGIH - Occupational Exposure Limits		
ACGIH OEL TWA [ppm]	50 ppm (Pentyl acetate, all isomers)	
ACGIH OEL STEL [ppm]	100 ppm (Pentyl acetate, all isomers)	

# 8.1.2. Recommended monitoring procedures

No additional information available

## 8.1.3. Air contaminants formed

No additional information available

## 8.1.4. DNEL and PNEC

No additional information available

## 8.1.5. Control banding

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 8.2. Exposure controls

## 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

## Personal protective equipment symbol(s):



## 8.2.2.1. Eye and face protection

## Eye protection:

Safety glasses

## 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

#### Hand protection:

Protective gloves

## 8.2.2.3. Respiratory protection

### Respiratory protection:

In case of insufficient ventilation, wear suitable respiratory equipment

#### 8.2.2.4. Thermal hazards

Oxidizing properties

No additional information available

#### 8.2.3. Environmental exposure controls

#### **Environmental exposure controls:**

Avoid release to the environment.

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : light yellow. amber. Odor characteristic. Odor threshold : No data available рΗ No data available Relative evaporation rate (butyl acetate=1) No data available Melting point Not applicable Freezing point No data available Boiling point No data available

Flash point : > 93.3 °C Auto-ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) : Not applicable Vapor pressure : No data available Relative vapor density at 20 °C : No data available Relative density No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available Explosive properties

7/2/2021 (Issue date) EN (English US) 13/20

: No data available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Explosion limits : No data available

## 9.2. Other information

No additional information available

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Stable under normal conditions.

## 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

## 10.5. Incompatible materials

No additional information available

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

# **SECTION 11: Toxicological information**

# 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Acute toxicity (illinatation)	Not dassilied	
Allyl caproate (123-68-2)		
LD50 oral	300 mg/kg body weight	
LD50 dermal rabbit	820 mg/kg	
LD50 dermal	300 mg/kg body weight	
LC50 Inhalation - Rat (Vapours)	3 mg/l/4h	
Allyl heptanoate (142-19-8)		
LD50 oral rat	500 mg/kg	
LD50 oral	218 mg/kg body weight	
LD50 dermal rabbit	810 mg/kg	
LD50 dermal	810 mg/kg body weight	
Coumarin crystals (91-64-5)		
LD50 oral rat	> 5000 mg/kg	
LD50 oral	500 mg/kg body weight	
LD50 dermal rat	293 mg/kg	
Cyclamal (103-95-7)		
LD50 oral rat	3810 mg/kg	

# Safety Data Sheet

Cyclamal (103-95-7)	
LD50 oral	3810 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg
Diphenyl oxide (101-84-8)	
LD50 oral rat	2450 mg/kg
LD50 oral	2830 mg/kg body weight
LD50 dermal rabbit	> 7940 mg/kg
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h
d-Limonene (5989-27-5)	
LD50 oral rat	4400 mg/kg
LD50 dermal rabbit	> 5 g/kg
Geraniol (106-24-1)	
LD50 oral rat	3600 mg/kg
LD50 oral	3600 mg/kg body weight
LD50 dermal rabbit	> 5 g/kg
Heliotropine crystals (120-57-0)	
LD50 oral rat	2700 mg/kg
LD50 oral	2700 mg/kg body weight
LD50 dermal rat	> 5000 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg body weight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
HEXAMETHYLINDANOPYRAN (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Hydroxy (107-75-5)	
LD50 oral rat	> 5 g/kg
LD50 dermal rabbit	> 2000 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg body weight
Serious eye damage/irritation : Respiratory or skin sensitization : Germ cell mutagenicity :	Not classified Not classified Not classified Not classified
<i>J</i> ,	Not classified
Coumarin crystals (91-64-5)	O. Nickella, 15-kla
IARC group	3 - Not classifiable

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
STOT-single exposure :	Not classified
STOT-repeated exposure :	Not classified
Aspiration hazard :	Not classified

# **SECTION 12: Ecological information**

## 12.1. Toxicity

Ecology - general : Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, short-term : Not classified

(acute)

Hazardous to the aquatic environment, long-term : Harmfu

(chronic)

: Harmful to aquatic life with long lasting effects.

Allyl caproate (123-68-2)		
LC50 - Fish [1]	0.117 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])	
d-Limonene (5989-27-5)		
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])	
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)	
Geraniol (106-24-1)		
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])	
Heliotropine crystals (120-57-0)		
LC50 - Fish [1]	2.5 mg/l (Exposure time: 96 h - Species: Cyprinus carpio [static])	
HEXAMETHYLINDANOPYRAN (1222-05-5)		
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682	
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas	
EC50 - Crustacea [2]	260 μg/l REACH Dossier	
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier	
Linalool (78-70-6)		
EC50 96h - Algae [1]	88.3 mg/l (Species: Desmodesmus subspicatus)	

# 12.2. Persistence and degradability

No additional information available

# 12.3. Bioaccumulative potential

Diphenyl oxide (101-84-8)	
BCF - Fish [1]	470
Partition coefficient n-octanol/water (Log Pow)	4.2

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 12.6. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

## 13.1. Waste treatment methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

#### 14.1. UN number

UN-No. (ADR) : Not applicable
UN-No. (IMDG) : Not applicable
UN-No. (IATA) : Not applicable
UN-No. (ADN) : Not applicable
UN-No. (RID) : Not applicable

## 14.2. UN proper shipping name

Proper Shipping Name (ADR) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Proper Shipping Name (ADN) : Not applicable
Proper Shipping Name (RID) : Not applicable

## 14.3. Transport hazard class(es)

#### **ADR**

Transport hazard class(es) (ADR) : Not applicable

IMDG

Transport hazard class(es) (IMDG) : Not applicable

IATA

Transport hazard class(es) (IATA) : Not applicable

ADN

Transport hazard class(es) (ADN) : Not applicable

RID

Transport hazard class(es) (RID) : Not applicable

# 14.4. Packing group

Packing group (ADR) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable
Packing group (ADN) : Not applicable
Packing group (RID) : Not applicable

#### 14.5. Environmental hazards

Dangerous for the environment : No Marine pollutant : No

Other information : No supplementary information available

7/2/2021 (Issue date) EN (English US) 17/20

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

## 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

## Air transport

Not applicable

## Inland waterway transport

Not applicable

#### Rail transport

Not applicable

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

## **SECTION 15: Regulatory information**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## 15.1.1. EU-Regulations

EU restriction list (REACH Annex XVII)	
Reference code	Applicable on
3(a)	Isoamyl acetate ; d-Limonene
3(b)	Hexyl cinnamic aldehyde ; Cyclamal ; Geraniol ; Hydroxy ; Allyl caproate ; Allyl heptanoate ; d-Limonene ; Linalool
3(c)	Cocoa Butter #EU34802F at 25%; Hexyl cinnamic aldehyde; Cyclamal; Allyl caproate; Allyl heptanoate; d-Limonene; HEXAMETHYLINDANOPYRAN
40.	Isoamyl acetate ; d-Limonene

Contains no REACH candidate substance

Contains no REACH Annex XIV substances.

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance(s) subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

## 15.1.2. National regulations

Germany	•
---------	---

Employment restrictions : Observe restrictions according Act on the Protection of Working Mothers (MuSchG)

Observe restrictions according  $\mbox{\sc Act}$  on the Protection of Young People in Employment

(JArbSchG)

Water hazard class (WGK) : WGK 2, significant hazardous to water (Classification according to AwSV, Annex 1)

Hazardous Incident Ordinance (12. BlmSchV) : Is not subject of the Hazardous Incident Ordinance (12. BlmSchV)

Netherlands

SZW-lijst van kankerverwekkende stoffen

SZW-lijst van mutagene stoffen : None of the components are listed NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Borstvoeding

NIET-limitatieve lijst van voor de voortplanting : None of the components are listed

giftige stoffen – Vruchtbaarheid NIET-limitatieve lijst van voor de voortplanting

: None of the components are listed

: None of the components are listed

giftige stoffen – Ontwikkeling

# Denmark

Classification remarks : Emergency management guidelines for the storage of flammable liquids must be followed

7/2/2021 (Issue date) EN (English US) 18/20

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Danish National Regulations : Pregnant/breastfeeding women working with the product must not be in direct contact with

the product

Switzerland

Storage class (LK) : LK 10/12 - Liquids

# 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Abbreviations and acronyms		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
BLV	Biological limit value	
BOD	Biochemical oxygen demand (BOD)	
COD	Chemical oxygen demand (COD)	
DMEL	Derived Minimal Effect level	
DNEL	Derived-No Effect Level	
EC-No.	European Community number	
EC50	Median effective concentration	
EN	European Standard	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IMDG	International Maritime Dangerous Goods	
LC50	Median lethal concentration	
LD50	Median lethal dose	
LOAEL	Lowest Observed Adverse Effect Level	
NOAEC	No-Observed Adverse Effect Concentration	
NOAEL	No-Observed Adverse Effect Level	
NOEC	No-Observed Effect Concentration	
OECD	Organisation for Economic Co-operation and Development	
OEL	Occupational Exposure Limit	
PBT	Persistent Bioaccumulative Toxic	
PNEC	Predicted No-Effect Concentration	
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail	
SDS	Safety Data Sheet	
STP	Sewage treatment plant	
ThOD	Theoretical oxygen demand (ThOD)	
TLM	Median Tolerance Limit	
VOC	Volatile Organic Compounds	

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Abbreviations and acronyms	
CAS-No.	Chemical Abstract Service number
N.O.S.	Not Otherwise Specified
vPvB	Very Persistent and Very Bioaccumulative
ED	Endocrine disrupting properties

Full text of H- and EUF	Full text of H- and EUH-phrases		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Inhalation)	Acute toxicity (inhalation) Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral) Category 3		
Aquatic Acute 1	Hazardous to the aquatic environment - Acute Hazard Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment - Chronic Hazard Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment - Chronic Hazard Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment - Chronic Hazard Category 3		
Asp. Tox. 1	Aspiration hazard Category 1		
Eye Dam. 1	Serious eye damage/eye irritation Category 1		
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2		
Flam. Liq. 3	Flammable liquids Category 3		
Skin Irrit. 2	Skin corrosion/irritation Category 2		
Skin Sens. 1	Skin sensitization, Category 1		
Skin Sens. 1B	Skin sensitization, Category 1B		
H226	Flammable liquid and vapor.		
H301	Toxic if swallowed.		
H304	May be fatal if swallowed and enters airways.		
H311	Toxic in contact with skin.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H318	Causes serious eye damage.		
H319	Causes serious eye irritation.		
H331	Toxic if inhaled.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
H411	Toxic to aquatic life with long lasting effects.		
H412	Harmful to aquatic life with long lasting effects.		
EUH208	Contains Hexyl cinnamic aldehyde, Cyclamal, Geraniol, Hydroxy, HELIOTROPINE, d-Limonene, Coumarin crystals, Linalool. May produce an allergic reaction.		

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.