Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 6/16/2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form	: Mixture
Product name	: BLACKBERRY FROST #EU38738F
UFI	: KU8F-V3QG-M009-J9R4
Product code	: EU38738F
Type of product	: Perfumes, fragrances
Product group	: Trade product

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category	:	Industrial use,Professional use
Industrial/Professional use spec	:	For professional use only
		Industrial
Use of the substance/mixture	:	Perfumes, fragrances
Function or use category	:	Odour agents

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Craftastik Limited Unit 11 Swift Business Park Creek Way, Rainham, RM13 8LE

info@craftastik.co.uk T 44-203 305 6486

1.4. Emergency telephone number

Emergency number

: 1-800-255-3924; +01-813-248-0585; China:+400-120-0751; Mexico:+01-800-099-0731; Brazil: +0-800-591-6042; India: +000-800-100-4086

SECTION 2: Hazards identification 2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Skin sensitisation, Category 1	H317
Hazardous to the aquatic environment – Chronic Hazard, Category 2	H411
Full text of H- and EUH-statements: see section 16	

Adverse physicochemical, human health and environmental effects

To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice. Toxic to aquatic life with long lasting effects. May cause an allergic skin reaction.

2.2. Label elements

Labelling according to Regulation (EC) N	o. 1272/2008 [CLP]	
Hazard pictograms (CLP)		\wedge
		<_>>
	GHS07	GHS09
Signal word (CLP)	: Warning	

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Contains	 Linalool; Linalyl acetate; Benzyl salicylate; d-Limonene; Iso E Super; Orange oil ; Geraniol; Nerol; Aldehyde C-16; Eucalyptus oil; Citronellol Pure; delta-Damascone; Hexyl cinnamic aldehyde; Geranium oil Egyptian ; Cyclamal; Triplal (Vertocitral); Eugenol
Hazard statements (CLP)	: H317 - May cause an allergic skin reaction. H411 - Toxic to aquatic life with long lasting effects.
Precautionary statements (CLP)	 P261 - Avoid breathing dust/fume/gas/mist/vapours/spray. P272 - Contaminated work clothing should not be allowed out of the workplace. P273 - Avoid release to the environment. P280 - Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P302+P352 - IF ON SKIN: Wash with plenty of water. P321 - Specific treatment (see supplemental first aid instruction on this label).
Extra phrases	: For professional users only.

2.3. Other hazards

Contains no PBT/vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures Name Product identifier % **Classification according to Regulation (EC) No. 1272/2008** [CLP] CAS-No.: 1222-05-5 2.5 – 5 Aquatic Acute 1, H400 Hexamethylindanopyran EC-No.: 214-946-9 Aquatic Chronic 1, H410 EC Index-No.: 603-212-00-7 REACH-no: 01-2119488227-29 Linalool CAS-No.: 78-70-6 1.7 - 3.35 Skin Irrit. 2, H315 EC-No.: 201-134-4 Eye Irrit. 2, H319 EC Index-No.: 603-235-00-2 Skin Sens. 1B, H317 REACH-no: 01-2119474016-42 CAS-No.: 105-95-3 1 - 2Ethylene brassylate Aquatic Chronic 2, H411 EC-No.: 203-347-8 REACH-no: 01-2119976314-33 CAS-No.: 115-95-7 0.6 - 1.2Skin Irrit. 2, H315 Linalyl acetate EC-No.: 204-116-4 Eye Irrit. 2, H319 REACH-no: 01-2119454789-Skin Sens. 1, H317 19 CAS-No.: 100-51-6 0.6 - 1.2 Acute Tox. 4 (Oral), H302 Benzyl alcohol substance with national workplace exposure limit(s) EC-No.: 202-859-9 Acute Tox. 4 (Inhalation), H332 (BG, CZ, DE, FI, LT, LV, PL, SI, CH) EC Index-No.: 603-057-00-5 Skin Irrit. 2, H315 REACH-no: 01-2119492630-Eye Irrit. 2, H319 38

Safety Data Sheet

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl salicylate	CAS-No.: 118-58-1 EC-No.: 204-262-9 EC Index-No.: 607-754-00-5 REACH-no: 01-2119969442- 31	0.5 – 1	Eye Irrit. 2, H319 Skin Sens. 1B, H317 Aquatic Chronic 3, H412
Oxypheylon (Raspberry ketone) crystals	CAS-No.: 5471-51-2 EC-No.: 226-806-4	0.5 – 1	Acute Tox. 4 (Oral), H302
d-Limonene substance with national workplace exposure limit(s) (DE, ES, FI, SI, NO, CH)	CAS-No.: 5989-27-5 EC-No.: 227-813-5 EC Index-No.: 601-029-00- 7;601-096-00-2 REACH-no: 01-2119493353- 35	0.4 – 0.85	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Iso E Super	CAS-No.: 54464-57-2 EC-No.: 259-174-3 REACH-no: 01-2119489989- 04	0.4 – 0.85	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410
Sandela	CAS-No.: 66068-84-6 EC-No.: 266-100-3	0.3 – 0.5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Orange oil	CAS-No.: 8008-57-9 EC-No.: 232-433-8 REACH-no: 01-2119493353- 35	0.3 – 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Camphor substance with national workplace exposure limit(s) (AT, BE, BG, DK, ES, FI, FR, GB, GR, HR, IE, LT, PL, PT, RO, SK, NO, CH)	CAS-No.: 76-22-2 EC-No.: 200-945-0	0.1 – 0.25	Flam. Sol. 2, H228 Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Inhalation), H332 Acute Tox. 4 (Inhalation:dust,mist), H332 Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 2, H371 Aquatic Chronic 2, H411
Aldehyde C-16	CAS-No.: 77-83-8 EC-No.: 201-061-8 REACH-no: 01-2119967770- 28	0.1 – 0.25	Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Eucalyptus oil	CAS-No.: 8000-48-4 EC-No.: 283-406-2 REACH-no: 01-2119978250- 37	0.1 – 0.25	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Citronellol Pure	CAS-No.: 106-22-9 EC-No.: 203-375-0 REACH-no: 01-2119453995- 23	0.1 – 0.25	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
delta-Damascone	CAS-No.: 57378-68-4 EC-No.: 260-709-8	0.1 – 0.2	Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Chronic 1, H410

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Benzyl acetate substance with national workplace exposure limit(s) (BE, DK, ES, IE, LT, LV, PT, RO)	CAS-No.: 140-11-4 EC-No.: 205-399-7 REACH-no: 01-2119638272- 42	0.1 – 0.2	Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1 EC-No.: 203-377-1 EC Index-No.: 603-241-00-5 REACH-no: 01-2119552430- 49	0.12 – 0.18	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
Hexyl cinnamic aldehyde	CAS-No.: 101-86-0 EC-No.: 202-983-3 REACH-no: 01-2119533092- 50	0.1 – 0.15	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Geranium oil Egyptian	CAS-No.: 8000-46-2 EC-No.: 290-140-0 REACH-no: 01-2120769423- 50	0.1 – 0.15	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Cyclamal	CAS-No.: 103-95-7 EC-No.: 203-161-7 REACH-no: 01-2119970582- 32	0.1 – 0.15	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Chronic 2, H411
Nerol	CAS-No.: 106-25-2 EC-No.: 203-378-7	0.08 - 0.12	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
Amyl salicylate	CAS-No.: 2050-08-0 EC-No.: 218-080-2 REACH-no: 01-2119969444- 27	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Aquatic Chronic 1, H410
Triplal (Vertocitral)	CAS-No.: 68039-49-6 EC-No.: 268-264-1	0.1 – 0.1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 3, H412
Eugenol	CAS-No.: 97-53-0 EC-No.: 202-589-1 REACH-no: 01-2119971802- 33	0.1 – 0.1	Acute Tox. 4 (Oral), H302 Eye Irrit. 2, H319 Skin Sens. 1B, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures	
First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	 Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse. If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see Get medical advice/attention. on this label). If skin irritation occurs: Get medical advice/attention. Wash with plenty of water/ Get medical advice/attention. Wash contaminated clothing before reuse. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Received and the second se	
First-aid measures after eye contact	: Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness persists. Rinse eves with water as a precaution.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a poison center or a doctor if you feel unwell.
4.2. Most important symptoms and eff	ects, both acute and delayed
Symptoms/effects	: Not expected to present a significant hazard under anticipated conditions of normal use.
Symptoms/effects after inhalation	: May cause an allergic skin reaction.
Symptoms/effects after skin contact	: May cause an allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures	
5.1. Extinguishing media	
Suitable extinguishing media Unsuitable extinguishing media	Sand. Water spray. Dry powder. Foam. Carbon dioxide.Do not use a heavy water stream.
5.2. Special hazards arising from the subs	tance or mixture
Hazardous decomposition products in case of fire	: Toxic fumes may be released.
5.3. Advice for firefighters	
Firefighting instructions	: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection. Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective	equipment and emergency procedures
6.1.1. For non-emergency personnel	
Emergency procedures	: Ventilate spillage area. Evacuate unnecessary personnel. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray.
6.1.2. For emergency responders	
Protective equipment	Do not attempt to take action without suitable protective equipment. Equip cleanup crew with proper protection. For further information refer to section 8: "Exposure controls/personal protection".
Emergency procedures	: Ventilate area.
6.2 Environmental precautions	

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for contai	nment and cleaning up
For containment	: Collect spillage.
Methods for cleaning up	: Take up liquid spill into absorbent material. Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.
Other information	: Dispose of materials or solid residues at an authorized site.
6.4. Reference to other sections	

See Section 8. Exposure controls and personal protection. For further information refer to section 13.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Ensure good ventilation of the work station. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid contact with skin and eyes. Avoid breathing dust/fume/gas/mist/vapours/spray. Wear personal protective equipment.
Hygiene measures	: Do not eat, drink or smoke when using this product. Always wash hands after handling the product. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, including	g any incompatibilities
Storage conditions	: Keep only in the original container in a cool, well ventilated place away from : Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container closed when not in use. Store in a well-ventilated place. Keep cool.
Incompatible products	: Strong bases. Strong acids.
Incompatible materials	: Sources of ignition. Direct sunlight.
Storage temperature	: 25 °C
Storage area	: Store in a well-ventilated place. Store away from heat.
Special rules on packaging	: Store in a closed container.
Packaging materials	: Do not store in corrodable metal.
7.3. Specific end use(s)	

No additional information available

SECTION 8: Exposure controls/person	al protection
8.1. Control parameters	
8.1.1 National occupational exposure and biolog	ical limit values
Benzyl alcohol (100-51-6)	
Bulgaria - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Czech Republic - Occupational Exposure Limits	
PEL (OEL TWA)	40 mg/m ³
Finland - Occupational Exposure Limits	
HTP (OEL TWA) [1]	45 mg/m³
HTP (OEL TWA) [2]	10 ppm
Germany - Occupational Exposure Limits (TRGS 900)	
AGW (OEL TWA) [1]	22 mg/m 3 (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)
Chemical category	Skin notation
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
OEL chemical category	Skin notation

Safety Data Sheet

Benzyl alcohol (100-51-6)		
Poland - Occupational Exposure Limits		
NDS (OEL TWA)	240 mg/m³	
Slovenia - Occupational Exposure Limits		
OEL TWA	22 mg/m³	
OEL TWA [ppm]	5 ppm	
OEL STEL	44 mg/m ³	
OEL STEL [ppm]	10 ppm	
OEL chemical category	Potential for cutaneous absorption	
Switzerland - Occupational Exposure Limits	·	
MAK (OEL TWA) [1]	22 mg/m³ (aerosol, vapour)	
MAK (OEL TWA) [2]	5 ppm (aerosol, vapour)	
OEL chemical category	Skin notation	
d-Limonene (5989-27-5)		
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	140 mg/m³	
HTP (OEL TWA) [2]	25 ppm	
HTP (OEL STEL)	280 mg/m ³	
HTP (OEL STEL) [ppm]	50 ppm	
Germany - Occupational Exposure Limits (TRGS 90	0)	
AGW (OEL TWA) [1]	28 mg/m³ (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
AGW (OEL TWA) [2]	5 ppm (the risk of damage to the embryo or fetus can be excluded when AGW and BGW values are observed)	
Chemical category	Skin notation, Skin sensitization	
Slovenia - Occupational Exposure Limits	·	
OEL TWA	28 mg/m ³	
OEL TWA [ppm]	5 ppm	
OEL STEL	112 mg/m³	
OEL STEL [ppm]	20 ppm	
OEL chemical category	Potential for cutaneous absorption	
Spain - Occupational Exposure Limits		
VLA-ED (OEL TWA) [1]	168 mg/m³	
VLA-ED (OEL TWA) [2]	30 ppm	
OEL chemical category	Sensitizer, skin - potential for cutaneous absorption	
Norway - Occupational Exposure Limits		
Grenseverdi (OEL TWA) [1]	140 mg/m ³	
Grenseverdi (OEL TWA) [2]	25 ppm	
Korttidsverdi (OEL STEL)	175 mg/m³ (value calculated)	
Korttidsverdi (OEL STEL) [ppm]	37.5 ppm (value calculated)	

Safety Data Sheet

d-Limonene (5989-27-5)	d-Limonene (5989-27-5)	
OEL chemical category	Allergenic substance	
Switzerland - Occupational Exposure Limits		
MAK (OEL TWA) [1]	40 mg/m ³	
MAK (OEL TWA) [2]	7 ppm	
KZGW (OEL STEL)	80 mg/m³	
KZGW (OEL STEL) [ppm]	14 ppm	
OEL chemical category	Sensitizer	
Camphor (76-22-2)		
Austria - Occupational Exposure Limits		
MAK (OEL TWA)	13 mg/m³	
MAK (OEL TWA) [ppm]	2 ppm	
Belgium - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL TWA [ppm]	2 ppm	
OEL STEL	19 mg/m³	
OEL STEL [ppm]	3 ppm	
Bulgaria - Occupational Exposure Limits		
OEL TWA	12 mg/m³	
OEL STEL	18 mg/m³	
Croatia - Occupational Exposure Limits		
GVI (OEL TWA) [1]	13 mg/m³	
GVI (OEL TWA) [2]	2 ppm	
KGVI (OEL STEL)	19 mg/m³	
KGVI (OEL STEL) [ppm]	3 ppm	
Denmark - Occupational Exposure Limits		
OEL TWA [1]	12 mg/m³	
OEL TWA [2]	2 ppm	
Finland - Occupational Exposure Limits		
HTP (OEL TWA) [1]	1.9 mg/m³	
HTP (OEL TWA) [2]	0.3 ppm	
HTP (OEL STEL)	5.7 mg/m³	
HTP (OEL STEL) [ppm]	0.9 ppm	
France - Occupational Exposure Limits		
VME (OEL TWA)	12 mg/m³	
VME (OEL TWA) [ppm]	2 ppm	
Greece - Occupational Exposure Limits		
OEL TWA	12 mg/m³ (inhalable fraction)	
OEL STEL	18 mg/m³	

Safety Data Sheet

Camphor (76-22-2)	
Ireland - Occupational Exposure Limits	
OEL TWA [1]	12 mg/m³
OEL TWA [2]	2 ppm
OEL STEL	18 mg/m³
OEL STEL [ppm]	3 ppm
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	3 mg/m³
Poland - Occupational Exposure Limits	
NDS (OEL TWA)	12 mg/m³
NDSCh (OEL STEL)	18 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	2 ppm
OEL STEL [ppm]	3 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	1 mg/m³
OEL TWA [ppm]	6 ppm
OEL STEL	3 mg/m³
OEL STEL [ppm]	18 ppm
Slovakia - Occupational Exposure Limits	
NPHV (OEL TWA) [1]	13 mg/m³
NPHV (OEL TWA) [2]	2 ppm
NPHV (OEL C)	26 mg/m ³
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	13 mg/m³
VLA-ED (OEL TWA) [2]	2 ppm
VLA-EC (OEL STEL)	19 mg/m³
VLA-EC (OEL STEL) [ppm]	3 ppm
United Kingdom - Occupational Exposure Limits	
WEL TWA (OEL TWA) [1]	13 mg/m³
WEL TWA (OEL TWA) [2]	2 ppm
WEL STEL (OEL STEL)	19 mg/m³
WEL STEL (OEL STEL) [ppm]	3 ppm
Norway - Occupational Exposure Limits	
Grenseverdi (OEL TWA) [1]	12 mg/m³
Grenseverdi (OEL TWA) [2]	2 ppm
Korttidsverdi (OEL STEL)	18 mg/m³ (value calculated)
Korttidsverdi (OEL STEL) [ppm]	4 ppm (value calculated)

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Camphor (76-22-2)	
Switzerland - Occupational Exposure Limits	
MAK (OEL TWA) [1]	13 mg/m³ (aerosol, vapour)
MAK (OEL TWA) [2]	2 ppm (aerosol, vapour)
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	2 ppm (synthetic)
ACGIH OEL STEL [ppm]	3 ppm (synthetic)
ACGIH chemical category	Not Classifiable as a Human Carcinogen synthetic
Benzyl acetate (140-11-4)	
Belgium - Occupational Exposure Limits	
OEL TWA	62 mg/m³
OEL TWA [ppm]	10 ppm
Denmark - Occupational Exposure Limits	·
OEL TWA [1]	61 mg/m³
OEL TWA [2]	10 ppm
Ireland - Occupational Exposure Limits	
OEL TWA [2]	10 ppm
OEL STEL [ppm]	30 ppm (calculated)
Latvia - Occupational Exposure Limits	
OEL TWA	5 mg/m³
Lithuania - Occupational Exposure Limits	
IPRV (OEL TWA)	5 mg/m³
Portugal - Occupational Exposure Limits	
OEL TWA [ppm]	10 ppm
OEL chemical category	A4 - Not Classifiable as a Human Carcinogen
Romania - Occupational Exposure Limits	
OEL TWA	50 mg/m³
OEL TWA [ppm]	8 ppm
OEL STEL	80 mg/m³
OEL STEL [ppm]	13 ppm
Spain - Occupational Exposure Limits	
VLA-ED (OEL TWA) [1]	62 mg/m³
VLA-ED (OEL TWA) [2]	10 ppm
USA - ACGIH - Occupational Exposure Limits	
ACGIH OEL TWA [ppm]	10 ppm
ACGIH chemical category	Not Classifiable as a Human Carcinogen

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection: Chemical goggles or safety glasses. Safety glasses

8.2.2.2. Skin protection

Skin and body protection: Wear suitable protective clothing

Hand protection: Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection: Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: light yellow. amber. Conforms to standard.
Odour	: characteristic.
Odour threshold	: Not available
Melting point	: Not applicable
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Not applicable
Explosive limits	: Not available
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: > 93.3 °C

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (dermal)	Not classified Not classified Not classified
Hexamethylindanopyran (1222-05-5)	
LD50 oral rat	> 3250 mg/kg
LD50 dermal rabbit	> 3250 mg/kg
Linalool (78-70-6)	
LD50 oral	2790 mg/kg bodyweight

Safety Data Sheet

Ethylene brassylate (105-95-3)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Linalyl acetate (115-95-7)		
LD50 oral rat	14550 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Benzyl alcohol (100-51-6)	·	
LD50 oral rat	1230 mg/kg	
LD50 oral	1620 mg/kg bodyweight	
LD50 dermal	2500 mg/kg bodyweight	
Benzyl salicylate (118-58-1)		
LD50 oral rat	2227 mg/kg	
LD50 oral	2200 mg/kg bodyweight	
LD50 dermal rabbit	> 5000 mg/kg	
Oxypheylon (Raspberry ketone) crystals (547	1-51-2)	
LD50 oral rat	1320 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
d-Limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5 g/kg	
Sandela (66068-84-6)		
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	> 5.27 mg/l/4h	
Orange oil (8008-57-9)		
LD50 oral rat	4400 mg/kg	
LD50 dermal rabbit	> 5000 mg/kg	
Geraniol (106-24-1)		
LD50 oral rat	3600 mg/kg	
LD50 oral	3600 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Nerol (106-25-2)		
LD50 oral rat	4500 mg/kg	
LD50 oral	4500 mg/kg bodyweight	
LD50 dermal rabbit	> 5 g/kg	
Camphor (76-22-2)		
LD50 oral	1500 mg/kg bodyweight	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat (Dust/Mist)	1.5 mg/l/4h	

Safety Data Sheet

Aldehyde C-16 (77-83-8)	
LD50 oral rat	5470 mg/kg
LD50 dermal rat	> 2000 mg/kg
Eucalyptus oil (8000-48-4)	
LD50 oral rat	2480 mg/kg
Citronellol Pure (106-22-9)	
LD50 oral rat	3450 mg/kg
LD50 oral	3450 mg/kg bodyweight
LD50 dermal rabbit	2650 mg/kg
LD50 dermal	2650 mg/kg bodyweight
delta-Damascone (57378-68-4)	
LD50 oral	1400 mg/kg bodyweight
Benzyl acetate (140-11-4)	
LD50 oral rat	2490 mg/kg
LD50 oral	2490 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Hexyl cinnamic aldehyde (101-86-0)	
LD50 oral rat	3100 mg/kg
LD50 oral	3100 mg/kg bodyweight
LD50 dermal rabbit	> 3000 mg/kg
LC50 Inhalation - Rat	> 5 mg/l/4h
Geranium oil Egyptian (8000-46-2)	
LD50 oral	4811 mg/kg bodyweight
LD50 dermal	2500 mg/kg bodyweight
Cyclamal (103-95-7)	
LD50 oral rat	3810 mg/kg
LD50 oral	3810 mg/kg bodyweight
LD50 dermal rat	> 5000 mg/kg
Amyl salicylate (2050-08-0)	
LD50 oral rat	4100 mg/kg
LD50 oral	2000 mg/kg bodyweight
LD50 dermal rabbit	> 5000 mg/kg
Triplal (Vertocitral) (68039-49-6)	
LD50 oral	3900 mg/kg bodyweight
Eugenol (97-53-0)	
LD50 oral rat	1930 mg/kg
LD50 oral	2500 mg/kg bodyweight
	Not classified
Serious eye damage/irritation :	Not classified

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Respiratory or skin sensitisation Germ cell mutagenicity Carcinogenicity	: May cause an allergic skin reaction. : Not classified : Not classified
d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Benzyl acetate (140-11-4)	
IARC group	3 - Not classifiable
Eugenol (97-53-0)	
IARC group	3 - Not classifiable
Reproductive toxicity	: Not classified
STOT-single exposure	: Not classified
Camphor (76-22-2)	
STOT-single exposure	May cause damage to organs.
STOT-repeated exposure	: Not classified
Aspiration hazard	: Not classified
Orange oil (8008-57-9)	
Hydrocarbon	Yes
11.2. Information on other hazards	
11.2.1. Endocrine disrupting properties	
No additional information available	

11.2.2. Other information

Potential adverse human health effects and : Based on available data, the classification criteria are not met

symptoms

SECTION 12: Ecological information	
12.1. Toxicity	
Ecology - general	: The product is not considered harmful to aquatic organisms nor to cause long-term adverse effects in the environment. Toxic to aquatic life with long lasting effects.
Hazardous to the aquatic environment, short-term (acute)	: Not classified
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.
Hexamethylindanopyran (1222-05-5)	
LC50 - Fish [1]	0.452 mg/l Wolf, 1996d-27682
LC50 - Other aquatic organisms [1]	> 0.14 mg/l REACH DOSSIER Pimephales promelas
EC50 - Crustacea [2]	260 μg/l REACH Dossier
EC50 - Other aquatic organisms [1]	0.131 mg/l REACH Dossier

Safety Data Sheet

Benzyl alcohol (100-51-6)	
LC50 - Fish [2]	10 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 - Crustacea [1]	23 mg/l (Exposure time: 48 h - Species: water flea)
Benzyl salicylate (118-58-1)	
LC50 - Fish [1]	1.03 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
d-Limonene (5989-27-5)	
LC50 - Fish [1]	0.619 – 0.796 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 - Fish [2]	35 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss)
Geraniol (106-24-1)	
LC50 - Fish [1]	22 mg/l (Exposure time: 96 h - Species: Danio rerio [static])
Nerol (106-25-2)	
LC50 - Fish [1]	20.3 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
Aldehyde C-16 (77-83-8)	
LC50 - Fish [1]	4.2 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [semi-static])
Eugenol (97-53-0)	
LC50 - Fish [1]	13 mg/l (Exposure time: 96 h - Species: Danio rerio [semi-static])
12.2. Persistence and degradability	
BLACKBERRY FROST #EU38738F	
Persistence and degradability	Not established.
Eucalyptus oil (8000-48-4)	
Persistence and degradability	Not established.
Geranium oil Egyptian (8000-46-2)	
Persistence and degradability	May cause long-term adverse effects in the environment.
12.3. Bioaccumulative potential	
BLACKBERRY FROST #EU38738F	
Bioaccumulative potential	Not established.
Hexamethylindanopyran (1222-05-5)	
BCF - Fish [1]	(1618 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	5.3 (at 25 °C (at pH 7)
Ethylene brassylate (105-95-3)	
Partition coefficient n-octanol/water (Log Pow)	4.3 (at 25 °C (at pH 6.4-7)
Linalyl acetate (115-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.9 (at 25 °C)
Benzyl alcohol (100-51-6)	
Partition coefficient n-octanol/water (Log Pow)	1.05

Safety Data Sheet

Benzyl salicylate (118-58-1)	
Partition coefficient n-octanol/water (Log Pow)	4
Oxypheylon (Raspberry ketone) crystals (547	
Partition coefficient n-octanol/water (Log Pow)	1.33 (at 20 °C)
d-Limonene (5989-27-5)	
Partition coefficient n-octanol/water (Log Pow)	4.38 (at 37 °C (at pH 7.2)
Geraniol (106-24-1)	
Partition coefficient n-octanol/water (Log Pow)	2.6 (at 25 °C)
Nerol (106-25-2)	
Partition coefficient n-octanol/water (Log Pow)	2.76 (at 30 °C (at pH 6.5)
Camphor (76-22-2)	
Partition coefficient n-octanol/water (Log Pow)	2.414 (at 25 °C)
Aldehyde C-16 (77-83-8)	
Partition coefficient n-octanol/water (Log Pow)	2.4 (at 25 °C (cis isomer)
Eucalyptus oil (8000-48-4)	
Bioaccumulative potential	Not established.
Citronellol Pure (106-22-9)	
Partition coefficient n-octanol/water (Log Pow)	3.41 (at 25 °C)
Benzyl acetate (140-11-4)	
Partition coefficient n-octanol/water (Log Pow)	1.96 (at 25 °C (at pH 7)
Geranium oil Egyptian (8000-46-2)	
Bioaccumulative potential	Not established.
Cyclamal (103-95-7)	
Partition coefficient n-octanol/water (Log Pow)	3.4 (at 35 °C)
Amyl salicylate (2050-08-0)	
BCF - Fish [1]	(1170 dimensionless (whole body w.w.)
Partition coefficient n-octanol/water (Log Pow)	4.5 (at 30 °C)
Eugenol (97-53-0)	
Partition coefficient n-octanol/water (Log Pow)	1.83 (at 30 °C (at pH 5.5)
12.4. Mobility in soil	
No additional information available	
12.5. Results of PBT and vPvB assessment	
No additional information available	
12.6. Endocrine disrupting properties	
No additional information available	
12.7. Other adverse effects	
Additional information :	Avoid release to the environment.

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 13: Disposal considerations 13.1. Waste treatment methods Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions. Product/Packaging disposal recommendations Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container in accordance with local/national laws and regulations. Ecology - waste materials Avoid release to the environment. HP Code HP3 - "Flammable:" - flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C; - flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air; - flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction; - flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa; - water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities; - other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste. HP14 - "Ecotoxic:" waste which presents or may present immediate or delayed risks for one or more sectors of the environment

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.1. UN number or ID n	umber	·	·	·
UN 3082	UN 3082	UN 3082	UN 3082	UN 3082
14.2. UN proper shipping	g name			
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN)
Transport document descr	iption			
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (HEXAMETHYLINDANOPY RAN), 9, III
14.3. Transport hazard o	lass(es)			
9	9	9	9	9
14.4. Packing group				
	III	III	III	

Safety Data Sheet

ADR	IMDG	ΙΑΤΑ	ADN	RID
14.5. Environmental hazards				
Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the	Dangerous for the
environment: Yes	environment: Yes	environment: Yes	environment: Yes	environment: Yes
	Marine pollutant: Yes			
No supplementary information a	vailable			
14.6. Special precautions for	or user			
Overland transport				
Classification code (ADR)	: M6			
Special provisions (ADR)		l, 335, 375, 601		
Limited quantities (ADR)	: 51			
Excepted quantities (ADR)	: E1			
Packing instructions (ADR)		01, IBC03, LP01, R001		
Special packing provisions (ADR				
Mixed packing provisions (ADR)	: MP	19		
Portable tank and bulk container		4 7000		
Portable tank and bulk container (ADR)	special provisions : TP	1, TP29		
Tank code (ADR)	: LG	R\/		
Vehicle for tank carriage	: AT			
Transport category (ADR)	: 3			
Special provisions for carriage - I		2		
Special provisions for carriage - I				
and handling (ADR)				
Hazard identification number (Ke	mler No.) : 90			
Orange plates	, : •	00		
		90		
		3082		
Tunnel restriction code (ADR) EAC code	: -			
EAC code	: •32			
Transport by sea				
Special provisions (IMDG)	: 274	l, 335, 969		
Limited quantities (IMDG)	: 5 L			
Excepted quantities (IMDG)	: E1			
Packing instructions (IMDG)	: LP	01, P001		
Special packing provisions (IMD				
IBC packing instructions (IMDG)		03		
Tank instructions (IMDG)	: T4			
Tank special provisions (IMDG)	: TP	1, TP29		
EmS-No. (Fire)	: F-A	۱.		
EmS-No. (Spillage)	: S-F	:		
Stowage category (IMDG)	: A			
Air transport				
Air transport PCA Excepted quantities (IATA)	: E1			
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: Y9	34		
PCA limited quantity max net qua				
PCA packing instructions (IATA)	: 964	-		
PCA max net quantity (IATA)	: 450			
CAO packing instructions (IATA)				
CAO max net quantity (IATA)	: 450			
Special provisions (IATA)		7, A158, A197, A215		
ERG code (IATA)	: 9L	,,,,		
Inland waterway transport				
Classification code (ADN)	: M6			

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Special provisions (ADN)	:	274, 335, 375, 601
Limited quantities (ADN)	:	5 L
Excepted quantities (ADN)	:	E1
Carriage permitted (ADN)	:	Т
Equipment required (ADN)	:	PP
Number of blue cones/lights (ADN)	:	0
Rail transport		
Classification code (RID)	:	M6
Special provisions (RID)	:	274, 335, 375, 601
Limited quantities (RID)	:	5L
Excepted quantities (RID)	:	E1
Packing instructions (RID)	:	P001, IBC03, LP01, R001
Special packing provisions (RID)	:	PP1
Mixed packing provisions (RID)	:	MP19
Portable tank and bulk container instructions (RID)	:	T4
Portable tank and bulk container special provisions	:	TP1, TP29
(RID)		
Tank codes for RID tanks (RID)	:	LGBV
Transport category (RID)	:	3
Special provisions for carriage – Packages (RID)	:	W12
Special provisions for carriage - Loading, unloading	:	CW13, CW31
and handling (RID)		
Colis express (express parcels) (RID)	:	CE8
Hazard identification number (RID)	:	90

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(a)	d-Limonene ; Orange oil ; Eucalyptus oil	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F
3(b)	BLACKBERRY FROST #EU38738F ; Linalool ; Linalyl acetate ; Benzyl alcohol ; Benzyl salicylate ; d-Limonene ; Iso E Super ; Sandela ; Orange oil ; Geraniol ; Nerol ; Aldehyde C-16 ; Eucalyptus oil ; Citronellol Pure ; delta-Damascone ; Hexyl cinnamic aldehyde ; Geranium oil Egyptian ; Cyclamal ; Amyl salicylate ; Triplal (Vertocitral) ; Eugenol	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	Entry title or description
3(c)	BLACKBERRY FROST #EU38738F; Hexamethylindanopyran; Ethylene brassylate; Benzyl salicylate; d- Limonene; Iso E Super; Sandela; Orange oil; Aldehyde C-16; Eucalyptus oil; delta- Damascone; Benzyl acetate; Hexyl cinnamic aldehyde; Geranium oil Egyptian; Cyclamal; Amyl salicylate; Triplal (Vertocitral)	Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1
40.	d-Limonene ; Orange oil ; Camphor ; Eucalyptus oil	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

Germany

: Observe restrictions according Act on the Protection of Working Mothers (MuSchG). Observe restrictions according Act on the Protection of Young People in Employment (JArbSchG).
: WGK 2, Significantly hazardous to water (Classification according to AwSV, Annex 1).
: Is not subject of the Hazardous Incident Ordinance (12. BImSchV)
: A(2) - toxic for aquatic organisms, may have longterm hazardous effects in aquatic environment
: Sandela, Orange oil, Eucalyptus oil, Triplal (Vertocitral) are listed
: Sandela, Orange oil, Eucalyptus oil, Triplal (Vertocitral) are listed
: None of the components are listed
: None of the components are listed

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SZW-lijst van reprotoxische stoffen – Ontwikkeling	: None of the components are listed
Denmark	
Classification remarks Danish National Regulations	 Emergency management guidelines for the storage of flammable liquids must be followed Young people below the age of 18 years are not allowed to use the product Pregnant/breastfeeding women working with the product must not be in direct contact with the product

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Other information

: None.

Full text of H- and EUH	H-statements:
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
Asp. Tox. 1	Aspiration hazard, Category 1
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
Flam. Sol. 2	Flammable solids, Category 2
H226	Flammable liquid and vapour.
H228	Flammable solid.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H371	May cause damage to organs.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1	Skin sensitisation, Category 1

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Skin Sens. 1B Skin sensitisation, category 1B		
STOT SE 2 Specific target organ toxicity – Single exposure, Category 2		

The classification complies with

: ATP 12

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.