

FEF3226L2L

The wonderful feel of a burning log fire. The place where you can relax, meet, recharge your batteries and share. When a gas fire or wood stove is impossible or undesirable, or for those who prefer "individual design" and specific choices, Faber has the new e-MatriX; Astonishing fire... from water. Fire for anybody, anywhere.















Two-Sided Built-in Electric Firebox





Logs

Realistic charred log set to maximize the illusion of depth and the appearance of burning firewood. Combine with loose embers for a custom display.



Water Connection

Hard plumbed to provide consistent water flow.



Light Module

Provides a pulsating burn on logs for a truly lifelike effect.



Sound Module

Provides the soothing sounds of fire crackling.



Rear Wall Steel

Provides a solid dark interior finish.




Remote Control


Uses Bluetooth wireless technology to control all fireplace features from the comfort of your chair.














120 Volts | 270 Watts

| Model # | Description | UPC | Wty.† | Water consumption | Power consumption | Inlet water pressure | Water connection | Carton Dimensions (WxHxD) | | Cube | | Lbs/ |
|------------|---------------------------|---------------|-------|--------------------------|-------------------|----------------------|------------------|---------------------------|----------------------|------|------|--------------|
| | | | | | | | | inches | cm | Ft³ | M³ | Kg |
| FEF3226L2L | Two-Sided Firebox - Left | 781052 132023 | 5 yr. | 0.30 L/hr 0.08 gal/hr | 0.27 kW/hr | 7.5 - 115 psi | 1/4" | 51 x 26 x 49 | 129.5 x 66.0 x 124.5 | 37.6 | 1.06 | 297 / 136 |
| FEF3226L2R | Two-Sided Firebox - Right | 781052 132047 | 5 yr. | 0.30 L/hr 0.08 gal/hr | 0.27 kW/hr | 7.5 - 115 psi | 1/4" | 51 x 26 x 49 | 129.5 x 66.0 x 124.5 | 37.6 | 1.06 | 297 / 136 |



% Installation

FEF3226L2/L3 – Framing Option 1



26.63

 \blacksquare

[.87] 22 GAP FROM FLOOR FOR VENTING [19.50] 495

[8.87] 225

[21.50] 546

[42.37] 1076

_ [37.40] 950

% Installation

FEF3226L2/L3 – Framing Option 2

