

A Scott Aerator pond fountain not only beautifies your pond but also promotes a healthy aquatic environment through steady water circulation and oxygen transfer. An array of interchangeable brass nozzles and motor sizes provide options to create the perfect fountain display for any pond.

|                | MAXIMUM CABLE RUN IN FEET FROM BREAKER |              |              |              |              |               |               |               |
|----------------|--|--------------|--------------|--------------|--------------|---------------|---------------|---------------|
|                |  | 1/2 HP 115V  | 1/2 HP 230V  | 3/4 HP 230V  | 1 HP 230V    | 1-1/2 HP 230V | 2 HP 230V     | 3 HP 230V     |
|                | #12                                    | 160          | 650          | 480          | 400          | 310           | 250           | 190           |
|                | #10                                    | 250          | 1020         | 760          | 630          | 480           | 390           | 300           |
| CABLE SIZE     | #8                                     | 390          | 1610         | 1200         | 990          | 770           | 620           | 470           |
| E SIZE         | #6                                     | 620          | 2510         | 1870         | 1540         | 1200          | 970           | 750           |
| ""             | #4                                     | 960          | 3880         | 2890         | 2380         | 1870          | 1530          | 1190          |
|                | #2                                     | 1460         | 5880         | 4370         | 3610         | 2850          | 2360          | 1850          |
| SPECIFICATIONS | CABLE<br>SUPPLIED                      | 70'<br>12 GA | 70'<br>12 GA | 70'<br>12 GA | 70'<br>12 GA | 100'<br>12 GA | 100'<br>10 GA | 100'<br>10 GA |
|                | HZ                                     | 60           | 60           | 60           | 60           | 60            | 60            | 60            |
| FICAT          | WATTs                                  | 670          | 670          | 940          | 1210         | 1780          | 2280          | 3000          |
| SNOI           | AMPs                                   | 10           | 5            | 6.8          | 8.2          | 10.6          | 12.6          | 14            |
|                | RPMs                                   |              |              |              | 3450         |               |               |               |




| Atrioreh  | Motor Rating  |             |  |  |
|-----------|---------------|-------------|--|--|
| Atriarch  | 1-1/2 Hp 230V | 3 Hp 230V   |  |  |
| Spray Dim | 40'H x 50'W   | 60'H x 70'W |  |  |
| Min Depth | 42"           | 60"         |  |  |
| GPMs      | 90            | 180         |  |  |

The elegant look of the Atriarch, accompanied by the tranquil sound of its cascading water, is achieved with a solid brass center nozzle surrounded by eight individual brass nozzles, creating a versatile water feature for both residential and commercial use.



Achieves a tight, columnar, vertical spray up to 80 feet. The single, stunning flume produced by the Jet Stream adds an eye-catching, ear-pleasing focal point to your lake or pond. Enhance it even more with nighttime lighting options.



Creates an impressive cascade of water that sounds as beautiful as it appears. The brass center nozzle of the Clover is surrounded by four separate side nozzles which create a spectacular, angled spray pattern similar to the lucky plant it's named for.



| Skyward   | Motor Rating       |               |             |  |  |
|-----------|--------------------|---------------|-------------|--|--|
| Skywaiu   | 1/2 Hp 115V & 230V | 1-1/2 Hp 230V | 3 Hp 230V   |  |  |
| Spray Dim | 20'H x 35'W        | 40'H x 50'W   | 50'H x 70'W |  |  |
| Min Depth | 36"                | 42"           | 60"         |  |  |
| GPMs      | 60                 | 90            | 175         |  |  |

Features a wide, cone-shaped spray surrounding a center column that is height adjustable. An ideal fountain for commercial and residential applications that adds beauty while promoting a healthy aquatic environment.




| Cambridge | Motor Rating |               |  |  |
|-----------|--------------|---------------|--|--|
| Cambridge | 1 Hp 230V    | 1-1/2 Hp 230V |  |  |
| Spray Dim | 30'H x 40'W  | 40'H x 60'W   |  |  |
| Min Depth | 38"          | 42"           |  |  |
| GPMs      | 70           | 95            |  |  |
|           |              |               |  |  |

The Cambridge provides a dynamic, multi-tiered classic spray pattern emanating from a precision-made seasoned brass nozzle. The dynamic pattern provides both a strong, vibrant center stream and a full horizontal water curtain.




Motor Rating The Amherst 1 Hp 115V & 230V 1-1/2 Hp 230V 3 Hp 230V 30'H x 40'W 30'H x 40'W 30'H x 40'W Spray Dim 34" Min Depth 38" 60" 75 170 **GPMs** 115

A classic. This stately pattern provides a very distinct separation of all three tiers capped by an impressive center water height of over 30 feet. The Amherst is stunning in both sight and sound, and the large flow rate creates a pleasing ripple effect across the water's surface.



The Gusher creates an eye-popping vertical column of water in a dense, cascading, wind-resistant pattern. The stream from the Gusher spouts a geyser style flume, creating a full, dynamic, constantly changing pattern.



Providing a true two-tier effect, the Rosewood is a perfect fit for when both sight and sound is the primary desire. The elegant, cascading pattern provides just the right acoustics for a serene garden setting while still creating a full and eyecatching presentation.

