



SEA GODS



Sea Gods CX User Manual

Thanks for your support!

Please read carefully and remember to always stay
safe!

SEA GODS



SEA GODS

Introduction

Thank you for choosing Sea Gods for your new iSUP. We appreciate your support and your enthusiasm of being on the water. Sea Gods is a labour of love, bringing you the most beautiful, functional and quality hand-built boards. Each one is hand made by a team of very cool individuals who are experts at what they do. Each board is hand made so there may be small features that are unique. These are not flaws, but proof that a real human has made your board for you. The Sea Gods team wants you to enjoy your board for years to come, so please take care of your board and yourself by following the recommendations in this manual.

SEA GODS

Release and Waiver of Claims Agreement

In consideration of your use of this product, you hereby agree to the following, to the fullest extent permitted by law:

1. To waive any and all claims that you have or may in the future have against Sea Gods Stand Up Paddleboards, or any of its agents, resulting from use of this product and any of its components; and
2. To release Sea Gods Stand Up Paddleboards, or any of its agents from any and all liability from any loss, damage, injury or expense that you or any users of this product may suffer, or that your next of kin may suffer, as a result of the use of this product, due to any cause whatsoever, including negligence or breach of contract on the part of Sea Gods Stand Up Paddleboards, or any of its agents, in the design or manufacture of this product

SEA GODS

Assumption of Risk

By purchasing, using and assembling this product, you are agreeing to:

1. Be bound to the terms set forth below; and
2. Require anyone using this product to be bound by such terms. If you are unwilling to be bound by these terms, return this product before use for a full refund. Use of this product and any of its components involves certain inherent risks, dangers and hazards, which can result in serious personal injury and death. In using this product, you freely agree to assume and accept any and all known and unknown risks of injury while using this equipment. The risks inherent in the sport can be greatly reduced by abiding to the Warning and Safety Precautions listed in this User Guide and using common sense. For more information, please contact Sea Gods Stand Up Paddleboards directly at:

Sea Gods Stand Up Paddleboards

www.seagods.ca www.seagodssup.com info@seagods.ca




Ketos CX



Carta
Marina CX



Medusa
CX



Diatom
CX



Elemental
Wave CX



Skylla CX

SEA GODS



Boards are not shown to scale

www.seagods.ca www.seagodssup.com info@seagods.ca

SUP BOARD PACKAGE CHECKLIST

SUP BOARD PACKAGE CHECKLIST

- Wheelie Hiking Backpack
- iSUP Board
- 3pc Paddle
- Triple Action 2 chamber Hand Pump
- Coil Leash
- Kumano Click Fin
 - Touring fin for CX Series Carta marina, Skylla, and Ketos
 - Standard SUP Fin for CX Series Diatom, Medusa, and Elemental Wave
- Repair Kit with wrench, glue and PVC






Board – Carta Marina CX Shown



Triple Action
2 chamber Pump



OR



Kumano Click Fin- shape is board dependent



3-Piece Paddle



Leash



Repair Kit – Colors are board dependent

Transport Canada requires that when paddling in Canadian waters you possess a Canadian Coast Guard approved Personal Floatation Device (PFD) with an attached pea-less whistle. While the front cargo area is a handy place to store your PFD for immediate use, Sea Gods wants you to be safe and recommends you always wear your PFD. Familiarize yourself with the local laws and water right of ways before heading out. Always obey the law. Check the weather and wind/ currents and only use your board in conditions that support your skill level. Always wear your Safety Leash and PFD and SUP with a buddy. Let somebody know where you plan to go and when you expect to be back. Use common sense and be prepared for conditions. Be safe and have fun!



PFD

Assembling your Dual Chamber Pump

Each CX iSUP comes complete with a 2 chamber triple action pump. The pump must be assembled before inflation, and it is recommended that it is disassembled prior to stowing. The following steps are required for assembly;

1. Remove pump from packaging- (pump, 2x handles, hose, foot pad)
2. Install handles into main pump shaft. They thread into main shaft clockwise.
3. Install foot pad onto base of pump body. There are 3 uniquely sized slots to ensure foot pad installs only 1 way. Insert pump body into pad, ensuring elastic cord is off to side. Place both feet on foot pad and twist pump body clockwise to lock into place. Reverse this method to remove and stow.



Fully Assembled Pump

Inflating your Sea Gods SUP

Find a clean flat surface to lay your board on, pad side up, and unroll. The Bravo Inflation Valve is located at the tail end of your board. The Valve has a PIN inside that must be in the UP position for inflation. Unscrew the valve cover to locate the PIN inside. Ensure valve is free from debris and water. Push and release until Pin remains in the UP position.



The High-Pressure SUP PUMP hose must be connected to pump. Securely screw the hose to the Inflation port on the handle of the pump (Note that there is an Inflation and a Deflation port). Take care not to kink the hose as this can cause hose to crack. Always unscrew hose from Pump when not in use and store in a loose coil.



Attach SUP PUMP HOSE to VALVE by inserting into valve and PUSH and TURN clockwise until hose is secure (1/2 turn, you will feel it lock into place).

Dual Chamber SUP Pump has 3 actions. Pump action is selected via rotating dial on the pump body.

1. Dial set to 1 – Pump will use both chambers to inflate your board on the UP stroke and the Down stroke. Use this setting for initial inflation (2-6PSI)
2. Dial set to 2 – Pump will use both chambers to inflate your board on the DOWN stroke only. Use this setting for mid range pressure (2-12PSI)
3. Dial set to 3 – Pump will use ONE chamber to inflate your board on the DOWN stroke only. Use this for higher range pressure (6-20PSI). CX boards are rated for 20PSI but most riders will be comfortable with 14-18PSI.

With Pump on solid stable ground, Stand with your feet on pump stand and grasp handles with hands. Pull Pump handle up and push down to inflate. Use the Gauge to know when to switch settings and/or complete inflation. **Gauge of Pump will not show reading for PSI until board is filled with air and begins to build pressure. Typically for the first use this will be at 5-8PSI.**



Pump Action Selection Dial

SEA GODS

Inflate board to desired pressure- recommend 14-18 PSI, Max-20 PSI (1.0-1.4 Bar). DO NOT INFLATE OVER 20 PSI. Note that after inflation if the board is stored in heat and/or sunlight the pressure inside the board will increase as the temperature rises.


Once Desired Pressure is reached, remove hose from board by grasping at attachment and firmly twisting counter clockwise. Air will leak until hose is completely removed, so it is best to remove quickly. Inflating / Deflating Stand Up Paddleboard Caution: Leaking Air will cause LOUD NOISE so take care to keep ears away from valve. Replace valve cap by screwing on clockwise. Make sure valve is free from debris and water before replacing cap. It is best to always use your included SUP PUMP. DO NOT INFLATE USING AN AIR COMPRESSOR. USE CAUTION IF INFLATING WITH AN ELECTRIC SUP PUMP AND WATCH PRESSURE CAREFULLY or use the **Sea Gods Battery Electric Pump** which is pressure regulated to shut off at the selected pressure.

Recommended inflation zone in green




Sea Gods Fin Installation

Your No-Tool Kumano Click Fin clicks into place with firm pressure. With your board laying pad-side down on a flat surface, locate the wide square opening on your fin box. Slide the metal pin on the front of your fin into the opening and slide it forward towards the front of your board. Push the back of the fin down and into the fin box with firm pressure until it feels solid in the fin box. The curved shape of the fin is to help for shedding kelp/weeds, so in the correct position the fin will curve towards the rear of the board.



Included with your fin are two extra orange plugs and a thumb screw and washer. These are just extra pieces in case you lose your plug. You should only ever need one orange plug in the last hole of the fin.

Protect your fin. When on land keep the board face down, fin up, or remove fin. Take care to not rest board on the fin. Always launch your board into at least 12-24 inches of water (knee deep) before getting on so that the fin does not hit the bottom.



Sea Gods 3-Piece Paddle

Your carbon fiber paddle comes apart into 3 pieces for ease of transport:



SEA GODS

Connect the Blade end to the Middle Shaft by depressing the button on the blade shaft and sliding it inside the Middle Shaft and line up button with hole until the button pops up and holds the pieces together securely. There is also a clasp that is used to eliminate any play in the connection. There is a small screw that may need to be tightened from time to time.

The Handle end fits inside the middle shaft, allowing the length to be adjusted for your perfect fit. Open the clamp on the top of the Middle shaft and slide the Handle inside, lining up the groove so the handle remains in the correct position. While standing, place Paddle blade on the ground near your feet, hold paddle vertically and raise your hand so there is only a slight bend in your elbow. For best fit the handle should come to the middle of you palm and fingers wrap over the handle. Close the Clamp and your paddle is ready to go. From time to time it may be necessary to tighten the screws at the clamp if the handle is sliding when the clamp is closed. Take Care NOT TO OVERTIGHTEN.



Sea Gods Leash

Your Safety Leash is your lifeline. It helps you recover your board and prevents your loose board from flying further than your leash length when you fall. Flying boards can be a hazard to others around you. In a medical distress situation, being attached to your board can make all the difference in an emergency situation.

ALWAYS WEAR YOUR SAFETY LEASH

Open the Velcro at the tail end of your leash and attach to the metal D ring at the tail end of your board (just behind your inflation valve), a small loop of string is included to link between the D-ring and leash for easier attachment, loop the string through the D-ring and attach the Velcro through the loop.

The Cuff end of your safety leash should go around your ankle.

Remove Leash prior to packing board to prevent leaving pressure marks in the board and Pad.

IF USING BOARD ON A RIVER OR FAST-MOVING WATER WITH OBSTACLES THAT COULD ENTANGLE LEASH, USE A LEASH WITH A QUICK RELEASE SYSTEM (not included in this package).



Attach to D-Ring



SEA GODS

Deflating Your Sea Gods SUP

Find a clean flat surface to lay your board on, fin removed, pad side up.

Unscrew the valve cover and see the PIN inside. The Bravo Valve has a PIN inside that must be in the DOWN position for deflation. Ensure valve is free from debris and water

PUSH and RELEASE until Pin remains in the DOWN position. Air is at a high pressure and deflation can damage ears and eyes. Keep face away from valve when deflating. Hearing protection and safety glasses are recommended when deflating. Keep Pets and Children clear from valve area when deflating.

Placing a clean dry towel over valve before depressing pin can mitigate noise and prevent flying debris, dirt, and sand projectiles from causing injury

Allow board to deflate for 3-5 minutes with pin in DOWN position before beginning to roll. DO NOT USE INCLUDED VALVE WRENCH OR OTHER TOOL TO DEFLATE YOUR BOARD.

The High pressure dual action SUP Pump also has a deflate port that you can use to remove all air from the board and make it easier to fold up.

Check out a video of how to deflate and pack your board here.

<https://youtu.be/TXpleg-jRnU>

Folding Your Inflatable Stand Up Paddleboard

Keep Valve PIN in DOWN/OPEN position while folding your board. Board should be clean and dry before storing for best longevity.

Lay your board on a clean flat surface, pad side up and begin by folding the nose of the board to the mid area of cargo bungee. Make a second fold to double this up so you have 4 layers.

Continue to fold over along length of board, using gentle pressure to allow air to escape. Take care to not crease board in areas of integral accessories.

When you reach the end by the valve and fin box, use gentle hand pressure around sides and do not put pressure on fin box area. Close valve and replace cap, make sure it is dry and clear of debris.

Make final fold of fin box up to top, make sure not to try to fold or bend fin box. It should lay flat on the top of folded board.

Slide buckle strap under your folded board and secure around to keep the folded board together. Board should easily pack flat into your bag.

Check out a video of how to deflate and pack your board here.

<https://youtu.be/TXpleg-jRnU>

Caring For Your Stand Up Paddleboard

Carry your board while on land, taking care not to drag your board across sharp rocks, barnacles, docks, etc. Your board could be scratched, which may result in the removal of graphics and UV protection and shorten the life of your board. Use care while paddling to avoid sharp objects, rocks, sticks, etc. that can scratch or damage your board.

Do not leave board in direct sunlight when not in use. Although your board has been coated with Sea Gods Proprietary APOLLO UV Protective Coating during manufacture, UV rays may still cause damage over time. Nothing is impervious to Apollo's power.

Do not let board pressure increase to over 20 PSI. Check pressure and release if necessary to maintain 14-20 PSI when moving from cooler area to hot sunny area.

SEA GODS

Caring For Your Stand Up Paddleboard

Always clean your board with clean fresh water after use. Use a soft cloth if needed. Scrubbing board and using detergents can remove Apollo UV protectant and may also remove artwork. Always dry your board before storing. Wet dirty boards can get moldy and deteriorate the PVC, shortening the life of your board.

Take care not to put pressure on your fin box when on land, and not to push or bend when folding board. Always ensure your board is in water deep enough that fin is not touching the bottom before getting on board.



Check out our selection of SUP care products to ensure a long-lasting beautiful ride.


<https://seagods.ca/products/sup-cleaning-trio>



Caring For Your Stand Up Paddleboard

Tilt board in water to break water tension before using handles to pick up the board. If you grab the handle and try to lift board straight up from water, there is extra tension on handle and can shorten the life of your handle.

Periodically you may need to tighten the valve with the wrench in the repair kit. You will know if you need to do this because you will hear slight air leak from valve when board has pressure. Use the wrench to gently tighten in a clockwise direction. NEVER UNSCREW VALVE. Internal drop stitch strings may get caught and damage your board.



Storing Your Stand Up Paddleboard

- Store your board in the bag, fin box up, with all the accessories situated on top, in a lying position.
- Do not store anything on top.
- Your Wheelie Backpack bag has a fin pocket inside for fin storage
- Keep away from rodents and insects.
- Freezing temperatures can cause PVC and Plastic to become brittle.
- Avoid dropping or allowing impact to boards that are frozen.
- Bring frozen board up to room temperature before unrolling.

SEA GODS

Sea Gods LIFETIME Warranty

Sea Gods Stand Up Paddleboards guarantees our boards to be free from manufacturing defects for the reasonable life of the item. If your board should ever fail due to defects in materials or craftsmanship, we will repair it free of charge or replace it at our discretion. All warranty claims require proof of purchase by original owner.

Normal wear and tear, damage caused by misuse, improper care or impacts/accidents are not covered by this warranty. Losses or costs incurred as a result of loss of use are not covered. Please send your board back clean and dry- we can't warranty a board you don't take care of. We always do our best for our valued customers, but please understand during peak times it may take up to 5 business days for us to process your request. Once a warranty item is received it may take up to 6-8 weeks for us to complete the warranty and repair and ship your board back to you.

Important information

To ensure best service, please contact us to get a repair/replace order number. We will give you a number to use with your return. Items returned without the RO# will not be accepted.

To receive a Repair/Replace Order Number, please email us at warranty@seagods.ca. You may be asked to provide pictures of the problem area on the board so that we can determine the best options for you.

Once you have contacted us and a RO# has been issued please follow these steps to complete the warranty process:

1. Write your Repair/Replace Plan File Number in large numbers on the outside of the shipping package so that we can easily identify it when it arrives at our shop.
2. Ship your item back via your Postal Service or carrier of your choosing.
3. Ensure the item is clean and dry before shipping
4. Ship the item back to Sea Gods Stand Up Paddleboards

Sea Gods Stand Up Paddleboards

Unit 5B 1381 George Street, White Rock BC, V4B 2L1, Canada

International Return Shipping

All items must be shipped as warranty items / repair with a declared value of \$1 per item. Failing to follow this will result in the parcel being declined and shipped back at the shipper's expense. Please further indicate that these are Canadian goods returning to Canada.

For any questions, please feel free to contact warranty@seagods.ca. Not properly following the above directions could result in the parcel being returned to sender at their cost.

There is no need to 'register' or 'activate' this warranty, it comes included with proof of purchase.



SEA GODS